


Helping People To Live Well

“सर्वदा स्वस्थ भवः”



# Company Profile

## The journey of the 13 years.....

**Care Formulation Labs Pvt. Ltd.** is providing its services since 2010 fully entered with the aim of distribution and selling of medical products in various medical fields. We are based in Delhi.

Company has been accredited with ISO:2008:2015 and manufacture pharmaceutical formulations as per the guidelines of WHO.

Our success is the result of focus on our clients on top priorities such as quality products, on time delivery, competitive rates and in paralleled awareness.

Now, Care Formulation Labs Pvt. Ltd. is engaged in selling and distributing the pharmaceutical products in 28 states of India and 8 Union Territories and has entered International boundaries as well.

An integrated healthcare solution provider with pharmaceutical product basket of approx.1000 products.

Marketing and Export of pharmaceutical formulations covering a wide range such as Tablets, Capsules, Injection, Syrups, Dry syrups, Suspensions, Ointments, Creams, Gel, Ear Drops, Eye Drops, Nasal Spray, Rotta Cap, Cosmetics, Protein Powder and Nutritional Supplement etc.

Our products are formulated under the strict supervision of experienced chemists, we are dedicated to maintain the best quality in the products.


We are also engaged in institutional business especially for government and private institutions across the country.

Through a strategy of continuous improvement and teamwork we maintain the highest quality standards, value services and technology.

We assure life long relationship to provide with best of the products.

**NAVEEN KUMAR JINDAL**  
**(DIRECTOR)**

# TABLETS



20x10 Tabs (Alu-Alu)  
M.R.P. 109/- Strip



## AXCLOPAIN-MR

### Composition :

Each film coated tablets Contains:  
 Aceclofenac IP 100 mg.  
 Paracetamol IP 325mg.  
 Chlorzoxazone USP 250mg.  
 Excipients q.s.  
 Colours : Sunset Yellow & Titanium Dioxide IP

**Indication :** Aceclofenac + Paracetamol + Chlorzoxazone is a combination of two pain relieving medicines (Aceclofenac and Paracetamol) and a muscle relaxant (Chlorzoxazone). The pain relieving medicines work by blocking the release of certain chemical messengers in the brain that cause pain and inflammation (redness and swelling).

10x2x10 Tabs (Blister)  
M.R.P. 99/- Strip



## AXCLOPAIN-MR

### Composition :

Each film coated tablets Contains:  
 Aceclofenac IP 100 mg.  
 Paracetamol IP 325mg.  
 Chlorzoxazone USP 250mg.  
 Excipients q.s.  
 Colours : Tartrazine

**Indication :** Aceclofenac + Paracetamol + Chlorzoxazone is a combination of two pain relieving medicines (Aceclofenac and Paracetamol) and a muscle relaxant (Chlorzoxazone). The pain relieving medicines work by blocking the release of certain chemical messengers in the brain that cause pain and inflammation (redness and swelling).

10x2x10 Tabs (Blister)  
M.R.P. 75/- Strip



## AXCLOPAIN-P

### Composition :

Each Film Coated tablet contains:  
 Aceclofenac IP 100 mg.  
 Paracetamol IP 325 mg.  
 Excipients q.s.  
 Colours : Sunset Yellow

**Indication :** Aceclofenac+paracetamol helps in relieving pain from conditions like headache, mild migraine, muscle pain, dental pain, rheumatoid arthritis, ankylosing spondylitis, osteoarthritis and painful menses (periods).

20x10 Tabs (Alu-Alu)  
M.R.P. 133/- Strip



## AXCLOPAIN-SP

### Composition :

Each film coated tablets Contains:  
 Aceclofenac IP 100 mg.  
 Paracetamol IP 325mg.  
 Serratiopeptidase IP 15mg.  
 (As Enteric coated granules)  
 eq. to 30,000 units of enzymatic activity)  
 Excipients q.s.  
 Colours : Sunset Yellow

**Indication :** Aceclofenac+Paracetamol+Serratiopeptidase is used for pain relief. It relieves pain in conditions like headache, mild migraine, musculoskeletal pain or painful menses.



# TABLETS

4x5x10 Tabs (Blister)  
M.R.P. 38/- Strip



## AXCLOPAIN-100

### Composition :

Each film coated tablets Contains:  
Aceclofenac IP 100 mg.  
Excipients q.s.  
Colours : Erythrosine

**Indication :** Aceclofenac tablets are indicated for the relief of pain and inflammation in osteoarthritis, rheumatoid arthritis and ankylosing spondylitis. Aceclofenac tablets are supplied for oral administration and should be swallowed whole with a sufficient quantity of liquid.

2x5x10 Tabs (Blister)  
M.R.P. 45/- Strip




## AXCLOPAIN-SR

### Composition :

Each film coated sustained release tablets Contains:  
Aceclofenac IP 200 mg.  
Excipients q.s.  
Colours : Titanium Dioxide IP

**Indication :** Aceclofenac film-coated tablets are indicated for the relief of pain and inflammation in osteoarthritis, rheumatoid arthritis and ankylosing spondylitis. Aceclofenac film-coated tablets are supplied for oral administration and should be swallowed whole with a sufficient quantity of liquid.

20x10 Tabs (Alu-Alu)  
M.R.P. 95/- Strip



## AXCLOPAIN-PLUS

### Composition :

Each film coated tablet contains :  
Aceclofenac IP 100mg  
Paracetamol IP 325 mg  
Excipients q.s.  
Colours : Sunset yellow FCF & Titanium Dioxide IP

**Indication :** Aceclofenac+Paracetamol is used for pain relief. These medicines work by blocking the action of chemical messengers responsible for pain, fever and inflammation (redness and swelling).

20x10 Tabs (Blister)  
M.R.P. 95/- Strip



## AXCLOPAIN-COLD FLU

### Composition :

Each uncoated tablet contains :  
Aceclofenac IP 100mg.  
Paracetamol IP 325mg.  
Cetirizine Hydrochloride IP 10mg.  
Pseudoephedrine Hydrochloride IP 5mg.  
Caffeine (Anhydrous) IP 25mg.  
Excipients q.s.  
Colour : Tartrazine

**Indication :** Axclopain cold flu Tablet is a combination medicine that effectively relieves symptoms of common cold such as blocked nose, runny nose, watery eyes, sneezing, and congestion or stuffiness. It helps to loosen thick mucus, making it easier to cough out. This makes it easier for air to move in and out.

20X10 Tabs (Alu-Alu)  
M.R.P. 123/- Strip



## AXCLOPAIN-S

### Composition :

Aceclofenac IP 100mg.  
Paracetamol IP 325mg.  
Serratiopeptidase IP 10mg.  
eq. to 30,000  
Serratiopeptidase units (Excipients) q.s.  
Colour : Sunset Yellow & Titanium Dioxide IP

**Indication :** Aceclofenac+paracetamol+serratiopeptidase is used in the reduction of pain and inflammation due to bone or soft tissue injury, resolution of postoperative inflammation, oedema (swollen tissue with fluid) and pain.

10X10 Tabs (Alu-Alu)  
M.R.P. 270/- Strip



## AXCLOPAIN-TH

### Composition :

Each film coated tablet contains :  
Aceclofenac IP 100mg.  
Thiocolchicoside IP 4mg.  
Excipients q.s.  
Colour : Red oxide of Iron

**Indication :** Aceclofenac+Thiocolchicoside is a combination medication used to reduce and relieve pain due to muscle spasms (painful muscular contractions) associated with degenerative vertebral disorders, vertebral static problems, dorsal pain, low back pain, and torticollis (neck muscle contractions).

# TABLETS

10x1x10 Tabs (Alu-Alu)  
M.R.P. 260/- Strip



## AXCLOPAIN-TP

**Composition :**  
Each film coated tablet contains :  
Aceclofenac IP 100 mg.  
Paracetamol IP 325 mg.  
Thiocolchicoside IP 4 mg.  
Excipients q.s.  
Colour : Quinoline Yellow

**Indication :** Aceclofenac+paracetamol+thiocolchicoside is used to relieve pain and inflammation associated with osteoarthritis, rheumatoid arthritis, ankylosing spondylitis, muscle pain, bone and joint pain.

20X2X6 Tabs (Blister)  
M.R.P. 78.22/- Strip



## AZITOM-250

**Composition :**  
Each film coated tablet contains :  
Azithromycin IP 250mg.  
(As Anhydrous)  
Colour : Titanium Dioxide IP & Yellow oxide of Iron

**Indication :** Azithromycin is an antibiotic. It's widely used to treat chest infections such as pneumonia, infections of the nose and throat such as sinus infection (sinusitis), skin infections, Lyme disease, and some sexually transmitted infections.

20X2X3 Tabs (Blister)  
M.R.P. 79.16/- Strip




## AZITOM-500

**Composition :**  
Each film coated tablet contains :  
Azithromycin IP 500mg.  
(As Anhydrous)  
Colour : Titanium Dioxide IP

**Indication :** Azithromycin is an antibiotic. It's widely used to treat chest infections such as pneumonia, infections of the nose and throat such as sinus infection (sinusitis), skin infections, Lyme disease, and some sexually transmitted infections.

10x10x1 Tabs (Alu-Alu)  
M.R.P. 90.90/- Strip



## ALBISTI-400

**Composition :**  
Each uncoated chewable tablet contains :  
Albendazole IP 400mg.  
Excipients q.s.  
Colour : Sunset Yellow FCF

**Indication :** Albendazole is an anthelmintic or anti-worm medication. It prevents newly hatched insect larvae (worms) from growing or multiplying in your body. Albendazole is used to treat certain infections caused by worms such as pork tapeworm and dog

10x10x1 Tabs (Alu-Alu)  
M.R.P. 39/- Strip



## ALBISTI-PLUS

**Composition :**  
Each uncoated chewable tablet contains :  
Albendazole IP 400mg.  
Excipients q.s.  
Colour : Sunset Yellow FCF

**Indication :** Albendazole is an anthelmintic or anti-worm medication. It prevents newly hatched insect larvae (worms) from growing or multiplying in your body. Albendazole is used to treat certain infections caused by worms such as pork tapeworm and dog

10X15 Tabs (Aluminium)  
M.R.P. 187/- Strip



## A TO ALL

Each Serving/ film coated tablet contains (approx.) %RDA\*

Essential Vitamins :		
Vitamin C	40 mg	66.70%
Vitamin B3	16 mg	80.00%
Vitamin E 50%	10 mg	100.00%
Vitamin B5	4.5 mg	45.00%
Vitamin B2	1.4 mg	82.40%
Vitamin B6	1.2 mg	60.00%
Vitamin B1	1.2 mg	80.00%
Vitamin A	600 mcg	40.00%
Folic Acid	1 mcg	16.70%
Methylcobalamin	1 mcg	**
Essential Minerals :		
Zinc Oxide	10 mg	67.00%
Manganese Chloride	2mg	100.00%
Copper Gluconate	0.90 mg	45.00%
Sodium Selenate	35 mcg	50.00%
Excipients		q.s.
Nutritional Information (Approximate Values) :		
Per Serving (Per film coated tablet)		
Energy Value 0.52 kcal, Carbohydrate 0.01 g,		
Fat 0.000 g, Cholesterol 0.000 g		



# TABLETS

10x10 Tabs (Blister)  
M.R.P. 84.22/- Strip



## ABOYVIR®-200

**Composition :**  
Each uncoated tablet contains:  
Aciclovir IP 200mg.  
Excipients q.s

**Indication :** Aciclovir Tablets are indicated for the treatment of herpes simplex virus infections of the skin and mucous membranes including initial and recurrent genital herpes (excluding neonatal HSV and severe HSV infections in immunocompromised children).

10x1x6 Tabs (Alu-Alu)  
M.R.P. 152.80/- Strip



## ARTIXOLE

**Composition :**  
Each uncoated tablet contains :  
Artemether I.P. 80 mg  
Lumefantrine 480 mg  
Excipients q.s.

**Indication :** The combination of artemether and lumefantrine is used to treat certain kinds of malaria infections (a serious infection that is spread by mosquitoes in certain parts of the world and can cause death).

10X1X10 Tabs (Alu-Alu)  
M.R.P. 430/- Strip



## AMYTUM®-250

**Composition :**  
Each film coated tablet contains :  
Cefuroxime Axetil IP  
Eq. to Cefuroxime 250 mg.  
Colours : Titanium Dioxide

**Indication :** Cefuroxime is used to treat certain infections caused by bacteria, such as bronchitis (infection of the airway tubes leading to the lungs); gonorrhoea (a sexually transmitted disease); Lyme disease (an infection that may develop after a person is bitten by a tick); and infections of the skin, ears, sinuses, throat, tonsils,, and urinary tract. Cefuroxime is in a class of medications called cephalosporin antibiotics. It works by stopping the growth of bacteria.

10X1X10 Tabs (Alu-Alu)  
M.R.P. 576/- Strip



## AMYTUM®-500

**Composition :**  
Each film coated tablet contains :  
Cefuroxime Axetil IP  
Eq. to Cefuroxime 250 mg.  
Colours : Titanium Dioxide

**Indication :** Cefuroxime is used to treat certain infections caused by bacteria, such as bronchitis (infection of the airway tubes leading to the lungs); gonorrhoea (a sexually transmitted disease); Lyme disease (an infection that may develop after a person is bitten by a tick); and infections of the skin, ears, sinuses, throat, tonsils,, and urinary tract. Cefuroxime is in a class of medications called cephalosporin antibiotics. It works by stopping the growth of bacteria.

10X1X10 Tabs (Alu-Alu)  
M.R.P. 890/- Strip



## AMYTUM®-CV 500

**Composition :**  
Each film coated tablet contains :  
Cefuroxime Axetil IP  
Eq. to Cefuroxime 500 mg.  
Potassium Clavulanate Diluted IP  
Eq. to Clavulanic Acid 125 mg.  
Excipients q.s.  
Colours : Titanium Dioxide

**Indication :** This medication is known as a cephalosporin antibiotic. It works by stopping the growth of bacteria. This antibiotic treats only bacterial infections.

10x10 Tabs (Alu-Alu)  
M.R.P. 610/- Strip



## AUGOCARE®-1000

**Composition :**  
Each film coated tablet contains :  
Amoxicillin Trihydrate IP  
eq. to Amoxicillin 875 mg  
Potassium Clavulanate Diluted IP  
eq. to Clavulanic Acid 125 mg  
Colour : Titanium Dioxide IP

**Indication:** Amoxicillin and clavulanate potassium is a combination medicine used to treat many different infections caused by bacteria, such as sinusitis, pneumonia, ear infections, bronchitis, urinary tract infections, and infections of the skin.

# TABLETS

10x6 Tabs (Alu-Alu)  
M.R.P. 120/- Strip




## AUGOCARE®-375

### Composition :

Each film coated tablet contains :  
Amoxicillin Trihydrate IP  
Eq. to Amoxicillin 250mg.  
Potassium Clavulanate Diluted IP  
Eq. to Clavulanic Acid 125mg.  
Colour : Titanium Dioxide IP

**Indication :** Amoxicillin and clavulanate potassium is a combination medicine used to treat many different infections caused by bacteria, such as sinusitis, pneumonia, ear infections, bronchitis, urinary tract infections, and infections of the skin.

10x1x10 Tabs (Alu-Alu)  
M.R.P. 204.84/- Strip



## AUGOCARE®-625

### Composition :

Each film coated tablet contains :  
Amoxicillin Trihydrate IP  
eq. to Amoxicillin 500 mg  
Potassium Clavulanate Diluted IP  
eq. to Clavulanic Acid 125 mg  
Excipients q.s.  
Colour : Titanium Dioxide IP

**Indication :** Amoxicillin and clavulanate potassium is a combination medicine used to treat many different infections caused by bacteria, such as sinusitis, pneumonia, ear infections, bronchitis, urinary tract infections, and infections of the skin.

25x2x10 Tabs (Aluminium)  
M.R.P. 8.20/- Strip



## BETJEC®

### Composition :

Each uncoated tablet contains :  
Betamethasone Sodium Phosphate I.P.  
Eq to Betamethasone 0.5 mg  
Excipients q.s.

**Indication :** It is used to treat a number of different conditions, such as inflammation (swelling), severe allergies, adrenal problems, arthritis, lung or breathing problems, blood or bone marrow problems, eye or vision problems, lupus, serious skin conditions, kidney problems, ulcerative colitis, and flare-ups of multiple sclerosis.

10X2X10 Tabs (Blister)  
M.R.P. 65/- Strip



## BODYZOX-MR

### Composition :

Each uncoated tablet contains:  
Diclofenac Sodium BP 50 mg.  
Paracetamol IP 325 mg.  
Chlorzoxazone USP 250 mg.  
Excipients q.s.  
Colours : Tartrazine

**Indication :** Chlorzoxazone + Diclofenac + Paracetamol is a combination of a muscle relaxant (Chlorzoxazone) and two pain relieving medicines ( Diclofenac and Paracetamol). The muscle relaxant works on the centers in the brain and spinal cord to relieve muscle stiffness or spasm, thereby improving movement of muscles. The pain relieving medicines work by blocking the release of certain chemical messengers in the brain that cause pain and inflammation (redness and swelling).

15x10 Tabs (Blister)  
M.R.P. 98/- Strip




## BODYZOX-FORTE

### Composition :

Each uncoated tablet contains:  
Diclofenac Sodium BP 50 mg.  
Paracetamol IP 325 mg.  
Chlorzoxazone USP 500 mg.  
Excipients q.s.  
Colours : Red oxide of iron

**Indication :** Chlorzoxazone + Diclofenac + Paracetamol is a combination of a muscle relaxant (Chlorzoxazone) and two pain relieving medicines ( Diclofenac and Paracetamol). The muscle relaxant works on the centers in the brain and spinal cord to relieve muscle stiffness or spasm, thereby improving movement of muscles. The pain relieving medicines work by blocking the release of certain chemical messengers in the brain that cause pain and inflammation (redness and swelling).

20X15 Tabs (Blister)  
M.R.P. 105/- Strip



## CALDICARE®

### Composition :

Each film coated tablet contains :  
Calcium Carbonate IP 1250mg.  
Eq. to elemental Calcium 500mg.  
(from an organic source oyster shells)  
Vitamin D3 IP 250IU  
Excipients q.s.  
Colour : TitaniumDioxide & Brilliant Blue

**Indication :** It may be used to treat conditions caused by low calcium levels such as bone loss (osteoporosis), weak bones (osteomalacia/rickets), decreased activity of the parathyroid gland (hypoparathyroidism), and a certain muscle disease (latent tetany).



# TABLETS

20x15 Tabs (Blister)  
M.R.P. 345/- Strip



## CALDICARE-XT

### Composition :

Each film coated tablet contains :  
 Calcium Carbonate IP 1250 mg  
 eq. to elemental Calcium 500mg  
 Vitamin D3 IP 2000 IU  
 Methylcobalamin IP 1500mcg  
 L-Methylfolate Calcium 1mg  
 Pyridoxal 5-Phosphate 0.5mg  
 Excipients q.s.  
 Colour : Erythrosine

**Indication :** It may be used to treat conditions caused by low calcium levels such as bone loss (osteoporosis), weak bones (osteomalacia/rickets), decreased activity of the parathyroid gland (hypoparathyroidism), and a certain muscle disease (latent tetany).

10x10 Tabs (Blister)  
M.R.P. 155/- Strip



## CARTIVOL-D

### Composition :

Each film coated tablet contains :  
 Diacerein IP 50 mg.  
 Glucosamine Sulphate Potassium chloride U.S.P. 1500 mg.

**Indication :** Patented crystalline glucosamine sulfate and diacerein are commonly used for treatment of symptomatic mild to moderate knee OA to relieve joint pain and delay joint destruction and cartilage loss.

10x1x10 Tabs (Alu-Alu)  
M.R.P. 225/- Strip




## CARTIVOL-DN

### Composition :

Each film coated tablet contains :  
 Diacerein IP 50 mg.  
 Glucosamine Sulphate Potassium chloride U.S.P. 750 mg.  
 (eq. to Glucosamine 446 mg)  
 Methylsulphonylmethane U.S.P. 250mg.  
 Excipients q.s.  
 Colours : Ponceau 4R Lake & Titanium Dioxide IP

**Indication :** Patented crystalline glucosamine sulfate and diacerein are commonly used for treatment of symptomatic mild to moderate knee OA to relieve joint pain and delay joint destruction and cartilage loss.

4X5X10 Tabs (Blister)  
M.R.P. 49/- Strip



## CARESPAS

### Composition :

Each uncoated tablet contains:  
 Dicyclomine HCl IP 10 mg.  
 Paracetamol IP 325 mg.  
 Excipients q.s.

**Indication :** Dicyclomine+Paracetamol is used in the treatment of abdominal pain. It relieves abdominal pain that is associated with biliary colic, intestinal colic, renal colic and dysmenorrhea. Dicyclomine + Paracetamol is a combination of two medicines: dicyclomine and paracetamol, which relieves abdominal pain and cramps.

4X5X10 Tabs (Blister)  
M.R.P. 29/- Strip




## CARESPAS-PLUS

### Composition :

Each uncoated tablet contains:  
 Mefenamic Acid I.P. 250 mg.  
 Dicyclomine HCl I.P. 10 mg.  
 Excipients q.s.  
 Colours : Tartrazine

**Indication :** Dicyclomine+Mefenamic Acid is used in the treatment of menstrual pain and colicky pain. It relieves colicky pain associated with intestinal, biliary, and ureteric colic.

10x5x10 Tabs (Blister)  
M.R.P. 18.80/- Strip



## CETICARE<sup>®</sup> HEART SHAPE

### Composition :


Each film coated tablet contains:  
 Cetirizine Hydrochloride IP 10 mg.  
 Excipients q.s.  
 Colours : Ponceau 4R

**Indication :** Cetirizine is used to temporarily relieve the symptoms of hay fever (allergy to pollen, dust, or other substances in the air) and allergy to other substances (such as dust mites, animal dander, cockroaches, and molds). These symptoms include sneezing; runny nose; itchy, red, watery eyes; and itchy nose or throat.



# TABLETS

30x10 Tabs (Blister)  
M.R.P. 65/- Strip



## CETICARE<sup>®</sup>-PLUS ROUND

### Composition :

Each uncoated tablet contains :  
 Cetirizine HCl IP 5 mg.  
 Phenylephrine HCl IP 5 mg.  
 Paracetamol IP 325 mg.  
 Excipients q.s.  
 Colours : Tartrazine

**Indication :** Cetirizine + Paracetamol + Phenylephrine is a combination of three medicines: Cetirizine, Paracetamol and Phenylephrine, which relieves common cold symptoms. Cetirizine is an antiallergic which blocks histamine (a chemical messenger) to relieve allergy symptoms like runny nose, watery eyes and sneezing.

10x5x10 Tabs (Blister)  
M.R.P. 21.05/- Strip



## CETICARE<sup>®</sup>-OVAL

### Composition :

Each film coated tablet contains :  
 Cetirizine Hydrochloride IP 10 mg.  
 Excipients q.s.  
 Colours : Titanium Dioxide IP

**Indication :** Cetirizine is used to temporarily relieve the symptoms of hay fever (allergy to pollen, dust, or other substances in the air) and allergy to other substances (such as dust mites, animal dander, cockroaches, and molds). These symptoms include sneezing; runny nose; itchy, red, watery eyes; and itchy nose or throat.

25X2X10 Tabs (Blister)  
M.R.P. 50/- Strip



## CARE RELIEF

### Composition :

Each uncoated tablet contains:  
 Diclofenac Potassium BP 50 mg.  
 Paracetamol IP 325 mg.  
 Excipients q.s.  
 Colour: Tartrazine

**Indication :** It is used to treat muscle aches, backaches, dental pain, menstrual cramps, and sports injuries. It also reduces pain, swelling, and joint stiffness caused by arthritis. Reducing these symptoms helps you do more of your normal daily activities. This medication is known as a nonsteroidal anti-inflammatory drug (NSAID).

30x10 Tabs (Blister)  
M.R.P. 89/- Strip



## CARE FREE COLD PLUS

### Composition :

Each uncoated tablet contains:  
 Paracetamol IP 500mg.  
 Phenylephrine Hydrochloride IP 10mg.  
 Chlorpheniramine Maleate IP 2mg.  
 Excipients q.s.  
 Colour : Tartrazine

**Indication :** Chlorpheniramine Maleate + Phenylephrine + Paracetamol Citrate helps relieve symptoms of cold and flu such as headache, sore throat, runny nose, muscular pain, and fever. It may cause dizziness and sleepiness. Don't drive or do anything that requires mental focus until you know how it affects you.

20x15 Tabs (Blister)  
M.R.P. 55/- Strip



## CARE-IPS

### Composition :

Each uncoated tablet contains :  
 Ibuprofen IP 400mg.  
 Paracetamol IP 325mg.  
 Excipients q.s.

**Indication :** Ibuprofen+Paracetamol is used for pain relief and fever. It relieves pain in conditions like headache, mild migraine, muscle pain, dental pain, rheumatoid arthritis, ankylosing spondylitis, osteoarthritis or painful menses.

20x5x10 Tabs (P.Strip)  
M.R.P. 41.80/- Strip



## CYPCARE-4

### Composition :

Each uncoated tablet contains:  
 Cyproheptadine Hydrochloride IP 4mg.  
 Excipients q.s.

**Indication :** Cyproheptadine relieves red, irritated, itchy, watery eyes; sneezing; and runny nose caused by allergies, irritants in the air, and hay fever. It may also be used to relieve the itching of allergic skin conditions, and to treat hives, including hives caused by exposure to cold temperatures and by rubbing the skin.



# TABLETS

20x5x10 Tabs (P.Strip)  
M.R.P. 2.46 /- Strip



## DEXATORE-0.5

### Composition :

Each uncoated tablet contains:  
Dexamethasone IP 0.5mg.  
Excipients q.s.

**Indication :** It is used to treat a number of different conditions, such as inflammation (swelling), severe allergies, adrenal problems, arthritis, asthma, blood or bone marrow problems, kidney problems, skin conditions, and flare-ups of multiple sclerosis. Dexamethasone is a corticosteroid (cortisone-like medicine or steroid).syphilis).

10x5x10 Tabs (Blister)  
M.R.P. 25.76/- Strip



## DOMICARE

### Composition :

Each uncoated tablet contains:  
Domperidone IP 10 mg.  
Excipients q.s.

**Indication :** Domperidone is an anti-sickness medicine. It helps you to stop feeling or being sick (nausea or vomiting). It can also be used to treat stomach pain if you're having end of life care (palliative care). Domperidone is sometimes used to increase milk supply.

20X8 Tabs (Blister)  
M.R.P. 79.50 /- Strip



## DOXYCARE-LB

### Composition :

Each film coated tablet contains:  
Doxycycline Hydrochloride IP Eq. to Doxycycline 100mg.  
Lactic acid bacillus 5million spores  
Excipients q.s.  
Colour : Sunset Yellow FCF

**Indication :** Doxycycline+Lactic Acid Bacillus is used to treat bacterial infections such as urinary tract infections, intestinal infections, respiratory infections, eye infections, gum infections, and sexually transmitted infections (like gonorrhoea,

4X5X10Tabs (Blister)  
M.R.P. 80/- Strip



## DR. SPAS

### Composition :

Each film coated tablet contains:  
Drotaverine Hydrochloride IP 40mg.  
Excipients q.s.  
Colour : Tartrazine

**Indication :** Drotaverine is an important treatment for twitches or spasms of the smooth muscles of the stomach and heart. It relieves pain caused by irritable bowel syndrome, headaches, menstrual periods, and cervical spasm throughout childbirth..

4x5x10 Tabs (Blister)  
M.R.P. 175/- Strip



## DR. SPAS M

### Composition :

Each film coated tablet contains :  
Drotaverine HClIP 80mg.  
Mefenamic Acid IP 250mg.  
Excipients q.s.  
Colour : Erythrosine & Titanium Dioxide IP

**Indication :** Drotaverine+Mefenamic Acid is a combination medicine used to treat abdominal pain, muscle pain, migraine headache, functional bowel disorders, dysmenorrhea (menstrual cramps), heavy bleeding during periods, renal colic pain, and pain after surgery.

4x5x10 Tabs (Blister)  
M.R.P. 135/- Strip



## DR. SPAS DS

### Composition :

Each film coated tablet contains :  
Drotaverine HClIP 80mg.  
Excipients q.s.  
Colour : Yellow Oxide Of Iron

**Indication :** Drotaverine hydrochloride is an antispasmodic drug, a pain relief medicine; used to treated and relieve smooth muscle spasms i.e. is seen in menstrual pain, abdominal pain, pain due to kidney stone and biliary stone and gastrointestinal colicky pain.



# TABLETS

10x1x10 Tabs (Alu-Alu)  
M.R.P. 295/- Strip



## FOCEF-OF

### Composition :

Each film coated tablet contains :  
Cefixime (as Trihydrate) IP  
eq. to Cefixime (Anhydrous) 200 mg.  
Ofloxacin IP 200 mg.  
Excipients q.s.  
Colours : Yellow oxide of Iron

**Indication :** Cefixime+Ofloxacin is used in the treatment of bacterial infections. Cefixime + Ofloxacin is a combination of two antibiotics: Cefixime and Ofloxacin. Cefixime works by preventing the formation of the bacterial protective covering which is essential for the survival of the bacteria in the human body.

10x1x10 Tabs (Alu-Alu)  
M.R.P. 86.07/- Strip



## FOCEF-O 100

### Composition :

Each uncoated dispersible tablet contains:  
Cefixime (as Trihydrate) IP  
eq. to Anhydrous cefixime 100mg.  
Excipients q.s.  
Colours : Sunset Yellow FCF.

**Indication :** Cefixime is used to treat certain infections caused by bacteria such as bronchitis (infection of the airway tubes leading to the lungs); gonorrhoea (a sexually transmitted disease); and infections of the ears, throat, tonsils, and urinary tract. Cefixime is in a class of medications called cephalosporin antibiotics.

10x1x10 Tabs (Alu-Alu)  
M.R.P. 119.39/- Strip



## FOCEF-O 200

### Composition :

Each uncoated dispersible tablet contains :  
Cefixime (as Trihydrate) IP  
eq. to Anhydrous cefixime 200mg.  
Excipients q.s.  
Colours : Sunset Yellow FCF

**Indication :** Cefixime is used to treat certain infections caused by bacteria such as bronchitis (infection of the airway tubes leading to the lungs); gonorrhoea (a sexually transmitted disease); and infections of the ears, throat, tonsils, and urinary tract. Cefixime is in a class of medications called cephalosporin antibiotics.

10x10 Tabs (Alu-Alu)  
M.R.P. 109.42/- Strip



## FOCEF-O 200

### Composition :

Each uncoated dispersible tablet contains :  
Cefixime (as Trihydrate) IP  
eq. to Anhydrous cefixime 200mg.  
Excipients q.s.  
Colours : Sunset Yellow FCF

**Indication :** Cefixime is used to treat certain infections caused by bacteria such as bronchitis (infection of the airway tubes leading to the lungs); gonorrhoea (a sexually transmitted disease); and infections of the ears, throat, tonsils, and urinary tract. Cefixime is in a class of medications called cephalosporin antibiotics.

10x10x1 Tabs (Alu-Alu)  
M.R.P. 120.51/- Strip



## FLUCUT<sup>®</sup>-150

### Composition :

Each uncoated tablet contains :  
Fluconazole IP 150mg.  
Excipients q.s.  
Colour : Ponceau 4R

**Indication :** Fluconazole is used to treat serious fungal or yeast infections, such as vaginal candidiasis, oropharyngeal candidiasis (thrush, oral thrush), esophageal candidiasis (candida esophagitis), other candida infections (including urinary tract infections, peritonitis [inflammation of the lining of abdomen or stomach], and infections that may occur in different parts of the body), or fungal (cryptococcal) meningitis. This medicine works by killing the fungus or yeast, or preventing its growth.

25x1x2 Tabs (Blister)  
M.R.P. 25.50/- Strip



## FLUCUT<sup>®</sup>-150

### Composition :

Each uncoated tablet contains :  
Fluconazole IP 150mg.  
Excipients q.s.  
Colour : Ponceau 4R

**Indication :** Fluconazole is used to treat serious fungal or yeast infections, such as vaginal candidiasis, oropharyngeal candidiasis (thrush, oral thrush), esophageal candidiasis (candida esophagitis), other candida infections (including urinary tract infections, peritonitis [inflammation of the lining of abdomen or stomach], and infections that may occur in different parts of the body), or fungal (cryptococcal) meningitis. This medicine works by killing the fungus or yeast, or preventing its growth.

# TABLETS

20x1x2 Tabs (Blister)  
M.R.P. 34.87/- Strip



## FLUCUT<sup>®</sup>-200

**Composition :**  
Each uncoated tablet contains :  
Fluconazole IP 200mg.  
Excipients q.s.

**Indication :** Fluconazole is used to treat serious fungal or yeast infections, such as vaginal candidiasis, oropharyngeal candidiasis (thrush, oral thrush), esophageal candidiasis (candida esophagitis), other candida infections (including urinary tract infections, peritonitis [inflammation of the lining of abdomen or stomach], and infections that may occur in different parts of the body), or fungal (cryptococcal) meningitis. This medicine works by killing the fungus or yeast, or preventing its growth.

20x1x1 Tabs (Blister)  
M.R.P. 33.10/- Strip



## FLUCUT<sup>®</sup>-400

**Composition :**  
Each uncoated tablet contains :  
Fluconazole IP 400mg.  
Excipients q.s.

**Indication :** Fluconazole is used to treat serious fungal or yeast infections, such as vaginal candidiasis, oropharyngeal candidiasis (thrush, oral thrush), esophageal candidiasis (candida esophagitis), other candida infections (including urinary tract infections, peritonitis [inflammation of the lining of abdomen or stomach], and infections that may occur in different parts of the body), or fungal (cryptococcal) meningitis. This medicine works by killing the fungus or yeast, or preventing its growth.

10x1x4 Tabs (Blister)  
M.R.P. 103/- Strip



## FLUCUT<sup>®</sup>-AZ

**Composition :**  
Each Combikit contains :  
(A) 1 Fluconazole Tablet IP  
Each uncoated tablet contains :  
Fluconazole IP 150 mg.  
Colour : Ponceau 4R  
(B) 1 Azithromycin Tablet IP  
Each film coated tablet contains :  
Azithromycin Dihydrate IP  
eq. to Azithromycin anhydrous 1 gm.  
Colour : Ponceau 4R  
(C) 2 Secnidazole Tablets IP  
Each film coated tablet contains :  
Secnidazole IP 1 gm.  
Colour : Titanium Dioxide IP  
Excipients q.s.

10x1x10 Tabs (Alu-Alu)  
M.R.P. 180/- Strip



## FERIMIN<sup>®</sup>-XT

**Composition :**  
Each film coated tablet contains :  
Ferrous Ascorbate 100mg.  
eq. t Elemental Iron  
Folic Acid IP 1.5mg.  
Excipients q.s.

**Indication :** Ferrous Ascorbate and Folic Acid provide essential nutritional supplements for the body. Ferrous Ascorbate tablets are crucial for the treatment of anaemia resulting from iron deficiency. Folic Acid helps to produce red blood cells, promoting oxygen supply to all parts of the body.

20x1x4 Tabs (Blister)  
M.R.P. 102/- Strip



## LIGGA<sup>®</sup>

**Composition :**  
Each film coated tablet contains :  
Sildenafil Citrate IP 100 mg.  
equipment to Sildenafil  
Excipients q.s.  
Colours : Ponceau 4R

**Indication :** Sildenafil is used to treat male sexual function problems (impotence or erectile dysfunction-ED). In combination with sexual stimulation, sildenafil works by increasing blood flow to the penis to help a man get and keep an erection.

20x1x4 Tabs (Blister)  
M.R.P. 245/- Strip



## LIGGA<sup>®</sup> FORCE

**Composition :**  
Each film coated tablet contains:  
Sildenafil Citrate IP 50mg  
Eq. to Sildenafil  
Dapoxetine Hydrochloride IP 30mg  
Eq to Dapoxetine  
Colours: Brilliant Blue FCF & Titanium Dioxide IP

**Indication** Sildenafil+Dapoxetine is used in the treatment of premature ejaculation.

# TABLETS

10x10 Tabs (Alu-Alu)  
M.R.P. 175/- Strip



## MONOCARE<sup>®</sup>-LC

**Composition :**  
Each film coated tablet contains :  
Levocetirizine Hydrochloride IP 5mg.  
Montelukast Sodium IP 10mg.  
eq. to Montelukast 10mg.  
Excipients q.s.  
Colour : Titanium Dioxide IP

**Indication :** Levocetirizine+Montelukast is used for sneezing and runny nose due to allergies, Hay fever and Allergic skin conditions. Levocetirizine + Montelukast is a combination of two medicines: Levocetirizine and Montelukast, which relieves sneezing and runny nose due to allergies.

20x10 Tabs (Alu-Alu)  
M.R.P. 145/- Strip



## MONOCARE<sup>®</sup>-LC

**Composition :**  
Each film coated tablet contains :  
Levocetirizine hydrochloride IP 5 mg.  
Montelukast Sodium IP 10 mg.  
eq. to Montelukast 10 mg.  
Excipients q.s.  
Colour : Titanium Dioxide IP

**Indication :** Levocetirizine+Montelukast is used for sneezing and runny nose due to allergies, Hay fever and Allergic skin conditions. Levocetirizine + Montelukast is a combination of two medicines: Levocetirizine and Montelukast, which relieves sneezing and runny nose due to allergies.

20x10 Tabs (Alu-Alu)  
M.R.P. 135/- Strip



## MONOCARE<sup>®</sup>-10

**Composition :**  
Each film coated tablet contains :  
Montelukast Sodium IP 10mg.  
Eq. to Montelukast 10mg.  
Excipients q.s.

**Indication :** Montelukast is used to prevent wheezing, difficulty breathing, chest tightness, and coughing caused by asthma in adults and children 12 months of age and older. Montelukast is also used to prevent bronchospasm (breathing difficulties) during exercise in adults and children 6 years of age and older.

10x5x10 Tabs (Blister)  
M.R.P. 17.02/- Strip



## METAUS-400

**Composition :**  
Each film coated tablet contains  
Metronidazole IP 400mg  
Excipients q.s.  
Colour : Sunset Yellow FCF

**Indication :** Metronidazole is an antibiotic. It's used to treat skin infections, rosacea and mouth infections, including infected gums and dental abscesses. It's also used to treat conditions such as bacterial vaginosis and pelvic inflammatory disease.

4x5x10 Tabs (Blister)  
M.R.P. 104/- Strip




## METHYQ<sup>®</sup>-500

**Composition :**  
Each film coated tablet contains :  
Methylcobalamin I.P. 500 mcg.  
Excipients q.s.  
Colour : Ponceau 4R

**Indication :** Montelukast is used to prevent wheezing, difficulty breathing, chest tightness, and coughing caused by asthma in adults and children 12 months of age and older. Montelukast is also used to prevent bronchospasm (breathing difficulties) during exercise in adults and children 6 years of age and older.

4x5x10 Tabs (Blister)  
M.R.P. 178/- Strip



## METHYQ<sup>®</sup>-OD

**Composition :**  
Each film coated tablet contains :  
Methylcobalamin I.P. 1500 mcg.  
Excipients q.s.  
Colour : Ponceau 4R

**Indication :** Montelukast is used to prevent wheezing, difficulty breathing, chest tightness, and coughing caused by asthma in adults and children 12 months of age and older. Montelukast is also used to prevent bronchospasm (breathing difficulties) during exercise in adults and children 6 years of age and older.



# TABLETS

10x1x10 Tabs (Alu-Alu)  
M.R.P. 590/- Strip



## MONOPOD<sup>®</sup>-CV

**Composition :**  
Each film coated tablet contains :  
Cefpodoxime Proxetil IP  
Eq. to Cefpodoxime 200 mg.  
Potassium Clavulanate IP  
Eq. to Clavulanic Acid 125 mg.  
Excipients q.s.  
Colour : Titanium Dioxide IP

**Indication :** Cefpodoxime Proxetil and Potassium Clavulanate Tablet is an antibiotic that is used to treat various bacterial infections such as tonsillitis, ear infections, throat infections, urinary tract infections (UTIs), bronchitis, and other infections. The antibiotic works by destroying the cell walls of bacteria.

10x1x10 Tabs (Alu-Alu)  
M.R.P. 360/- Strip



## MONOPOD<sup>®</sup>-OF

**Composition :**  
Each film coated tablet contains :  
Cefpodoxime Proxetil IP  
Eq. to Cefpodoxime 200 mg.  
Ofloxacin IP 200 mg.  
Excipients q.s.  
Colour : Tartrazine

**Indication :** Cefpodoxime Proxetil works by preventing the formation of the bacterial protective covering which is essential for the survival of the bacteria in the human body. Ofloxacin works by preventing the bacteria from reproducing and repairing themselves. Together, they treat your infection effectively.

10x1x10 Tabs (Alu-Alu)  
M.R.P. 193/- Strip



## MONOPOD<sup>®</sup>-O 100

**Composition :**  
Each uncoated dispersible tablet contains :  
Cefpodoxime Proxetil IP  
eq. to cefpodoxime 100mg.  
**Colour :** Titanium Dioxide IP

**Indication :** Cefpodoxime is used to treat certain infections caused by bacteria such as bronchitis (infection of the airway tubes leading to the lungs); pneumonia; gonorrhoea (a sexually transmitted disease); and infections of the skin, ear, sinuses, throat, tonsils, and urinary tract.

10x1x10 Tabs (Alu-Alu)  
M.R.P. 360/- Strip



## MONOPOD<sup>®</sup>-O 200

**Composition :**  
Each film coated tablet contains:  
Cefpodoxime Proxetil IP  
eq. to Cefpodoxime 200mg.  
Excipients q.s.  
Colour : Titanium Dioxide IP

**Indication :** Cefpodoxime is used to treat certain infections caused by bacteria such as bronchitis (infection of the airway tubes leading to the lungs); pneumonia; gonorrhoea (a sexually transmitted disease); and infections of the skin, ear, sinuses, throat, tonsils, and urinary tract.

20x1x30 Tabs (Blister)  
M.R.P. 75/- Strip



## NEURO-N-NURO

**Composition:**  
Each tablet contains :  
Thiamine Mononitrate 2.0 mg  
Riboflavin 2.0 mg  
Pyridoxine Hydrochloride 0.5 mg  
Niacinamide 25 mg  
Calcium Pantothenate 1.0 mg  
Vitamin B12 1.0 mcg  
Excipients q.s.  
Colours : Approved colour used  
Appropriate overages of vitamins are added to compensate any loss on storage.

Nutritional information Chart	
Approx Value	
Nutrient	Value (Particulate/Serving)
Energy	0.230 kcal
Carbohydrate	Negligible
Fat	Not detected
Cholesterol	Not detected

10x5x10 Tabs (Blister)  
M.R.P. 32/- Strip



## NIMUCARE<sup>®</sup>

**Composition :**  
Each uncoated tablet contains :  
Nimesulide B.P. 100 mg.  
Excipients q.s.

**Indication :** Nimesulide is a medication used for pain relief and for the prevention of fever. Acute pain, pain due to menstrual cramps, backache, post-operative pain, osteoarthritis and fever are frequently prescribed. This drug belongs to the NSAID class (Non-steroidal anti-inflammatory drug).

# TABLETS

20x15 Tabs  
(Metalic Blister)  
M.R.P. 45/- Strip



## NIMUCARE®

### Composition :

Each uncoated tablet contains :  
Nimesulide B.P. 100 mg.  
Excipients q.s.

**Indication :** Nimesulide is a medication used for pain relief and for the prevention of fever. Acute pain, pain due to menstrual cramps, backache, post-operative pain, osteoarthritis and fever are frequently prescribed. This drug belongs to the NSAID class (Non-steroidal anti-inflammatory drug).

10x2x10 Tabs (Blister)  
M.R.P. 40.50/- Strip



## NIMUCARE®-P

### Composition :

Each Film Coated tablet contains:  
Nimesulide IP 100 mg.  
Paracetamol IP 325 mg.  
Excipients q.s.

**Indication :** Aceclofenac+paracetamol helps in relieving pain from conditions like headache, mild migraine, muscle pain, dental pain, rheumatoid arthritis, ankylosing spondylitis, osteoarthritis and painful menses (periods).

10x2x10 Tabs (Blister)  
M.R.P. 92/- Strip




## NIMUCARE®-COLD

### Composition :

Each uncoated tablet contains :  
Nimesulide BP 100mg.  
Phenylephrine Hydrochloride IP 5mg.  
Levocetirizine Hydrochloride IP 5mg.  
Excipients q.s.  
Colour: Tartrazine

**Indication :** This combination medication is used to temporarily relieve symptoms caused by the common cold, flu, allergies, or other breathing illnesses (such as sinusitis, bronchitis). Antihistamines help relieve watery eyes, itchy eyes/nose/throat, runny nose, and sneezing.

10x2x10 Tabs  
(Golden Blister)  
M.R.P. 40.50/- Strip



## NIMUCARE®-PLUS

### Composition :

Each uncoated tablet contains  
Nimesulide B.P. 100 mg.  
Paracetamol IP 325 mg.  
Excipients q.s.  
Colours : Sunset Yellow FCF

**Indication :** The paracetamol tablets are used for treating headaches, muscle aches, arthritis, backache, body ache and fevers. Nimesulide is a potent nonsteroidal anti-inflammatory medication that works rapidly and (NSAID). It is used for the treatment of acute pain associated with menstruation and osteoarthritis

10x2x10 Tabs (Blister)  
M.R.P. 120/- Strip



## NIMUCARE®-COLD PLUS

### Composition :

Each uncoated tablet contains :  
Nimesulide BP 100 mg.  
Paracetamol IP 325 mg.  
Phenylephrine Hcl IP 10 mg.  
Caffeine (Anhydrous) IP 25 mg.  
Excipients q.s.  
Colour : Tartrazine & Sunset Yellow FCF

**Indication :** This combination medication is used to temporarily relieve symptoms caused by the common cold, flu, allergies, or other breathing illnesses (such as sinusitis, bronchitis). Antihistamines help relieve watery eyes, itchy eyes/nose/throat, runny nose, and sneezing.

20x10 Tabs (Blister)  
M.R.P. 103/- Strip



## ONDIRNORM®-DS

### Composition :

Each uncoated tablet contains :  
Ondansetron Hydrochloride IP  
eq. to Ondansetron 8mg  
Excipients q.s.

**Indication :** Ondansetron is used to prevent nausea and vomiting that is caused by cancer medicines (chemotherapy) or radiation therapy. It is also used to prevent nausea and vomiting that may occur after surgery. Ondansetron works in the stomach to block the signals to the brain that cause nausea and vomiting.



# TABLETS

20x10 Tabs (Alu-Alu)  
M.R.P. 57.40/- Strip



## ONDINORM®-MD

### Composition :

Each uncoated orally disintegrating tablet contains :  
Ondansetron IP 4 mg.  
eq. to Ondansetron 4 mg.  
Excipients q.s.

**Indication :** Ondansetron is used to prevent nausea and vomiting caused by cancer chemotherapy, radiation therapy, and surgery. Ondansetron is in a class of medications called serotonin 5-HT3 receptor antagonists. It works by blocking the action of serotonin, a natural substance that may cause nausea and vomiting.

20x10 Tabs (Blister)  
M.R.P. 59.13/- Strip



## ONFAUX®

### Composition :

Each film coated tablet contains :  
Ofloxacin IP 200 mg.  
Excipients q.s.  
Colour : Sunset Yellow FCF

**Indication :** Ofloxacin is a broad-spectrum fluoroquinolone antibiotic used to treat bacterial infections that cause bronchitis, pneumonia, chlamydia, gonorrhoea, skin infections, urinary tract infections, and infections of the prostate. Ofloxacin is available under the following.

20x10 Tabs (Alu-Alu)  
M.R.P. 59.13/- Strip



## ONFAUX® (BLUE)

### Composition :

Each film coated tablet contains :  
Ofloxacin IP 200 mg.  
Excipients q.s.  
Colour : Titanium Dioxide IP

**Indication :** Ofloxacin is a broad-spectrum fluoroquinolone antibiotic used to treat bacterial infections that cause bronchitis, pneumonia, chlamydia, gonorrhoea, skin infections, urinary tract infections, and infections of the prostate. Ofloxacin is available under the following.

20x10 Tabs (Alu-Alu)  
M.R.P. 59.13/- Strip



## ONFAUX® (RED)

### Composition :

Each film coated tablet contains :  
Ofloxacin IP 200 mg.  
Excipients q.s.  
Colour : Titanium Dioxide IP

**Indication :** Ofloxacin is a broad-spectrum fluoroquinolone antibiotic used to treat bacterial infections that cause bronchitis, pneumonia, chlamydia, gonorrhoea, skin infections, urinary tract infections, and infections of the prostate. Ofloxacin is available under the following.

20x10 Tabs (Blister)  
M.R.P. 110/- Strip




## ONFAUX®-OZ

### Composition :

Each film coated tablet contains :  
Ofloxacin IP 200 mg.  
Ornidazole IP 500mg  
Excipients q.s.  
Colour : Sunset Yellow FCF

**Indication :** Ofloxacin is a broad-spectrum fluoroquinolone antibiotic used to treat bacterial infections that cause bronchitis, pneumonia, chlamydia, gonorrhoea, skin infections, urinary tract infections, and infections of the prostate. Ofloxacin is available under the following.

20x10 Tabs (Alu-Alu)  
M.R.P. 118/- Strip



## PANTOPIK®-40

### Composition :

Each enteric coated tablet contains :  
Pantoprazole Sodium Sesquihydrate I.P. 40 mg.  
Eq. to Pantoprazole 40 mg.  
Excipients q.s.  
Colour : Titanium Dioxide IP & Yellow oxide of Iron

**Indication :** Pantoprazole reduces the amount of acid your stomach makes. It's used for heartburn, acid reflux and gastro-oesophageal reflux disease (GORD) – GORD is when you keep getting acid reflux. It's also taken to prevent and treat stomach ulcers.

# TABLETS

20x10 Tabs (Alu-Alu)  
M.R.P. 148/- Strip



## PANTOPIK®-D

### Composition :

Each enteric coated tablet contains:  
Pantoprazole Sodium I.P. 40 mg.  
eq. to Pantoprazole 40 mg.  
Domperidone I.P. 10 mg.  
Excipients q.s.  
Colours : Red oxide of Iron

### Indication :

Domperidone+Pantoprazole is used in the treatment of gastroesophageal reflux disease (acid reflux) and Peptic ulcer disease. Domperidone + Pantoprazole is a combination of two medicines: Domperidone and Pantoprazole

50x10 Tabs (Blister)  
M.R.P. 8.96/- Strip



## PAREST®-500

### Composition :

Each uncoated tablet contains :  
Paracetamol IP 500mg.  
Excipients q.s.

**Indication :** Paracetamol is a common painkiller used to treat aches and pain. It can also be used to reduce a high temperature. It's available combined with other painkillers and anti-sickness medicines. It's also an ingredient in a wide range of cold and flu remedies.

20x15 Tabs (Blister)  
M.R.P. 33.60/- Strip



## PAREST®-650

### Composition :

Each uncoated tablet contains :  
Paracetamol IP 650mg.  
Excipients q.s.

**Indication :** Paracetamol is a common painkiller used to treat aches and pain. It can also be used to reduce a high temperature. It's available combined with other painkillers and anti-sickness medicines. It's also an ingredient in a wide range of cold and flu remedies.

10x8x10 Tabs (Blister)  
M.R.P.7.60 /- Strip



## PREDNITOR-5

### Composition :

Each uncoated tablet contains :  
Prednisolone IP 5mg.

**Indication :** Prednisolone is a medicine used to treat a wide range of health problems including allergies, blood disorders, skin diseases, inflammation, infections and certain cancers and to prevent organ rejection after a transplant. It helps by reducing swelling (inflammation) and can also calm down your immune system.

20x6x10 Tabs (Blister)  
M.R.P.13.30 /- Strip



## PREDNITOR-10

### Composition :

Each uncoated tablet contains :  
Prednisolone IP 10mg.

**Indication :** Prednisolone is a medicine used to treat a wide range of health problems including allergies, blood disorders, skin diseases, inflammation, infections and certain cancers and to prevent organ rejection after a transplant. It helps by reducing swelling (inflammation) and can also calm down your immune system.

20x10 Tabs (Aluminium)  
M.R.P. 20/- Strip



## RANIDAY®-DM

### Composition :

Each film coated tablet contains :  
Ranitidine HCL IP 150 mg.  
Eq. to Ranitidine 150 mg.  
Domperidone IP 10 mg.  
Excipients q.s.  
Colour : Sunset Yellow

**Indication :** Domperidone+Ranitidine is used in the treatment of Gastroesophageal reflux disease (Acid reflux) and Peptic ulcer disease. Domperidone + Ranitidine is a combination of two medicines: Domperidone and Ranitidine, which relieves symptoms of gastroesophageal



# TABLETS

20x10 Tabs (Alu-Alu)  
M.R.P. 96.50/- Strip



## RAYBEPOLL<sup>®</sup>-D

### Composition :

Each enteric coated tablet contains :  
Rabeprazole Sodium IP 20mg.  
Domperidone IP 10mg.  
Excipients q.s.  
Colour : Red Oxide of Iron

**Indication :** Domperidone+Rabeprazole is used in the treatment of gastroesophageal reflux disease (acid reflux) and Peptic ulcer disease. Domperidone + Rabeprazole is a combination of two medicines: Domperidone and Rabeprazole.

20x10 Tabs (Alu-Alu)  
M.R.P. 80/- Strip



## RAYBEPOLL<sup>®</sup>-20

### Composition :

Each enteric coated tablet contains :  
Rabeprazole Sodium IP 20mg.  
Excipients q.s.  
Colour : Red Oxide of Iron

**Indication :** Rabeprazole reduces the amount of acid your stomach makes. It's used for heartburn, acid reflux and gastro-oesophageal reflux disease (GORD) – GORD is when you keep getting acid reflux. Rabeprazole is also taken to prevent and treat stomach ulcers.

20x10 Tabs (Blister)  
M.R.P. 125/- Strip



## SERRIFLAM-D

### Composition :

Each film coated tablet contains :  
Diclofenac Potassium BP 50 mg.  
Serratiopeptidase IP 10 mg.  
(As enteric coated granules)  
(eq. to 20,000 units of enzymatic activity )  
Excipients q.s.  
Colour : Sunset Yellow FCF

**Indication:** Diclofenac+ Serratiopeptidase is used for pain relief. It relieves pain in conditions like headache, mild migraine, muscle pain, joint pain, dental pain, osteoarthritis, rheumatoid arthritis or period pain.

20x10 Tabs (Alu-Alu)  
M.R.P. 110/- Strip



## SERRIFLAM-10

### Composition :

Each enteric coated tablet contains:  
Serratiopeptidase IP 10mg.  
(20,000 Serratiopeptidase units)  
Excipients q.s.  
Colour : Sunset Yellow

**Indication :** It has been successfully used since many years in Japan and Europe for pain and inflammation due to arthritis, trauma, surgery, sinusitis, bronchitis, carpal tunnel syndrome and painful swelling of the breast [1]. This enzyme has been used in maxillofacial surgery, in cases of trauma, impaction surgery, abscess.

25x20 Tabs  
M.R.P. 26.87/- Paper Strip



## SPORSET<sup>®</sup>

### Composition :

Each uncoated tablet contains :  
Lactic Acid Bacillus. 60ms.

**Indication :** Lactic Acid Bacillus is a probiotic used to treat diarrhoea caused due to infections, antibiotics etc. It is also used to relieve symptoms of digestive disorders such as irritable bowel syndrome, inflammatory bowel disease, stomach ulcers, constipation,

10x5x10 Tabs  
(Heart shape Blister)  
M.R.P.42/- Strip



## SUPERCET<sup>®</sup>-5

### Composition :

Each film coated tablet contains :  
Levocetirizine Hydrochloride IP 5 mg.  
Excipients q.s.  
Colour : Titanium Dioxide I.P.

**Indication :** Levocetirizine is used to relieve runny nose; sneezing; and redness, itching, and tearing of the eyes caused by hay fever, seasonal allergies, and allergies to other substances such as dust mites, animal dander, and mold. It is also used to treat symptoms of hives, including itching and rash.

# TABLETS

20x15 Tabs (Alu-Alu)  
M.R.P. 60/- Strip



## SUPERCET<sup>®</sup>-5

**Composition :**  
Each film coated table contains :  
Levocetirizine  
Dihydrochloride IP 5mg.  
Excipients q.s.  
Colour : Titanium Dioxide IP

**Indication :** Levocetirizine is used to relieve runny nose; sneezing; and redness, itching, and tearing of the eyes caused by hay fever, seasonal allergies, and allergies to other substances such as dust mites, animal dander, and mold. It is also used to treat symptoms of hives, including itching and rash.

10x2x10 Tabs (Blister)  
M.R.P.26/- Strip



## VOVEFLAM<sup>®</sup>-PLUS

**Composition :**  
Each uncoated tablet contains :  
Diclofenac sodium 50 mg.  
Paracetamol 325 mg.  
Excipients q.s.

**Indication :** Diclofenac Sodium & Paracetamol Tablet is a pain relieving medicine. It is used to reduce pain and inflammation in conditions like rheumatoid arthritis, ankylosing spondylitis, and osteoarthritis. It may also be used to relieve muscle pain, back pain, toothache, or pain in the ear and throat.

10x5x10 Tabs (Blister)  
M.R.P. 22.90/- Strip



## VOVEFLAM<sup>®</sup>

**Composition :**  
Each enteric coated tablet contains:  
Diclofenac Sodium IP 50mg.  
Excipients q.s.

**Indication :** Diclofenac is a medicine that reduces inflammation and pain. It's used to treat aches and pains, as well as problems with joints, muscles and bones. These include: rheumatoid arthritis, osteoarthritis and gout.

20x10 Tabs (Blister)  
M.R.P. 125/- Strip



## VOVEFLAM<sup>®</sup>-100SR

**Composition :**  
Each film coated sustained release tablet contains:  
Diclofenac Potassium BP 100 mg  
Colours: Red Oxide of Iron & Titanium Dioxide IP

**Indication :** Diclofenac Sodium & Paracetamol Tablet is a pain relieving medicine. It is used to reduce pain and inflammation in conditions like rheumatoid arthritis, ankylosing spondylitis, and osteoarthritis. It may also be used to relieve muscle pain, back pain, toothache, or pain in the ear and

10x10 Tabs (Alu-Alu)  
M.R.P. 130/- Strip



## VOVEFLAM<sup>®</sup>-SP

**Composition :**  
Each film coated tablet contains :  
Diclofenac Potassium B.P. 50 mg.  
Serratiopeptidase J.P. 10 mg.  
(as enteric coated granules equivalent to Enzyme Activity 20,000 units)  
Paracetamol I.P. 325 mg.  
Excipients q.s.  
Colour : Tartrazine

**Indication :** Diclofenac potassium+Paracetamol+Serratiopeptidase is used for pain relief. It relieves pain in conditions like headache, mild migraine, muscle pain, joint pain, dental pain, osteoarthritis, rheumatoid arthritis or period pain.

20x10 Tabs (Blister)  
M.R.P. 125/- Strip



## VOVEFLAM<sup>®</sup>-SP

**Composition :**  
Each film coated tablet contains :  
Diclofenac Potassium BP 50 mg  
Paracetamol IP 325 mg  
Serratiopeptidase IP 10 mg  
( As enteric coated granules)  
( eq. to 20,000 units of enzymatic activity)  
Excipients q.s.  
Colour : Tartrazine

**Indication :** Diclofenac potassium+Paracetamol+Serratiopeptidase is used for pain relief. It relieves pain in conditions like headache, mild migraine, muscle pain, joint pain, dental pain, osteoarthritis, rheumatoid arthritis or period pain.

# CAPSULES



# Capsules

20x10 Caps. (Alu-Alu)  
M.R.P. 75/- Strip



## BECOFIT®

**Nutritional Info :**  
**Serving Size :** 1 Capsule  
**Amount of Serving:** 10  
 Each Capsule Contains : [Approx.]

Ingredients	Qty. per Cap.	%RDA
Energy	0.52kcal	0.03%
Total Carbohydrates	0.12 g	--
Total Sugar	0 g	--
Added Sugar	0 g	0%
Protein	0.01 g	0.02%
Total Fat	0 g	0%
Cholesterol	0 mg	--
Sodium	0.65 mg	--
<b>Ingredients</b>		
L-Lysine	50.00 mg	--
Nicotinamide	2100 mcg	15%
Vitamin C [as Ascorbic Acid]	16.67 mg	--
Zinc [as Zinc Sulphate]	2.55 mg	15%
Vitamin B1 [as Thiamine Hydrochloride]	1000.00 mcg	71.43%
Vitamin B2 [as Riboflavin]	1000.00 mcg	50%
Calcium Pantothenate	1000.00 mcg	20%
Vitamin B12 [as Cyanocobalamin]	0.50 mcg	22.73%

20x10 Caps. (Blister)  
M.R.P. 82.32/- Strip



## C-MOXES 500

**Composition :**  
 Each hard gelatin capsule contains :  
 Amoxicillin Trihydrate IP 500 mg.  
 eq. to Amoxicillin  
 Approved colour used in empty capsule shells.

**Indication :** Amoxicillin is an antibiotic. It's used to treat bacterial infections, such as chest infections (including pneumonia), dental abscesses and urinary tract infections (UTIs). It's used in children, often to treat ear infections and chest infections.

15x2x10 Caps. (Blister)  
M.R.P. 44.50/- Strip



## CARESTEP

**Composition :**  
 Each hard gelatin capsule contains :  
 Loperamide Hydrochloride IP 2mg.  
 Excipients q.s.

**Indication :** Loperamide is a medicine to treat diarrhoea (runny poo). It can help with short-term diarrhoea or irritable bowel syndrome (IBS). Loperamide is also used for recurring or longer lasting diarrhoea from bowel conditions such as Crohn's disease, ulcerative colitis and short bowel syndrome.

30x10 Caps. (Blister)  
M.R.P. 130/- Strip



## DOXYCARE-LB

**Composition :**  
 Each hard gelatin capsule contains :  
 Doxycycline Hydrochloride IP 100mg.  
 Eq. to Doxycycline  
 Lactic Acid Bacillus 5 million spores  
 Excipients q.s.

**Indication :** Doxycycline is in a class of medications called tetracycline antibiotics. It works to treat infections by preventing the growth and spread of bacteria. It works to treat acne by killing the bacteria that infects pores and decreasing a certain natural oily substance that causes acne.



# CAPSULES

30x10 Caps. (Blister)  
M.R.P. 75/- Strip



## B-COMPLEX

**Nutritional Info :**  
Serving Size : 1 Capsule  
Amount of Serving: 10

Each Capsule Contains : [Approx.]

Ingredients	Qty. per Cap.	%RDA
Energy	0.52 KCAL	0.03%
Total Carbohydrates	0.12 G	**
Total Sugar	0 G	**
Added Sugar	0 G	0%
Protein	0.01 G	0.02%
Total Fat	0 G	0%
Cholesterol	0 MG	**
Sodium	0.65 MG	0.03%
Vit-b1	1000mcg	71.43%
Vit-b2	1000mcg	50%
Nicotinamide	12.6 MG	90%
Vitamin B6	500mcg	26.31%
B12	1MCG	45.46%

20x15 Caps. (Blister)  
M.R.P. 93/- Strip



## FESOFER-Z

**Composition :**  
Each hard gelatin capsule contains:  
Carbonyl Iron eq. to Elemental 50mg.  
Zinc Sulphate Monohydrate IP 61.8mg.  
(eq. to 22.5 mg. Elemental Zinc)  
Folic Acid IP 5mg.  
Excipients q.s.

**Indication :** This combination product contains a mineral (iron) along with 3 vitamins (vitamin C, vitamin B12, and folic acid). It is used to treat or prevent a lack of these nutrients which may occur in certain health conditions (e.g., anemia, pregnancy, poor diet, surgery)

10x1x10 Caps. (Alu-Alu)  
M.R.P. 118/- Strip



## LYCOLITE-RED

**Nutritional Info :**  
Serving Size : 1 Capsule  
Amount of Serving: 30

Each Capsule Contains : [Approx.]

Ingredients	Qty. per Capsule	% RDA
Energy	0.44 kcal	0.02%
Total Carbohydrate	0.10 g	**
Total Sugar	0 g	**
Added Sugar	0 g	0%
Protein	0.01 g	0.02%
Total Fat	0 g	0%
Cholesterol	0 mg	**
Sodium	0.90 mg	0.05%
<b>Ingredients</b>		
Beta Carotene 10%	2.00 mg	**
Lycopene 6%	2.00 mg	**
Lutein 8%	2.00 mg	**
Zinc Sulphate	7.50 mg	16.07%
Copper Sulphate	1.00 mg	23.42%
Manganese Sulphate	1.00 mg	9.10%

10x1x10 Caps. (Alu-Alu)  
M.R.P. 180/- Strip



## NEW METHYQ-PLUS

**Composition :**  
Each hard gelatin capsule contains:  
Methylcobalamin USP 1500 mcg.  
Alpha Lipoic Acid USP 100mcg.  
Thiamine Mononitrate IP 10 mg.  
Pyridoxine HCl IP 3 mg.  
Biotin BP 30mcg.  
Folic Acid IP 1.5mg  
Excipients q.s.

**Indication :** Alpha-lipoic acid (ALA) and methylcobalamin (MC) are known to improve signs of diabetic peripheral neuropathy (DPN), possibly by enhancing neural and vascular endothelial cell metabolism and antioxidant capacity.

20x20 Caps. (Aluminium)  
M.R.P. 64.28/- Strip



## OMICER-20

**Composition :**  
Each hard gelatin capsule contain:  
Omeprazole IP 20 mg  
(as enteric coated pellets)  
Excipients q.s.

**Indication :** Omeprazole reduces the amount of acid your stomach makes. It's a widely used treatment for indigestion and heartburn and acid reflux. It's also taken to prevent and treat stomach ulcers. Sometimes omeprazole is taken for a rare illness caused by a tumour in the pancreas or gut called Zollinger-Ellison syndrome.

20x20 Caps. (Aluminium)  
M.R.P. 188.40/- Strip



## OMICER-D

**Composition :**  
Each hard gelatin capsule contains :  
Omeprazole IP 20 mg.  
(as enteric coated pellets)  
Domperidone IP 10 mg.  
(as coated pellets)  
Excipients q.s.

**Indication :** It works by decreasing the amount of acid your stomach makes. It relieves symptoms such as heartburn, difficulty swallowing, and persistent cough. This medication helps heal acid damage to the stomach and esophagus, helps prevent ulcers, and may help prevent cancer of the esophagus.

# CAPSULES

20x10 Caps. (Alu-Alu)  
M.R.P. 154/- Strip



## RAYBEPOLL<sup>®</sup>-DSR

### Composition :

Each hard gelatin capsule contain:  
Rabeprazole sodium IP 20 mg.  
(as enteric coated Pellets )  
Domperidone IP 30 mg.  
(as sustained release Pellets)  
Excipients q.s.

**Indication :** Rabeprazole is used to treat certain stomach and esophagus problems (such as acid reflux, ulcers). It works by decreasing the amount of acid your stomach makes. It relieves symptoms such as heartburn, difficulty swallowing, and persistent cough.

10x1x10 Caps. (Alu-Alu)  
M.R.P. 181/- Strip




## RAYBEPOLL<sup>®</sup>-LS

### Composition :

Each hard gelatin capsule contain:  
Rabeprazole sodium IP 20 mg.  
(as enteric coated Pellets )  
levosulpiride 75 mg.  
(as sustained release Pellets)  
Excipients q.s.

**Indication :** Levosulpiride+Rabeprazole is used in the treatment of gastroesophageal reflux disease (acid reflux), intestinal ulcers and irritable bowel syndrome. Levosulpiride + Rabeprazole is a combination of two medicines: Levosulpiride and Rabeprazole.

10x10 Caps. (Alu-Alu)  
M.R.P. 128/- Strip



## PROBICARE<sup>®</sup>

### Nutritional Info:

Serving Size: 1 Capsule  
Amount of Serving: 100  
Each Hard Gelatin Capsule contains [Approx.]

Ingredients	Qty. per Cap.	%RDA
Energy	0.12 kcal	0.01%
Total Carbohydrates	0.02 g	**
Total Sugar	0.01g	**
Added Sugar	0.01 g	0.02%
Protein	0.01g	0.02%
Total Fat	0 g	**
Cholesterol	0 mg	**
Sodium	0 mg	0%

### Probiotics :

Lactobacillus acidophilus	50 million	**
Lactobacillus rhamnosus	50 million	**
Bifidobacterium longum	50 million	**
Bifidobacterium bifidum	50 million	**
Saccharomyces boulardii	30 million	**
Streptococcus thermophilus	2 million	**

### Prebiotics :

Fructi-oligosaccharides	500 mcg.	**
-------------------------	----------	----

20x10 Caps. (Alu-Alu)  
M.R.P. 190/- Strip



## PANTOPIK<sup>®</sup>-DSR

### Composition :

Each hard gelatin capsule contain:  
Pantoprazole Sodium Sasquihydrate IP Eq. Pantoprazole 40 mg.  
(As enteric coated pellets)  
Domperidone IP 30 mg.  
(As sustained release pellets)  
Excipients q.s.

**Indication :** It works by decreasing the amount of acid your stomach makes. It relieves symptoms such as heartburn, difficulty swallowing, and persistent cough. This medication helps heal acid damage to the stomach and esophagus, helps prevent ulcers, and may help prevent cancer of the esophagus.

10x1x10 Caps. (Alu-Alu)  
M.R.P. 151/- Strip



## PANTOPIK<sup>®</sup>-LS

### Composition :

Each hard Gelatin Capsules Contains:  
Pantoprazole Sodium Sesquihydrate IP eq. to Pantoprazole 40 mg.  
(As Gastro Resistant Pellets)  
Levosulpiride 75 mg.  
(As Prolonged Release Pellets)

**Indication :** Levosulpiride+Pantoprazole is used in the treatment of gastroesophageal reflux disease (acid reflux). Levosulpiride + Pantoprazole is a combination of two medicines: Levosulpiride and Pantoprazole. Levosulpiride is a prokinetic which works by increasing the release of acetylcholine (a chemical messenger).



# SOFTGEL CAPSULES



10x1x15 Caps. (Blister)  
M.R.P. 180/- Strip



## A TO ALL®

Supplement Fact  
Serving size : One soft gelatin Capsule  
Amount Per serving

Methylcobalamin	500 mcg.
Ginseng Extract	42.5 mg.
Vitamin A	1600 IU
Vitamin B1 Mononitrate	1 mg.
Vitamin B2	1 mg.
Vitamin B6	0.5 mg.
Vitamin B12	0.5 mcg.
Vitamin D3	100 IU
Calcium Pantothenate	1 mg.
Folic Acid	50 mcg.
Di Calcium phosphate eq. to calcium	75 mg.
Eq. to Phosphorus	58 mg.
Ferrous Sulphate eq. to iron	5 mg.
Magnesium sulphate	1 mg.
Zinc Sulphate monohydrate	1 mg.
Potassium sulphate	1 mg.
Selenium Dioxide monohydrate	70 mcg.
Sodium molybdate	0.1 mg.

10x10 Caps. (Blister)  
M.R.P. 94/- Strip



## ALFA CALDICARE

**Composition :**  
Each soft gelatin capsule contains :  
Alfacalcidol I.P. 0.25 mcg.  
(1 $\alpha$ -hydroxyvitamin d3)  
Excipients q.s.

**Indication :** Alfacalcidol is widely used in the treatment of osteoporosis, its mechanism of action in bone is not fully understood. Alfacalcidol stimulates intestinal calcium (Ca) absorption, increases urinary Ca excretion and serum Ca levels, and suppresses parathyroid hormone (PTH) secretion.

10x1x10 Caps. (Blister)  
M.R.P. 165/- Strip



## ACNEOF-10

**Composition :**  
Each soft gelatin capsule contains :  
Isotretinoin IP 10mg.  
Excipients q.s.  
Approved colours used in capsule shell

**Indication :** This medication is used to treat severe cystic acne (also known as nodular acne) that has not responded to other treatment (such as benzoyl peroxide or clindamycin applied to the skin or tetracycline or minocycline taken by mouth). It belongs to a class of drugs known as retinoids.

10x1x10 Caps. (Blister)  
M.R.P. 220/- Strip



## ACNEOF- 20

**Composition :**  
Each soft gelatin capsule contains :  
Isotretinoin IP 20mg.  
Excipients q.s.  
Approved colours used in capsule shell

**Indication :** This medication is used to treat severe cystic acne (also known as nodular acne) that has not responded to other treatment (such as benzoyl peroxide or clindamycin applied to the skin or tetracycline or minocycline taken by mouth). It belongs to a class of drugs known as retinoids.

# SOFTGEL CAPSULES

10x1x10 Caps. (Blister)  
M.R.P. 715/- Strip




## AVODAY

EACH SOFT GELATIN CAPSULE CONTAINS:	PER CAPSULES* (NET CONTENTS)	%RDA
MYO-INOSITOL	500 MG	**
D-CHIRO INOSITOL	13.8 MG	**
CHOLECALCIFEROL	800 I.U.	**
L-METHYLFOLATE	800 MCG	**
FOLIC ACID	1.5 MCG	80
VITAMIN E	10 MG	91.9
IRON	10 MG	55.8
VITAMIN B1	1.5 MG	**
VITAMIN B2	1.5 MG	80
VITAMIN B6	1 MG	50
VITAMIN B12	1MCG	80
BETACAROTENE	5.17 MG	**
OMEGA-3 FATTY ACIDS	300 MG	**
SODIUM SELENITE	40 MCG	100
L-CARNITINE	50 MG	**
CO-ENZYME Q10	50 MG	**
EXCIPIENTS	q.s.	**

NUTRITIONAL INFORMATION (APPROX. VALUES PER CAPSULE (1.070 gm))		%RDA
ENERGY	2.91506 kcal	0.106
PROTEIN	0.19167 g	0.319
CARBOHYDRATE	0.09767 g	0.00
SUGAR	0.2018 g	0.403
FAT	0.1953 g	0.291
TOTAL TRANS FAT	0.00 g	**
SATURATED FAT	0.06 g	0.255
SODIUM	NOT DETECTED	0.00

20x1x10 Caps. (Blister)  
M.R.P. 150/- Strip



## BODY POWER

Each soft gelatin capsule contains :

**Nutrients :**

Carbohydrate	0.062 g.
Sugar	0.004 g.
Dietary Fiber	0.000 g.
Protein	0.369 g.
Sodium content	0.004 mg.

**Essential vitamins :**

Vitamin A (As Palmitate)	1600 IU
Vitamin E Acetate	5 mg.
Vitamin D3	100 IU
Vitamin B1	1 mg.
Vitamin B2	1 mg.
Vitamin B6	0.5 mg.
Vitamin B12	0.5 mcg.
Vitamin C	2.5 mg.
Folic Acid	50 mcg.
Calcium pantothenate	1 mg.
Nicotinamide	15 mg.

**Essential minerals :**

Copper	45 mcg.
Iodine	0.075 mg.
Manganese	0.5 mg.
Magnesium	3 mg.
Zinc	0.5 mg.
Potassium	2 mg.
Di basic calcium phosphate eq. to	
Elementary calcium	75 mg.
Elementary phosphorus	58 mg.
Sodium molybdate dihydrate	0.1 mg.
Molybdenum	0.1 mg.

10x1x4 Caps. (Blister)  
M.R.P. 120/- Strip



## CARE-D3

**Composition :**  
Each soft gelatin capsule contains :  
Cholecalciferol IP 60000 IU  
(vitamin D3) q.s.  
Excipients q.s.

**Indication :** Cholecalciferol is vitamin D3. Vitamin D helps your body absorb calcium. Cholecalciferol is used as a dietary supplement in people who do not get enough vitamin D in their diets to maintain adequate health. Cholecalciferol may also be used for purposes not listed in this medication guide.

10x1x10 Caps. (Blister)  
M.R.P. 575/- Strip



## CARE-Q10 FORTE®

**Composition :**  
Each Soft Gelatin Capsule Per Serving Contains :

Co-Enzyme Q10	100 mg.
L-Carnitine	50 mg.
Lycopene	5.7 mg.
L-Arginine	50 mg.
Omega 3 Fatty Acid Providing Docosapentaenoic Acid (DHA)	60 mg.
Green Tea Extract	100 mg.
Vitamin B1	1.7 mg.
Vitamin B2	2.1 mg.
Cyanocobalamin	1 mcg.
Vitamin E	10 mg.
Zinc Sulphate Monohydrate Eq. to Element Zine	7.5 mg.
Sodium Selenate	40 mcg.

10x1x3 Caps. (Blister)  
M.R.P. 155/- Strip



## CLIMAZOLE®-VG

**Composition :**  
Each Soft Gelatin Vaginal Capsule Contains:  
Clindamycin Phosphate IP  
Equivalent to Clindamycin 100mg.  
Clotrimazole IP 200mg.  
Excipients q.s.  
Approved Colours used in capsule shell.

**Indication :** Clindamycin + Clotrimazole + Tinidazole is a combination of three medicines: Clindamycin, Clotrimazole, and Tinidazole, which treats vaginal infections. Clindamycin is an antibiotic which stops bacterial growth by preventing the synthesis of essential proteins required by the bacteria to carry out vital functions.

10x10 Caps. (Blister)  
M.R.P. 80/- Strip



## EV.COM®-200

**Composition :**  
Each soft gelatin capsule contains :

Omega 3 fatty acid	30 mg.
Wheat germ oil	100 mg.
Vitamin E	200 I.U.
Excipients	q.s.

**Indication :** This supplement is used to prevent or treat a lack of vitamin E in the body. A low body level of vitamin E is rare. Most people who eat a normal diet do not need extra vitamin E. However, vitamin E supplements are used in premature newborns and in people who have problems absorbing enough vitamin E from their diets.

# SOFTGEL CAPSULES

10x10 Caps. (Blister)  
M.R.P. 125/- Strip



## EV.COM-400®

### Composition :

Each soft gelatin capsule contains :  
Omega 3 fatty acid 30 mg.  
Wheat germ oil 100 mg.  
Vitamin E 400 I.U.  
Excipients q.s.

**Indication :** This supplement is used to prevent or treat a lack of vitamin E in the body. A low body level of vitamin E is rare. Most people who eat a normal diet do not need extra vitamin E. However, vitamin E supplements are used in premature newborns and in people who have problems absorbing enough vitamin E from their diets.

3x1x10 Caps. (Blister)  
M.R.P. 120/- Strip



## EYE-POWER®

### Composition :

Each one soft gelatin capsule contains :  
Vitamin A 5000 I.U.  
Ascorbic acid 100 mg.  
Vitamin E 25 I.U.  
Zinc 40 mg.  
Selenium 40 mcg.  
Copper 2 mg.  
Excipients q.s.

**Indication :** Eye power is used to treat Eye dryness/redness.

10x1x10 Caps. (Blister)  
M.R.P. 230/- Strip




## ENFONER@CTIVE

### Composition :

Each soft gelatin capsule contains :  
Methylcobalamin IP 1500mcg.  
Benfotiamine 150mg  
Alpha Lipoic Acid IP 100mg.  
Inositol IP 100mg.  
Folic Acid IP 1.5mg.  
Selenium Dioxide USP 55mg.  
Chromium Picolinate 200mcg.  
Excipients q.s.

**Indication :** Methylcobalamin + Alpha Lipoic Acid + Folic Acid is used to treat certain types of long-lasting pain caused by damage to nerves as well as to fulfill your nutritional requirements. needed to avoid falls.

10x10 Caps. (Blister)  
M.R.P. 135/- Strip



## GEMTON®

### Composition :

Each soft gelatin capsule contains :  
Calcitriol I.P. 0.25 mcg.  
Calcium Carbonate I.P. 500 mg.  
(Eq. to Elemental Calcium 200 mg.)  
Zinc Sulphate Monohydrate I.P.  
Eq. to Elemental Zinc 7.5 mg.  
Excipients q.s.

**Indication :** Calcitriol + Calcium Carbonate + Zinc Sulfate is a combination of three medicines: Calcitriol, Calcium Carbonate and Zinc Sulfate which treat osteoporosis. Calcitriol helps your body effectively absorb Calcium Carbonate and additionally supports the muscles

5x2x15 Caps. (Blister)  
M.R.P. 260/- Strip




## GEMTON®

### Composition :

Each soft gelatin capsule contains :  
Calcium Carbonate IP 500 mg.  
(eq. to Elemental Calcium 200 mg.)  
Calcitriol IP 0.25 mcg.  
Zinc 7.5 mg.  
(as Zinc Sulphate Monohydrate IP)  
Excipients q.s.

**Indication :** Calcitriol + Calcium Carbonate + Zinc Sulfate is a combination of three medicines: Calcitriol, Calcium Carbonate and Zinc Sulfate which treat osteoporosis. Calcitriol helps your body effectively absorb Calcium Carbonate and additionally supports the muscles needed to avoid falls.

10x1x15 Caps. (Blister)  
M.R.P. 315/- Strip



## GEMTON®-K<sub>2</sub>,7

### Composition :

Each soft gelatin capsule contains :  
Calcium Carbonate 625 mg.  
eq. to elemental calcium 250 mg.  
Calcitriol 0.25 mcg.  
Vitamin K<sub>2</sub> 7 45 mcg.  
Excipients q.s.

**Indication :** Combination of powerful antioxidants. Protects full body from negative effects of free radicals. K<sub>2</sub>7 useful in formation of bones, calcitriol Increase the absorption of calcium, and same preparation is an advantage for increase calcium levels helps in bones.



# SOFTGEL CAPSULES

10x10 Caps. (Blister)  
M.R.P. 280/- Strip



## GEMTON®-K2-7 STRONG

### Composition :

Each soft gelatin capsule contains :  
 Calcitriol IP 0.25 mcg  
 Calcium Carbonylate IP 1250mg.  
 Vitamin K27 USP 45mcg.  
 Methylcobalamin IP 1500mcg.  
 Zinc IP 7.5mg  
 (as Zinc Sulphate Monohydrate)  
 Magnesium Oxide IP 50mg.  
 (as Light Magnesium oxide)  
 L-Methylfolate 800mg.  
 Excipients q.s.

**Indication :** Calcitriol is a synthetic Vitamin D that regulates the absorption of calcium in the body and strengthens the bones. Calcium citrate increases calcium depositing in the bones that increase the density of the bones to them stronger. Vitamin K2-7 is a vitamin that improves bone and heart health.

10x1x15 Caps. (Blister)  
M.R.P. 460/- Strip



## GEMTON®-D3 MAX

### Composition :

Each soft gelatin capsule contains :  
 Calcitriol IP 0.25 mcg.  
 Omega 3 Fatty Acid Containing-BP  
 Eicosapentaenoic Acid 180mg.  
 Docosahexaenoic Acid 120mg.  
 Methylcobalamin IP 1500mcg.  
 Folic Acid IP 400mcg.  
 Disodium Tetraborate BP  
 (eq to elemental boron) 1.5mg.  
 Calcium Carbonate IP 500mg.  
 Excipients q.s.

**Indication :** Calcitriol, a synthetic vitamin D, helps to promote bone health. Calcium carbonate is a dietary supplement used to treat calcium deficiency. Boron is a mineral that helps in building strong bones and improving learning abilities. Folic Acid is also known as folate or vitamin B9.

10x10 Caps. (Blister)  
M.R.P. 55/- Strip



## KASCOLD®-SG

### Composition :

Each soft gelatin capsule contains :  
 Chlorpheniramine maleate IP 2 mg.  
 Dextromethorphan HCL IP 10 mg.  
 Phenylpherine HCL IP 5 mg.  
 Excipients q.s.  
 Colour : Ponceau 4r

**Indication :** Relieves allergy & Irritation in throat. calm down reflux.

10x1x10 Caps. (Blister)  
M.R.P. 65/- Strip



## KASYRUP®

### Composition :

Each soft gelatin capsule contains :  
 Diphenhydramine  
 Hydrochloride IP 25 mg.  
 Excipients q.s.

**Indication :** Diphenhydramine is used to relieve red, irritated, itchy, watery eyes; sneezing; and runny nose caused by hay fever, allergies, or the common cold. Diphenhydramine is also used to relieve cough caused by minor throat or airway irritation.

25x10 Caps. (Blister)  
M.R.P. 99/- Strip



## LOVOL®-PLUS

### Composition :

Each Soft gelatin capsule contains:  
 Camphor USP 25gm.  
 Chlorothymol 5mg.  
 Eucalyptol USP 125mg.  
 Menthol IP 55mg.  
 Terpineol BP 120mg.

**Indication :** Lovol Plus Inhalant Capsule (Camphor/Chlorothymol /Eucalyptol/Terpino/menthol) is used to clear congestion and other cold-related symptoms in order to provide a better night's sleep. It contains natural vapours and aromatic oils such as menthol, cinnamon, and pine.

10x1x10 Caps. (Blister)  
M.R.P. 165/- Strip



## LIVOLYF-S


### Composition :

Each soft gelatin capsule contains :  
 Silymarin 35% USP 250mg.  
 L-Ornithine L-Aspartate 250mg.  
 Excipients q.s.  
 Approved colour used in soft gelatin capsule contains

**Indication :** People use L-ornithine-L-aspartate for reduced brain function due to advanced liver disease (hepatic encephalopathy). It is also used for athletic performance, cirrhosis, and other purposes, but there is no good scientific evidence to support these uses.

# SOFTGEL CAPSULES

10x1x10 Caps. (Blister)  
M.R.P. 150/- Strip



## LYCOLITE-RED

### Composition :

Each soft gelatin capsule contains :  
Lycopene (6%) 2000 mcg.  
Vitamin A (as Palmitate) 2500 I.U.  
Vitamin E Acetate 10 I.U.  
Vitamin C 50 mg.  
Zinc Sulphate Monohydrate 27.45 mg.  
Selenium Dioxide 70 mcg.  
Excipients q.s.

**Indication :** Lycopene suggested uses include for cancer, preventing atherosclerosis, cardiovascular disease, prostate cancer, human papillomavirus (HPV) infection, cataracts, asthma, antioxidant, and as an anti-inflammatory. There is no association between lycopene and the risk of bladder and colon cancers.

10x1x10 Caps. (Blister)  
M.R.P. 123/- Strip



WITH  
LUTEIN

## LYCOLITE-SG

### Composition :

Each soft gelatin capsule contains :  
Lycopene (6%) 2000 mcg.  
Vitamin A (as Palmitate) 2500 I.U.  
Vitamin E Acetate 10 I.U.  
Vitamin C 50 mg.  
Zinc Sulphate Monohydrate 27.45 mg.  
Selenium Dioxide 70 mcg.  
Excipients q.s.

**Indication :** Lycopene suggested uses include for cancer, preventing atherosclerosis, cardiovascular disease, prostate cancer, human papillomavirus (HPV) infection, cataracts, asthma, antioxidant, and as an anti-inflammatory. There is no association between lycopene and the risk of bladder and colon cancers.

10x1x10 Caps. (Blister)  
M.R.P. 140/- Strip



## OMEGRO<sup>®</sup>-369

Each soft gelatin capsule per serving contains : RDA %  
Omega 3, Omega 6, Omega 9 Essential Fatty acids  
Derived from Flax Seed Oil 500 mg --  
(Alpha Linolenic Acid 253 mg, Linoleic Acid 88.3 mg, Oleic Acid 21.3 mg)

Nutritional Information :	
(Approx. value per serving/capsule)	
Energy	3.73 kcal
Carbohydrate	0.02 gm
Protein	0.05 gm
Fat	0.38 gm

Approved colour used in soft gelatin capsule shells.  
Appropriate overages added to compensate the loss of potency on storage.  
Contains Permitted Synthetic Food Colour in Softgel Capsule Shells.  
**Other Ingredients :** Gelatin (Animal Origin Capsule Shell), Glycerin, Sorbitol, Refined Soybean Oil, Hydrogenated Vegetable Oil, Bees Wax, Soyalecithin, Butylated Hydroxy Anisole & Preservative (218).  
**Health Supplement -** Not Intended To Treat, Mitigate, Diagnose Or Prevent Any Disease Or Disorder In Human Being.  
**Recommended Usage :** One capsule daily with milk or water or as directed by Health Professionals.

10x1x10 Caps. (Blister)  
M.R.P. 215/- Strip



## OMEGRO<sup>®</sup>-4G MIX

Each softgel capsule per serving contains :	RDA %
Omega-3 Fatty Acid	150 mg --
Ginseng Extract	42.5 mg --
Wheat Germ Oil	25 mg --
Citrus Bioflavonoids (8mg Bioflavonoids)	20 mg --
Grape Seed Extract	15 mg --
Green Tea Extract	10 mg --
Ginkgo Biloba Extract	10 mg --
Piperine	5 mg --
Natural Mixed Carotenoids(10%)	5 mg 0.10 %
Lutein	250 mcg --
Biotin	100 mcg --
Vitamin K1 (phyloquinone)	10 mcg 100 %
Vitamin D3 (cholecalciferol)	200 IU 50.0 %
Lactic Acid	500 Lac --
Ferrous Fumarate	17 mg 100.0 %
Magnesium Oxide	55 mg 16.17 %
Choline Bitartrate	25 mg --
Zinc Oxide	12 mg 100.0 %
Eq. to elemental Zinc	12 mg 100.0 %
Manganese Sulphate	2 mg 40.0 %
Eq. to elemental Manganese	2 mg 40.0 %
Cupric Sulphate	1 mg 50.0 %
Eq. to elemental Copper	1 mg 50.0 %
Potassium Iodide	150 mcg 100.0 %
Eq. to elemental Iodide	150 mcg 100.0 %
Boron Proteonate	150 mcg --
Eq. elemental Boron	150 mcg --
Sodium Molybdate Dihydrate	25 mcg --
Eq. to elemental Molybdenum	25 mcg --
Chromium Picolinate	75 mcg 37.5 %
Eq. to elemental Chromium	20 mcg 50 %
Sodium Selenate	20 mcg 50 %
Excipients	q.s

10x1x10 Caps. (Blister)  
M.R.P. 185/- Strip



## OXYPOWER<sup>®</sup> GM

INGREDIENTS:		
EACH SOFT GELATIN CAPSULE CONTAINS :	%	RDA*
GINSENG EXTRACT	42.5 mg	**
LYCOPENE 6%	2000 mcg	**
BETACAROTENE 30 %	2 mg	**
VITAMIN A (AS PALMITATE)	480 mcg	80
VITAMIN D3 (CHOLECALCIFEROL)	2.5 mcg	25
VITAMIN B1 (THIAMINE MONONITRATE)	1.4 mg	100
VITAMIN B2 (RIBOFLAVIN)	1.6 mg	100
VITAMIN B6 (PYRIDOXINE HCL)	0.5 mg	25
VITAMIN B12 (CYANOCOBALAMIN)	0.5 mcg	50
VITAMIN C (ASCORBIC ACID)	25 mg	62.5
VITAMIN E ACETATE	7.5 mg	75
VITAMIN B3 (NICOTINAMIDE)	18 mg	100
DI BASIC CALCIUM PHOSPHATE	90 mg	15
EQ. TO ELEMENTAL CALCIUM	90 mg	15
FOLIC ACID	117.64 mcg	100
CALCIUM D PANTOTHENATE	2.5 mg	50
MANGANESE SULPHATE	2 mg	50
EQ. TO ELEMENTAL MANGANESE	2 mg	50
MAGNESIUM OXIDE	51 mg	15
EQ. TO ELEMENTAL MAGNESIUM	51 mg	15
ZINC SULPHATE MONOHYDRATE	12 mg	100
EQ. TO ELEMENTAL ZINC	12 mg	100
CUPRIC SULPHATE	1 mg	58.82
EQ. TO ELEMENTAL COPPER	1 mg	58.82
L-GLUTAMIC ACID	5 mg	**
IODINE ( FROM POTASSIUM IODINE )	0.0075 mg	**
EXCIPIENTS	q.s.	

20x10 Caps. (Blister)  
M.R.P. 125/- Strip



## OXYROZ<sup>®</sup>

Each soft gelatin capsules per serving contains : RDA %  
Zinc Sulphate Monohydrate  
Eq. to Elemental Zinc 7.5 mg 62.5%  
Betacarotene 10% 4.8 mg 0.01%  
Lycopene 6% 5.7 mg --  
Vitamin E 10 mg 100 %  
Sodium Selenate 40 mcg 44%

### Nutritional Information :

Approx. Value per serving/ Capsule

Energy Value	5.343 Kcal
Protein	0.034 gm
Carbohydrate	0.053 gm
Sugar	0.003 gm
Total Fat	0.076 gm
Dietary Fibre	0.000 gm

CONTAINS PERMITTED SYNTHETIC FOOD COLOUR IN SOFTGEL CAPSULE SHELL.  
Health Supplement - Not Intended To Treat, Mitigate, Diagnose Or Prevent Any Disease Or Disorder In Human Being.



# Injection



10x10x2ml.  
M.R.P. 8.96/- Ampoule



## ACETHAMA®

### Composition :

Each ml. Contains :  
 Etofyline I.P. 84.7 mg.  
 Theophylline  
 anhydrous I.P. 25.3mg.  
 (Eq. to Theophylline I.P. Hydrate)  
 Water for Injection I.P. q.s.

**Indication :** Etofyline+Theophylline is useful in treating asthma and chronic obstructive pulmonary disease (COPD). It works by easing respiratory disease symptoms such as breathlessness and wheezing by relaxing the airways' muscles to open up and make it easier to breathe easily.

10x10x1ml.  
M.R.P. 13.70/- Ampoule



## ADNALIN

### Composition :

Each ml. Contains :  
 Adrenaline Bitartrate IP 18%w/v  
 Sodium Metabisulphite IP 0.1% /v  
 Sodium Chloride IP 0.8% w/v  
 Water for Injection IP q.s.

**Indication :** Adrenaline Injection 1ML belongs to a class of medicines called 'sympathomimetics' which are primarily taken for the treatment of cardiac arrest, hypotension due to septic shock and life-threatening allergic reactions.

3x2ml.  
M.R.P. 105/- Ampoule




## ARTIXOLE

### Composition :

Each 2ml. contains :  
 alpha-Beta Arteether I.P. 150mg  
 oily base q.s.

**Indication :** Alpha-Beta Arteether is a fast acting blood schizontocidal agent for P. falciparum malariae st the erythrocytic stage. Alpha-Beta Arteether is concentrated in parasitized erythrocytes. The functional group responsible for antimalarial activity of Alpha-BetaArteether is endoperoxide bridge.

10x5x10ml.  
M.R.P. 25/- Ampoule



## AMINOFY

### Composition :

Each ml. Contains :  
 Aminophylline I.P.  
 Eq. to Anhydrous  
 Aminophylline 25mg.  
 Water for injection I.P. q.s.

**Indication :** Aminophylline injection is used together with other medicines to treat the acute symptoms of asthma, bronchitis, emphysema, and other lung diseases in a hospital setting. Aminophylline belongs to a group of medicines known as bronchodilators.



# INJECTION

20x1.2gm  
M.R.P. 156.15/- Vial



## AUGOCARE®

**Composition :**  
Each vial contains :  
Amoxicillin Sodium IP 1000 mg.  
eq. to Amoxicillin  
Potassium Clavulanate IP 200 mg.  
eq. to Clavulanate Acid  
(one ampoule containing 10ml.  
Sterile Water for Injection IP  
is Included in this Pack)

**Indication :** The combination of clavulanate potassium with amoxicillin extended the effectiveness of amoxicillin in the treatment of various infections of children and adults such as urinary tract infections, upper and lower respiratory tract infections and skin and soft tissue infections.

500mg.  
M.R.P. 239.09/- Vial



## AZITOM-500

**Composition :**  
Each vial contains:  
Azithromycin (anhydrous) 500mg.  
(as Azithromycin Dihydrate IP)  
As sterile freeze-dried powder for reconstitution with sterile water for injection IP

**Indication:** Azithromycin injection is used to treat bacterial infections in many different parts of the body. It is also used to prevent Mycobacterium avium complex (MAC) disease in patients infected with the human immunodeficiency virus (HIV). Azithromycin belongs to the class of drugs known as macrolide antibiotics.

10x10x1ml.  
M.R.P. 6/- Ampoule



## AUTOPINE

**Composition :**  
Each ml. contains :  
Atropine Sulphate I.P. 1mg.  
Water for Injection I.P. q.s.

**Indication :** Atropine Sulfate Injection is used: as a preoperative medication for the reduction of salivary and bronchial secretions, during cardiopulmonary resuscitation to treat sinus bradycardia or asystole.

10x10x2ml.  
M.R.P. 19/- Ampoule



## BECOFIT®

**Composition :**  
Each 2ml. contains :  
Vitamin B1 IP 10mg.  
Riboflavin Sodium Phosphate IP 4mg.  
Vitamin B12 IP 8mcg.  
Niacinamide IP 40mg.  
Vitamin B6 IP 4mg.  
D-Panthenol IP 6mg.  
Benzyl Alcohol IP 0.9%  
(as preservative)  
Water for Injection IP q.s.

**Indication :** This product is a combination of B vitamins used to treat or prevent vitamin deficiency due to poor diet, certain illnesses, alcoholism, or during pregnancy. Vitamins are important building blocks of the body and help keep you in good health.

10x5x1ml.  
M.R.P. 5.21/- Ampoule



## BETJEC®

**Composition :**  
Each ml contains :  
Betamethasone Sodium Phosphate IP 4mg.  
eq. to Betamethasone  
Water for Injection IP q.s.

**Indication :** It is used to treat a number of different conditions, such as inflammation (swelling), severe allergies, adrenal problems, arthritis, lung or breathing problems, blood or bone marrow problems, eye or vision problems, lupus, serious skin conditions, kidney problems, ulcerative colitis, and flare-ups of multiple

10x5x1ml.  
M.R.P. 94/- Ampoule



## CARE-D3

**Composition :**  
Each ml. contains :  
Cholecalciferol IP 6,00000 IU  
Water for Injection IP q.s.

**Indication :** Calcium is a mineral that is found naturally in foods. Calcium is necessary for many normal functions of the body, especially bone formation and maintenance. Calcium gluconate is used to prevent or to treat calcium deficiencies. Calcium gluconate may also be used for purposes not listed in this medication guide.

# INJECTION

**30x1ml.**  
M.R.P. 135/- Vial



**CARELOG®**

**Composition :**  
Each ml. contains:  
Triamcinolone IP 40mg.  
Acetonide IP 0.9% w/v.  
Benzyl Alcohol (As preservative)  
Water for Injection IP q.s.

**Indication :** Indicated in the treatment of asthma, effective in the treatment ulcerative colitis and psoriasis.

**10x10x2ml.**  
M.R.P. 5.95/- Ampoule



**CARENORM**

**Composition :**  
Each ml. contains :  
Metoclopramide Hydrochloride IP Eq. to Anhydrous Metoclopramide HCl 5mg.  
Benzyl Alcohol IP 2% v/v (as preservative)  
Water for Injection IP q.s.

**Indication :** Metoclopramide injection is used to relieve symptoms caused by slow stomach emptying in people who have diabetes. These symptoms include nausea, vomiting, heartburn, loss of appetite, and feeling of fullness that lasts long after meals.

**1gm.**  
M.R.P. 260.25/-Vial



**CEFTAZIL®-1000**

**Composition :**  
Each vial contains :  
Ceftazidime IP (Sterile) 1000mg.  
(As Ceftazidime Pentahydrate)

**Indication :** Ceftazidime injection is used to treat certain infections caused by bacteria including pneumonia and other lower respiratory tract (lung) infections; meningitis (infection of the membranes that surround the brain and spinal cord) and other brain and spinal cord infections; and abdominal (stomach area), skin, blood

**250mg.**  
M.R.P. 68.42/-Vial



**CEFTAZIL®-250**

**Composition :**  
Each vial contains :  
Ceftazidime IP (Sterile) 250mg.  
(As Ceftazidime Pentahydrate)

**Indication :** Ceftazidime injection is used to treat certain infections caused by bacteria including pneumonia and other lower respiratory tract (lung) infections; meningitis (infection of the membranes that surround the brain and spinal cord) and other brain and spinal cord infections; and abdominal (stomach area), skin, blood

**1gm.**  
M.R.P. 44.70/-Vial



**CETOFINE**

**Composition :**  
Each ml contains :  
Cefotaxime Sodium IP (Sterile) eq. to Anhydrous Cefotaxime 1000mg

**Indication :** Cefotaxime injection is used to treat bacterial infections in many different parts of the body. This medicine is also given before, during, and after certain types of surgery to prevent infections. Cefotaxime injection belongs to the class of medicines known as cephalosporin antibiotics.

**10x1x1ml. Blister**  
M.R.P. 210/-Ampoule



**DECZIO®-25**

**Composition :**  
Each ml contains :  
Nandrolone Decanoate IP 25 mg.  
Ethyl Oleate IP q.s.  
Arachis Oil I.P q.s.

**Indication :** Nandrolone decanoate, sold under the brand name Deca-Durabolin among others, is an androgen and anabolic steroid (AAS) medication which is used primarily in the treatment of anemias and wasting syndromes, as well as osteoporosis in menopausal

# INJECTION

10x1x1ml. Blister  
M.R.P. 320/-Ampoule




## DECZIO®-50

### Composition :

Each ml contains :  
Nandrolone  
Decanoate IP 50 mg.  
Ethyl Oleate IP q.s.  
Arachis Oil I.P q.s.

**Indication :** Nandrolone decanoate, sold under the brand name Deca-Durabolin among others, is an androgen and anabolic steroid (AAS) medication which is used primarily in the treatment of anemias and wasting syndromes, as well as osteoporosis in menopausal women.

10x5x2ml.  
M.R.P. 11.60/-Ampoule




## DEXATORE-4

### Composition :

Each ml. contains :  
Dexamethasone Sodium Phosphate IP equivalent to  
Dexamethasone Phosphate 4mg.  
Preservative :  
Methyl Paraben IP 0.15% w/v  
Propyl Paraben IP 0.02% w/v  
Water for Injection q.s.

**Indication :** Dexamethasone injection is used to treat severe allergic reactions. It is used in the management of certain types of edema (fluid retention and swelling; excess fluid held in body tissues,) gastrointestinal disease, and certain types of arthritis. Dexamethasone injection is also used for diagnostic testing.

10x2ml.  
M.R.P. 51.45/-Ampoule



## ETAMSEEN

### Composition :

Each ml. contains :  
Etamsylate BP 125mg.  
Water for injections IP q.s.

**Indication :** Ethamsylate is used in the treatment of bleeding. It is used to prevent or reduce bleeding in conditions like abnormal blood loss during periods and dysfunctional uterine bleeding. It also prevents or reduces bleeding during, before or after delicate surgeries. Ethamsylate is a haemostatic medication

10x5x2ml..  
M.R.P. 27.75/-Ampoule



## DR.SPAS

### Composition :

Each 2ml. Contains :  
Drotaverine HCl IP 40mg.  
Benzyl Alcohol IP 1.5% w/v

**Indication :** It is used to relieve pain due to various conditions like muscle spasms, menstruation, kidney stones, gall stones, irritable bowel syndrome, and headaches. It is also used to reduce labour pains.

10x5x2ml.  
M.R.P. 10.47/-Vial



## GENTATORE

### Composition :

Each 2ml. contains :  
Gentamicin Sulphate IP 80mg  
eq. to Gentamicin 1.8mg  
Methylparaben IP (as preservative)  
Propylparaben IP 0.2mg  
Water for Injection IP q.s.

**Indication :** Gentamicin injection is used to treat serious bacterial infections in many different parts of the body. Gentamicin belongs to the class of medicines known as aminoglycoside antibiotics. It works by killing bacteria or preventing their growth.

100mg  
M.R.P. 41.95 /-Vial



## HCCORT

### Composition :

Each ml. contains :  
Hydrocortisone Sodium Succinate (Sterile) IP  
eq. to Anhydrous Hydrocortisone 100mg.

**Indication :** Hydrocortisone succinate is a corticosteroid used to treat severe allergic reactions, dermatologic diseases, endocrine disorders, gastrointestinal diseases, hematological disorders, neoplastic diseases, nervous system conditions, ophthalmic diseases, renal diseases, respiratory diseases, and rheumatic disorders.



# INJECTION

10x1ml.  
M.R.P.14.50/-Ampoule



## HYOSEEN

### Composition :

Each ml. contains  
Hyoscine  
Butylbromide IP 20mg.  
Water for injection IP q.s.

**Indication :** Hyoscine butylbromide is indicated in acute spasm, as in renal or biliary colic, in radiology for differential diagnosis of obstruction and to reduce spasm and pain in pyelography, and in other diagnostic procedures where spasm may be a problem (e.g. gastroduodenal endoscopy).

10X1ml.  
M.R.P. 30/-Ampoule



## KETOZOX®

### Composition :

Each ml contains :  
Ketorolac Tromethamine IP 30mg.  
Water for Injection IP q.s.

**Indication :** Ketorolac is used to relieve moderately severe pain in adults, usually after surgery. Ketorolac is in a class of medications called NSAIDs. It works by stopping the body's production of a substance that causes pain, fever, and inflammation.

10x5x10ml.  
M.R.P. 25/-Ampoule



## KCL-CARE

### Composition :

Each 10ml. Contains :  
Potassium Chloride B.P. 1.5g.  
Water for Injection I.P. q.s.

**Indication :** Sterile Potassium Chloride Concentrate increases levels of potassium in the blood. It is given to patients who have very low potassium levels or who are unable to take tablets. It is also used in digoxin poisoning. Your doctor will have explained why you are being treated with Sterile Potassium Chloride Concentrate.

10x30ml.  
M.R.P. 35.30/-Vial



## LIGOCARE-A

### Composition :

Lignocaine Hydrochloride IP 2% w/v  
Adrenaline Acid Tartrate IP  
eq. to Adrenaline 0.001%w/v  
Sodium Metabisulphate IP 0.1% w/v  
Water for injection q.s.

**Indication :** Lignocaine hydrochloride is the most widely used and easily available local anaesthetic agent. Adrenaline is frequently combined with lignocaine to enhance the duration of anaesthesia, decrease toxicity, to achieve vasoconstriction and to provide a bloodless field.

10x1x10ml.  
M.R.P. 270/-Ampoule



## LIVOLYF

### Composition :

Each 10 ml contains :  
L-Ornithine L-Aspartate 5 g  
Water for Injection IP q.s.

**Indication :** L-ornithine-L-aspartate is most commonly used for reduced brain function in people with advanced liver disease (hepatic encephalopathy). It is also used for athletic performance, cirrhosis, and other conditions, but there is no good scientific evidence to support these uses.

10x5x1ml.  
M.R.P. 59/-Ampoule



## METHYQ®

### Composition :

Each 1ml Contain :  
Methylcobalamin IP 500 mcg.  
Benzyl Alcohol IP 2%w/v  
(As Preservative)  
Water for injection IP q.s.

**Indication :** A combination of methylcobalamin, pyridoxine and nicotinamide thus has synergistic effect on the damaged nerves in diabetic neuropathy which protects the nerves from further damage, restores its structural and functional integrity and causes a recovery of function.



# INJECTION

10x5x2ml.  
M.R.P. 27.82/-Ampoule



## METHYQ-PLUS<sup>®</sup>

**Composition :**  
Each 2ml Contain :  
Methylcobalamin IP 1000 mcg.  
Pyridoxine Hcl. IP 100 mg.  
Nicotinamide IP 100 mg.  
D-Panthenol IP 50 mg.  
Water for Injection IP q.s.

**Indication :** A combination of methylcobalamin, pyridoxine and nicotinamide thus has synergistic effect on the damaged nerves in diabetic neuropathy which protects the nerves from further damage, restores its structural and functional integrity and causes a recovery of function.

10x5x2ml. (with syring)  
M.R.P. 98/-Ampoule



## METHYQ-PLUS<sup>®</sup>

**Composition :**  
Each 2ml Contain :  
Methylcobalamin IP 1000 mcg.  
Pyridoxine Hcl. IP 100 mg.  
Nicotinamide IP 10 mg.  
D-Panthenol IP 50 mg.  
Water for Injection IP q.s.

**Indication :** A combination of methylcobalamin, pyridoxine and nicotinamide thus has synergistic effect on the damaged nerves in diabetic neuropathy which protects the nerves from further damage, restores its structural and functional integrity and causes a recovery of function.

12x1gm  
M.R.P. 875/-Vial




## MEROPRO<sup>®</sup>

**Composition :**  
Each vial contains :  
Meropenem Trihydrate (Sterile) IP  
eq. to anhydrous Meropenem 1000mg  
Sodium Carbonate  
eq. to Sodium 90.2 mg (buffer)

**Indication :** Meropenem injection is used to treat infections caused by bacteria. It works by killing the bacteria or preventing their growth. This medicine will not work for colds, flu, or other virus infections. This medicine is to be given only by or under the direct supervision of your doctor.

500mg  
M.R.P. 809/-Vial




## MEROPRO<sup>®</sup>

**Composition :**  
Each vial contains :  
Meropenem Trihydrate (Sterile) IP  
eq. to anhydrous Meropenem 500mg  
Sodium Carbonate  
eq. to Sodium 90.2 mg (buffer)

**Indication :** Meropenem injection is used to treat infections caused by bacteria. It works by killing the bacteria or preventing their growth. This medicine will not work for colds, flu, or other virus infections. This medicine is to be given only by or under the direct supervision of your doctor.

250MG (With WFI)  
M.R.P. 28.31/-Vial




## MONODOSE<sup>®</sup>

**Composition :**  
Each Vial contains :  
Ceftriaxone Sodium (Sterile)IP  
eq. to Anhydrous  
Ceftriaxone 250 mg.

**Indication :** Ceftriaxone is used to treat many kinds of bacterial infections, including severe or life-threatening forms such as E. coli, pneumonia, or meningitis. Ceftriaxone is also used to prevent infection in people having certain types of surgery. Ceftriaxone may also be used for purposes not listed in this medication guide.

500MG (With WFI)  
M.R.P. 56.00/-Vial



## MONODOSE<sup>®</sup>

**Composition :**  
Each Vial contains :  
Ceftriaxone Sodium (Sterile)IP  
eq. to Anhydrous  
Ceftriaxone 500 mg.

**Indication :** Ceftriaxone is used to treat many kinds of bacterial infections, including severe or life-threatening forms such as E. coli, pneumonia, or meningitis. Ceftriaxone is also used to prevent infection in people having certain types of surgery. Ceftriaxone may also be used for purposes not listed in this medication guide.



# INJECTION

1GM  
M.R.P. 69.86/-Vial

## MONODOSE®

**Composition :**  
Each Vial contains :  
Sterile Ceftriaxone Sodium I.P.  
eq. to Ceftriaxone 1000gm.

**Indication :** Ceftriaxone & Sulbactam for Injection is indicated in infections caused by Ceftriaxone sodiumsensitive pathogens and may be used in the clinical settings in Sepsis, Meningitis, Abdominal Infections (e.g. Peritonitis, infection of the biliary tract), infections of the Bones, Joints, Soft tissue, Skin and of wounds, Renal and Urinary Tract Infections, particularly Pneumonia, and Ear, Nose and Throat Infections, and uncomplicated gonorrhea.



1.5GM  
M.R.P. 231.50/-Vial

## MONODOSE®-SB

**Composition :**  
Each Vial contains :  
Sterile Ceftriaxone Sodium I.P.  
eq. to Ceftriaxone 1000gm.  
Sterile Sulbactam Sodium USP  
eq. to sulbactam 500 gm.

**Indication :** Ceftriaxone & Sulbactam for Injection is indicated in infections caused by Ceftriaxone sodiumsensitive pathogens and may be used in the clinical settings in Sepsis, Meningitis, Abdominal Infections (e.g. Peritonitis, infection of the biliary tract), infections of the Bones, Joints, Soft tissue, Skin and of wounds, Renal and Urinary Tract Infections, Respiratory tract Infections, particularly Pneumonia, and Ear, Nose and Throat Infections, and uncomplicated gonorrhea. Ceftriaxone & Sulbactam for Injection may also be used for Peri-operative Prophylaxis of Infections. A single dose given Preoperatively may reduce chances of Postoperative Infection.



375MG (With WFI)  
M.R.P. 43.55/-Vial

## MONODOSE®-SB

**Composition :**  
Each Vial contains :  
Ceftriaxone Sodium (Sterile)IP  
eq. to Anhydrous  
Ceftriaxone 250 mg.  
Sulbactam Sodium (Sterile) USP  
eq to Anhydrous  
Sulbactam 125 mg.

**Indication :** Ceftriaxone & Sulbactam for Injection is indicated in infections caused by Ceftriaxone sodiumsensitive pathogens and may be used in the clinical settings in Sepsis, Meningitis, Abdominal Infections (e.g. Peritonitis, infection of the biliary tract), infections of the Bones, Joints, Soft tissue, Skin and of wounds, Renal and Urinary Tract Infections, Respiratory tract Infections, particularly Pneumonia, and Ear, Nose and Throat Infections, and uncomplicated gonorrhea. Ceftriaxone & Sulbactam for Injection may also be used for Peri-operative Prophylaxis of Infections. A single dose given Preoperatively may reduce chances of Postoperative Infection.



10x1.25gm  
M.R.P. 275/-Vial

## MONODOSE®-TZ

**Composition :**  
Each Vial contains :  
Ceftriaxone Sodium (Sodium) IP  
equivalent to Anhydrous  
Ceftriaxone 1000mg.  
Tazobactam Sodium (Sterile)  
equivalent to  
Tazobactam 125mg

**Indication :** The combination of ceftolazone and tazobactam is used to treat certain infections including urinary tract infections and infections of the abdomen (stomach area). It is also used to treat certain types of pneumonia that developed in people who are on ventilators or who were in a hospital.



1.5GM  
M.R.P. 460/-Vial

## MAGNACARE-SB

**Composition :**  
Each Vial Contain :  
Cefoperazone Sodium IP (Sterile)  
equivalent to  
Cefoperazone (Anhydrous) 1000 mg.  
Sulbactam Sodium USP (Sterile)  
equivalent to  
Sulbactam (Anhydrous) 500 mg.

**Indication :** Cefoperazone/sulbactam is a combination drug used as an antibiotic. It is effective for the treatment of urinary tract infections. It contains cefoperazone, a Beta-lactam antibiotic, and sulbactam, a Beta-lactamase inhibitor, which helps prevent bacteria from breaking down cefoperazone.



1GM  
M.R.P. 285/-Vial

## MAGNACARE-SB

**Composition :**  
Each Vial Contain :  
Cefoperazone Sodium IP (Sterile)  
equivalent to  
Cefoperazone (Anhydrous) 500 mg.  
Sulbactam Sodium USP (Sterile)  
equivalent to  
Sulbactam (Anhydrous) 500 mg.

**Indication :** Cefoperazone/sulbactam is a combination drug used as an antibiotic. It is effective for the treatment of urinary tract infections. It contains cefoperazone, a Beta-lactam antibiotic, and sulbactam, a Beta-lactamase inhibitor, which helps prevent bacteria from breaking down cefoperazone.



# INJECTION

10x10x3ml.  
M.R.P. 19/-Ampoule



## NEURO-N-URO

### Composition :

Each 3ml. Contains :

Thiamine HCl	IP	100mg.
Riboflavin Sodium Phosphate	IP	5mg.
Pyridoxine HCl	IP	100mg.
Cyanocobalamin	IP	1000mcg.
Nicotinamide	IP	100mg.
D-Panthenol	IP	50mg.
Benzyl Alcohol (As Preservative)	IP	0.9%v/v
Water for Injection	IP	q.s.

**Indication :** This product is a combination of B vitamins used to treat or prevent vitamin deficiency due to poor diet, certain illnesses, alcoholism, or during pregnancy. Vitamins are important building blocks of the body and help keep you in good health.

10ml. Glass Bottle  
M.R.P. 66.50/-Ampoule



## ONDINORM<sup>®</sup>

### Composition :

Each ml Contain :

Ondansetron HCL	IP	2 mg.
eq.to ondansetron		q.s.
Water for Injection		

**Indication :** Ondansetron injection is used to prevent nausea and vomiting caused by cancer chemotherapy and surgery. Ondansetron is in a class of medications called serotonin 5-HT3 receptor antagonists. It works by blocking the action of serotonin, a natural substance that may cause

50X2ML.  
M.R.P. 13/-Ampoule



## ONDINORM<sup>®</sup>

### Composition :

Each ml Contain :

Ondansetron HCL	IP	2 mg.
eq.to ondansetron		q.s.
Water for Injection		

**Indication :** Ondansetron injection is used to prevent nausea and vomiting caused by cancer chemotherapy and surgery. Ondansetron is in a class of medications called serotonin 5-HT3 receptor antagonists. It works by blocking the action of serotonin, a natural substance that may cause

40MG.  
M.R.P. 56.50/-Vial



## PANTOPIK<sup>®</sup>

### Composition :

Each vial Contain :

Pantoprazole sodium IP (Lyophilized)		40 mg.
Eq. to Pantoprazole		40 mg.

**Indication :** Pantoprazole injection is used as a short-term treatment to treat gastroesophageal reflux disease (GERD; a condition in which backward flow of acid from the stomach causes heartburn and possible injury of the esophagus [the tube between the throat and stomach]) in people who have had damage to their esophagus and who are unable to take pantoprazole by mouth. It is also used to treat conditions where the stomach produces too much acid, such as Zollinger-Ellison syndrome (tumors in the pancreas and small intestine that caused increased production of stomach acid). Pantoprazole is in a class of medications called proton-pump inhibitors. It works by decreasing the amount of acid made in the

10x10x2ml.  
M.R.P. 8.98/-Ampoule



## PAREST<sup>®</sup>

### Composition :

Each ml. contains :

Paracetamol	IP	150mg.
Benzyl Alcohol (as preservative)	IP	1.5% w/v
Propylene Glycol	IP	60% v/v.
Water for injection	IP	q.s.

**Indication :** Paracetamol Injection belongs to the group of mild analgesics (pain killer), and antipyretic (fever-reducing agent) used to treat mild to moderate pain including headache, migraine, toothache, menstrual period pain, osteoarthritis pain, musculoskeletal pain, and reducing fever.

5x2ml.  
M.R.P. 29/-Ampoule



## PIROXICAM

### Composition :

Each ml contains :

Piroxicam	IP	20mg.
Benzyl Alcohol (as preservative)	IP	20mg.
Ethanol content	IP	12.6 v/v

**Indication :** Piroxicam is used to relieve pain, tenderness, swelling, and stiffness caused by a breakdown of the lining of the joints) and rheumatoid arthritis (arthritis caused by swelling of the lining of the joints).

# INJECTION

10x1x1ml.  
M.R.P. 190/-Ampoule



## PREGAPOWER<sup>®</sup>-DEPOT

**Composition :**  
Each ml contains :  
Hydroprogesterone  
Caproate IP 250mg.  
Oil base q.s.

**Indication :** Hydroxyprogesterone caproate injection is a man-made progestin hormone. It is used in pregnant women to help lower the risk of giving birth too early (preterm birth or giving birth less than 37 weeks of pregnancy).

10x1x2ml.  
M.R.P. 290/-Ampoule



## PREGAPOWER<sup>®</sup>-DEPOT

**Composition :**  
Each 2ml contains :  
Hydroprogesterone  
Caproate IP 500mg.  
Oil base q.s.

**Indication :** Hydroxyprogesterone caproate injection is a man-made progestin hormone. It is used in pregnant women to help lower the risk of giving birth too early (preterm birth or giving birth less than 37 weeks of pregnancy).

10x10x2ml.  
M.R.P. 8.66/-Ampoule



## PRIMOCARE

**Composition :**  
Each ml. contains :  
Promethazine HCl IP 25mg.  
Sodium Metabisulphite IP 0.1% w/v  
Water for Injection IP q.s.

**Indication :** Promethazine injection is used to relieve or prevent some types of allergy or allergic reactions. It works by preventing the effects of a substance called histamine, which is produced by the body. Histamine can cause itching, sneezing, runny nose, and watery eyes.

20mg  
M.R.P. 210/-Vial



## RAYBEPOLL-20

**Composition :**  
Each ml. contains :  
Rabeprazole Sodium IP 20mg.  
(As Sterile Freeze dried Powder)

**Indication :** Rabeprazole is used to treat the symptoms of gastroesophageal reflux disease (GERD), a condition in which backward flow of acid from the stomach causes heartburn and possible injury of the esophagus (the tube that connects the throat and stomach) in adults and children 12 year of age and older.

10x5x2ml.  
M.R.P. 6.02/-Ampoule



## RANIDAY<sup>®</sup>

**Composition :**  
Each ml contains :  
Ranitidine HCL IP 25 mg.  
eq. to Ranitidine  
Phenol IP 0.5% w/v  
(As Preservative)  
Water for Injection IP q.s.

**Indication :** Ranitidine is used to treat ulcers of the stomach and intestines and prevent them from coming back after they have healed. This medication is also used to treat certain stomach and throat (esophagus) problems (such as erosive esophagitis, gastroesophageal reflux disease-GERD, Zollinger-Ellison syndrome).

10x5x10ml.  
M.R.P. 17.50/-Ampoule



## SODICARE

**Composition :**  
Sodium Bicarbonate I.P. 7.5% w/v  
Water for Injection I.P. q.s.

**Indication :** Sodium Bicarbonate is used to treat metabolic acidosis, which might occur in severe kidney disease, circulatory insufficiency due to shock or severe dehydration, cardiac arrest, uncontrolled diabetes, severe primary lactic acidosis, and extracorporeal circulation of blood.



# INJECTION

**20x1x5ml.  
M.R.P. 321.45/-Ampoule**



**SUKROSE®**

**Composition :**  
Each ml contains :  
Ferric Hydroxide in complex with sucrose eq. to Elemental Iron 20mg.  
Water for Injection IP q.s.

**Indication :** Iron sucrose injection is an iron replacement product that is used to treat iron deficiency anemia (not enough iron in the blood) in patients with chronic kidney disease (CKD).

**4.5gm  
M.R.P. 447.30/-Ampoule**



**TAZOSAFE**

**Composition :**  
Each vial contains :  
Sterile Piperacillin Sodium IP 4mg.  
Sterile Tazobactam Sodium USP 0.5g.  
eq. to Tazobactam 0.5g

**Indication :** Piperacillin and tazobactam combination injection is used to treat bacterial infections in many different parts of the body (eg, stomach or bowel, lungs, skin, female reproductive organs).

**5x10x3ml. (Blister Pack)  
M.R.P. 5.50/-Ampoule**



**VOVEFLAM®**

**Composition :**  
Each 1ml contains :  
Diclofenac Sodium IP 75 mg.  
Benzyl Alcohol IP 4% w/v  
(as preservative)  
Water for Injection IP q.s.

**Indication :** Diclofenac injection is a nonsteroidal anti-inflammatory drug (NSAID) used to treat adults with mild to moderate pain. It is used alone or given with other opioid (narcotic) pain medicines to treat adults with moderate to severe pain.

**50X1ML. (Blister Pack)  
M.R.P. 22.70/-Ampoule**



**VOVEFLAM®**

**Composition :**  
Each 1ml contains :  
Diclofenac Sodium IP 75 mg.  
Benzyl Alcohol IP 4% w/v  
(as preservative)  
Water for Injection IP q.s.

**Indication :** Diclofenac injection is a nonsteroidal anti-inflammatory drug (NSAID) used to treat adults with mild to moderate pain. It is used alone or given with other opioid (narcotic) pain medicines to treat adults with moderate to severe pain.



# OINTMENT

## A range of Ointments for you



For pain

For clear skin



For burns, Cuts

For ulcers



**AUSMED-PLUS**

Ausmed Plus is a pain relief gel which provides effective relief from muscle pain, strains, sprains, spasms and cramps. Scientifically formulated with ingredients such as Diclofenac diethylamine, Methyl Salicylate, Menthol and Linseed oil, it provides effective relief from backache, knee pain and shoulder pain.

**Composition :**

Diclofenac	
DiethylamineIP	1.16% w/w
(Eq. to Diclofenac Sodium	1.00% w/w)
Linseed Oil BP	3.00% w/w
Methyl SalicylateIP	10.00% w/w
Menthol IP	0.5% w/w
Benzyl Alcohol IP	1.00% w/w
(As Preservative)	
In Gel Base	q.s.

**20x30gm**  
**M.R.P. 85/- Tube**

**AUSMED-PLUS**

Ausmed Plus is a pain relief gel which provides effective relief from muscle pain, strains, sprains, spasms and cramps. Scientifically formulated with ingredients such as Diclofenac diethylamine, Methyl Salicylate, Menthol and Linseed oil, it provides effective relief from backache, knee pain and shoulder pain.

**Composition :**

Diclofenac	
DiethylamineIP	1.16% w/w
(Eq. to Diclofenac Sodium	1.00% w/w)
Linseed Oil BP	3.00% w/w
Methyl SalicylateIP	10.00% w/w
Menthol IP	0.5% w/w
Benzyl Alcohol IP	1.00% w/w
(As Preservative)	
In Gel Base	q.s.

**20x30gm**  
**M.R.P. 85/- Tube**

**AUSCIP-NF**

Indication : This medication is used to treat a variety of fungal skin infections such as ringworm, athlete's foot, and jock itch.

**20x15gm**  
**M.R.P. 145/- Tube**

**Composition :**

Ciprofloxacin Hydrochloride	I.P.	
Eq. to Ciprofloxacin		1.0% w/w
Metronidazole Benzoate	I.P.	
Eq. to Metronidazole		1.0%w/w
Terbinafine Hydrochloride	I.P.	1.0%w/w
Clobetasole Propionate	I.P.	0.05%w/w
Methylparaben(Preservative)	I.P.	0.2% w/w
Propylparaben(Preservative)	I.P.	0.02% w/w
Cream base		q.s.

**ABOYVIR<sup>®</sup>**

**Composition :**

Acyclovir	USP	5.0 w/w
in an ointment base		

**20x5gm**  
**M.R.P.59.50/- Tube**

**Indication:** Acyclovir ointment is used to treat first outbreaks of genital herpes (a herpes virus infection that causes sores to form around the genitals and rectum from time to time) and to treat certain types of sores caused by the herpes simplex virus in people with weak immune systems.



# OINTMENT



## BETJEC<sup>®</sup>-N

### Composition :

Beclomethasone Dipropionate	IP	0.025% w/w
Neomycin Sulphate	IP	
Neomycin base and Chlorocresol (as preservative)	IP	0.5% w/w 0.1% w/w

In a cream base

**Indication :** Beclomethasone Dipropionate+ Neomycin is used to treat fungal and bacterial skin infections, skin inflammation due to allergies or irritants, eczema, psoriasis, insect bites and stings.

**20x15gm  
M.R.P. 80/- Tube**



## BETJEC<sup>®</sup>-S

### Composition :

Each gm contains :	
Beclomethasone Dipropionate	0.025% w/w
Salicylic Acid IP	3.0% w/w
In an ointment base	q.s.

**Indication :** This medication is used to treat dry, scaly skin conditions. Betamethasone is a corticosteroid that helps to reduce swelling, itching, and redness. Salicylic acid belongs to the same class of drugs as aspirin (salicylates).

**20x20gm  
M.R.P. 75/-Tube**



## BETJEC<sup>®</sup>-CG

### Composition :

Beclomethasone Dipropionate	IP	0.025% w/w
Neomycin Sulphate	IP	
Neomycin base		0.5% w/w
Clotrimazole IP		1.0% w/w

In a cream base

**Indication :** is a dermatological medication that used to reduce swelling, itching redness and dead skin cells caused due to specific skin problems such as psoriasis (scales and itchy, dry patches) and eczema (itchy, cracked, swollen or rough skin).

**20x10gm  
M.R.P. 129/-Tube**



## BURNHIT<sup>®</sup>

### Composition :

Silver sulphadiazine IP	1.0% w/w
Chlorhexidine Gluconate Solution IP	
Diluted to chlorhexidine Gluconate	0.20% w/w
In a cream base	q.s.

**Indication :** This medication is used with other treatments to help prevent and treat wound infections in patients with serious burns. Silver sulfadiazine works by stopping the growth of bacteria that may infect an open wound.

**20x15gm  
M.R.P. 72/-Tube**



## CLOBICARE

**Indication :** Clobetasol topical is used to treat the itching, redness, dryness, crusting, scaling, inflammation, and discomfort of various scalp and skin conditions, including psoriasis (a skin disease in which red, scaly patches form on some areas of the body) and eczema (a skin disease that causes the skin to be dry and itchy)

**Composition :**  
Clobetasol Propionate IP 0.05% w/w  
Cream base q.s.

**20X30gm  
M.R.P. 99/- Tube**



## CLOBICARE-GM<sup>®</sup>

### Composition :

Clobetasol Propionate IP	0.05% w/w
Neomycin Sulphate	IP
eq. to Neomycin	0.5% w/w
Miconazole Nitrate	IP 2.0% w/w
Chlorocresol	IP 0.1% w/w
(As Preservative)	
In a cream base	q.s.

**Indication :** Effective for steroids responsive inflammation of skin. Treats inflammatory condition complicated by mixed bacterial & fungal infections.

**20x10gm  
M.R.P. 58/- Tube**



# OINTMENT



## CANDINATE-B

### Composition :

Clotrimazole	I.P.	1% w/w
Beclomethasone Dipropionate	I.P.	0.025% w/w

**Indication :** This combination medication is used to treat a variety of inflamed fungal skin infections such as ringworm, athlete's foot, and jockn itch.

**20x15gm**  
**M.R.P. 45/- Tube**



## CARESIL

### Composition :

Clindamycin Phosphate IP  
eq. to Clindamycin 1% w/w

**Indication :** Clotrimazole is used to treat tinea corporis (ringworm; fungal skin infection that causes a red scaly rash on different parts of the body), tinea cruris (jock itch; fungal infection of the skin in the groin or buttocks), and tinea pedis (athlete's foot; fungal infection of the skin on the feet and between the toes). Clotrimazole is in a class of antifungal medications called imidazoles. It works by stopping the growth of fungi that cause infection.

**12x20gm**  
**M.R.P. 176/- Tube**



## CLIMAZOLE®

### Composition :

Clotrimazole	IP	1%
In a Cream base		q.s.

**Indication :** Topical clotrimazole is used to treat tinea corporis (ringworm; fungal skin infection that causes a red scaly rash on different parts of the body), tinea cruris (jock itch; fungal infection of the skin in the groin or buttocks), and tinea pedis (athlete's foot; fungal infection of the skin on the feet and between the toes). Clotrimazole is in a class of antifungal medications called imidazoles. It works by stopping the growth of fungi that cause infection.

**20x20gm**  
**M.R.P. 55/-Tube**



## DERMIBUT-5

**Indication :** s used to treat pain and other symptoms of arthritis of the joints (eg, osteoarthritis), such as inflammation, swelling, stiffness, and joint pain. However, this medicine does not cure osteoarthritis and will help you only as long as you continue to use it.

### Composition:

Each gm contains :		
Ketoconazole	IP	2.00% w/w
Neomycin Sulphate	IP	
Eq. to Neomycin		0.10% w/w
Tolnaftate	IP	1.00% w/w
Iodochlorhydroxyquinoline	IP	1.00% w/w
Clobetasol Propionate	IP	0.05% w/w
Chlorocresol IP (As Preservative)		0.1% w/w
In a cream base		q.s.

**20x15gm**  
**M.R.P. 90/-Tube**



## DERMIFIT-5

**Indication:** Widely used in pharmaceutical industry to cure various skin problems like rashes, scars, acne

### Composition :

Clobetasol Propionate	IP	0.05% w/w
Gentamicin Sulphate	IP	
eq. to Gentamicin		0.10%w/w
Tolnafatate	IP	1.00% w/w
Iodochlorhydroxyquinoline	IP	1.00%w/w
Clotrimazole	IP	1.00%w/w
In a cream base		q.s.

**20x15gm**  
**M.R.P. 85/- Tube**



## DERMIZIO-5

**Indication :** s used to treat pain and other symptoms of arthritis of the joints (eg, osteoarthritis), such as inflammation, swelling, stiffness, and joint pain. However, this medicine does not cure osteoarthritis and will help you only as long as you continue to use it.

### Composition:

Each gm contains :		
Ketoconazole	IP	2.00% w/w
Neomycin Sulphate	IP	
Eq. to Neomycin		0.10% w/w
Tolnaftate	IP	1.00% w/w
Iodochlorhydroxyquinoline	IP	1.00% w/w
Clobetasol Propionate	IP	0.05% w/w
Chlorocresol IP (As Preservative)		0.1% w/w
In a cream base		q.s.

**20x15gm**  
**M.R.P. 85/-Tube**



# OINTMENT




## DERMIZIO-6

**Indication :** s used to treat pain and other symptoms of arthritis of the joints (eg, osteoarthritis), such as inflammation, swelling, stiffness, and joint pain. However, this medicine does not cure osteoarthritis and will help you only as long as you continue to use it.

**Composition:**

Ketoconazole	IP	2.00% w/w
Neomycin Sulphate	IP	0.10% w/w
Eq. to Neomycin	IP	1.00% w/w
Tolnateate	IP	1.00% w/w
Iodochlorhydroxyquinoline	BP	0.05% w/w
Dexpanthenol	IP	0.05% w/w
Clobetasol Propionate	IP	0.05% w/w
Chlorocresol IP (As Preservative)		0.1% w/w
In a cream base		q.s.

**20x15gm**  
**M.R.P. 105/-TUBE**



## FGDIC®

**Indication:** It's used to treat bacterial infections, such as skin infections including cellulitis and impetigo, and eye infections including conjunctivitis (red, itchy eyes). Fusidic acid is only available on prescription. It comes as a cream, ointment, or eye drops. It's also available with a steroid as a combined cream.

**Composition :**  
Fusidic Acid IP 0.2% w/w  
In a cream base q.s.

**20x10gm**  
**M.R.P. 113.55/- Tube**



## KETOCLEAN®

**Composition :**  
Ketoconazole IP 2%  
Cream base q.s.

**Indication :** Ketoconazole topical (for the skin) is an antifungal medicine used to treat infections such as athlete's foot, jock itch, ringworm, and seborrhea (dry, flaking skin or dandruff).

**20X30gm**  
**M.R.P. 128/- Tube**



## MARUTI GEL

**Indication :** provides instant & effective Pain relief. Alleviates shoulder, neck & knee pain. Very effective in pain associated with sprain & sports injury.

**Composition :**  
Linseed oil BP 3.0% w/w  
Diclofenac Diethylamine BP 1.16% w/w  
eq. to Diclofenac Sodium 1.0% w/w  
Methyl Salicylate IP 10.0% w/w  
Menthol IP 0.05% w/w  
Benzyl Alcohol IP 1.0% w/w  
(As Preservative)  
Gel base q.s.

**20x30gm**  
**M.R.P. 131/- Tube**




## MOMECARE

**Composition :**  
Mometasone Furoate IP 0.1% w/w  
Cream base q.s.

**Indication :** Mometasone topical is used to relieve the redness, swelling, itching and inflammation and discomfort of various skin conditions, including psoriasis (a skin disease in which red, scaly patches form on some areas of the body and eczema (a skin disease that causes the skin to be dry and itchy and to sometimes develop red, scaly rashes). Mometasone is in a class of medications called corticosteroids. It works by activating natural substances in the skin to reduce swelling, redness, and itching.

**20x10gm**  
**M.R.P. 125/-TUBE**



## MICONAZOLE

**Composition :**  
Miconazole Nitrate IP 2.0%w/w  
Cream base q.s.

**Indication :**Topical miconazole is used to treat tinea corporis(ringworm; fungal skin infection that causes a red scaly rash on different parts of the body), tinea cruris (jock itch; fungal infection of the skin in the groin or buttocks), and tinea pedis (athlete's foot; fungal infection of the skin on the feet and between the toes).

**20x30gm**  
**M.R.P. 95/-TUBE**



# OINTMENT



## Composition :

Metronidazole Benzoate IP 1.5%w/w  
 eq. to Metronidazole  
 Chlorhexidine Gluconate Solution IP 0.5% w/w  
 (As Preservative)  
 Water soluble gel base q.s.

## METAUS-DG

**Indication :** This medication is also used to treat a skin condition known as pityriasis (tinea versicolor), a fungal infection that causes a lightening or darkening of the skin of the neck, chest, arms, or legs. Miconazole is an azole antifungal that works by preventing the growth of fungus.

**20X20gm**

**M.R.P. 78/- Tube**



## Composition :


Ofloxacin IP 0.75%w/w  
 Ornidazole IP 2.0%w/w  
 Itraconazole BP 1.0%w/w  
 Clobetasol Propionate IP 0.05%w/w  
 Methylparaben IP 0.20%w/w  
 Propylparaben IP 0.02%w/w  
 Cream Base Q.S.

## ONFAUX-TC

**Indication :** This medication is also used to treat a skin condition known as pityriasis (tinea versicolor), a fungal infection that causes a lightening or darkening of the skin of the neck, chest, arms, or legs. Miconazole is an azole antifungal that works by preventing the growth of fungus.

**20X15gm**

**M.R.P. 95/- Tube**



## POVIRUB<sup>®</sup>-M

### Composition :

Povidone - Iodine IP 5.0% w/w  
 (Available Iodine 0.5% w/w)  
 Metronidazole IP 1.0 % w/w  
 Dexpanthenol BP 5.0% w/w  
 Ointment Base q.s.

**Indication :** Metronidazole topical gel, cream, and lotion are used for treating rosacea. Metronidazole vaginal gel is used for the treatment of bacterial vaginosis (also referred to as Hemophilus vaginitis, Gardnerella vaginitis, or nonspecific vaginitis), a bacterial infection of the vagina.

**24x15gm Tube**

**M.R.P. 79.00 Per Tube.**



## POVIRUB<sup>®</sup>-S

### Composition :

Povidone Iodine IP 5% w/w  
 (0.5% w/w available Iodine)  
 Sucralfate USP 7% w/w  
 In ointment base q.s.

**Indication :** Infective in treating surgical wound infections. Used as a first aid to kill germs & Prevent infection in minor burns & cuts.

**20X15gm**

**M.R.P. 89/- Per Tube.**



## Composition :

Povidone-Iodine IP 5% w/w.  
 (Available Iodine 0.5 % w/w)  
 Water soluble ointment base q.s.

## POVIRUB<sup>®</sup>

**Indication :** This medication is used to relieve dry, irritated eyes. Common causes for dry eyes include wind, sun, heating/air conditioning, computer use/reading, and certain medications.

**20X15gm**

**M.R.P. 65/- Tube**



## POVIRUB<sup>®</sup>-PLUS

### Composition :

Povidone - Iodine IP 10% w/w  
 Water Soluble ointment base q.s.

**Indication :** POVIDONE IODINE is used on the skin to decrease risk of infection. This medicine is also used as a surgical hand scrub and to wash the skin and surface of the eye before surgery to help prevent infections.

**20x15gm**

**M.R.P. 97/-Per Tube.**



# OINTMENT



### Composition :

Miconazole Nitrate I.P. 2.00% w/w  
 Neomycin Sulphate I.P. 0.50% w/w  
 Chlorocresol I.P. 0.10% w/w

**RINGOCARE®**

(As Preservative)  
 In a Cream Base

q.s. **Indication :** Neomycin Sulphate & Miconazole Nitrate, Cream is used for Fungal and bacterial infections, Redness, Itching, Dryness and swelling of skin, Vaginal yeast infections, Psoriasis, Infected and cracked skin, Skin cleansing and other conditions.

**15gm Tube**

**M.R.P. 76.00 Per Tube.**



### Composition :

Sertraconazole Nitrate IP 2.00% w/w  
 Benzyl Alcohol IP 1.00% w/w

**SHOCET®**

In a Cream base

q.s. **Indication :** Neomycin Sulphate & Miconazole Nitrate, Cream is used for Fungal and bacterial infections, Redness, Itching, Dryness and swelling of skin, Vaginal yeast infections, Psoriasis, Infected and cracked skin, Skin cleansing and other conditions.

**20X30gm Tube**

**M.R.P. 385.00 Per Tube.**



**TERBICARE**

### Composition :

Terbinafine Hydrochloride IP 1%w/w  
 Cream base q.s.

**Indication :** Terbinafine comes as a cream, gel for treating athlete's foot, ringworm, jock itch and pityriasis versicolor. There is also a liquid (solution) for athlete's foot. You can buy these from a pharmacy or supermarket. It also comes as tablets for treating fungal nail infections and other fungal infections.

**20X15gm Tube**

**M.R.P. 88.00 Per Tube.**



**ULSOCARE®**

### Composition :

Choline Salicylate Sol. BP eq. to choline Salicylate 8.7% w/w  
 Lignocaine Hcl IP 2.0% w/w  
 Benzalkonium chloride Sodium IP 0.01% w/w

**Indication :** Constipation, diarrhea, swelling of the mouth, face, lips, or tongue, dizziness, drowsiness, headache, heartburn, indigestion, nausea, sweating stomach pain, upset stomach & Vomiting.

Preservative: In pleasant flavour gel based q.s.

**24x10gm Tube**

**M.R.P. 65.00 Per Tube.**



### Composition :

Diclofenac Diethylamine IP 1.16% w/w  
 Eq. to Diclofenac Sodium IP 1.00%w/w  
 In a water soluble gel Base with Propylene glycol IP q.s.  
 Chlorocresol IP 0.1% w/w  
 (as preservative)

**VOVEFLAME®**

**Indication :** Voveflam is used to relieve pain from arthritis in certain joints such as those of the knees, ankles, feet, elbows, wrists, and hands. Prescription diclofenac topical solution (Pennsaid) is used to relieve osteoarthritis pain in the knees.

**20x30gm Tube**

**M.R.P. 85.00 Per Tube.**



# DROPS

## Paediatric Drops



### Drops with Dropper



#### AZITOM-100



**Composition :**  
Each 5ml. contains :  
Azithromycin Dihydrate I.P.  
eqv. to Anhydrous  
Azithromycin 100mg.  
Colour : Erythrosine

**Indication :** Azithromycin is a macrolide antibiotic. It is used to treat or prevent certain kinds of bacterial infections. It will not work for colds, flu, or other viral infections.

**15ml. Suspension**  
**M.R.P. 26.14/-Per Bottle.**



#### AZITOM-200



**Composition :**  
Each 5ml. contains :  
Azithromycin Dihydrate I.P.  
eqv. to Anhydrous  
Azithromycin 200mg.  
Colour : Erythrosine

**Indication :** Azithromycin is a macrolide antibiotic. It is used to treat or prevent certain kinds of bacterial infections. It will not work for colds, flu, or other viral infections.

**15ml. Suspension**  
**M.R.P. 57/-Per Bottle.**



#### AMBROCOF-LS



**Composition :**  
Each ml. contains :  
Levosulbutamol Sulphate IP 0.25 mg.  
Ambroxol Hydrochloride IP 7.5 mg.  
Guaiphenesin IP 12.5 mg.  
Colour : Tartrazine  
In a Flavoured syrupy base

**Indications :** Ambroxol is used to treat certain diseases of the respiratory tract and to relieve cough associated with thickened mucus. Levosulbutamol To treat and prevent bronchospasm (constriction of airways causing breathing difficulties) in reversible obstructive airway disease like asthma, or some cases of chronic bronchitis. Guaiphenesin is used to relieve cough and chest congestion.

**15ml. Suspension**  
**M.R.P. 56/-Per Bottle.**



#### CARESPAS®



**Composition :**  
Each ml. contains ;  
Dicyclomine HCl IP 10mg.  
Activated Dimethicone IP 40mg.  
Colour : Sunset Yellow FCF

**Indication :** Dicyclomine is used to treat a certain type of intestinal problem called irritable bowel syndrome. It helps to reduce the symptoms of stomach and intestinal cramping. This medication works by slowing the natural movements of the gut and by relaxing the muscles in the stomach and intestines.

**10ml. Suspension**  
**M.R.P. 37/-Per Bottle.**



# DROPS



Also Available

### Care-D3 Plus

Cholecalciferol IP 400 IU  
30ml. Suspension  
M.R.P. 78.28/-Per Bottle.

## CARE-D3

### Composition :

Each ml. contains :  
Cholecalciferol IP 800 IU  
(as stabilized)  
(Vitamin D3)  
Colour : Tartrazine  
In a flavoured syrupy base

**Indication :** Cholecalciferol is vitamin D3. Vitamin D helps your body absorb calcium. Cholecalciferol is used as a dietary supplement in people who do not get enough vitamin D in their diets to maintain adequate health.

**30ml. Suspension**  
**M.R.P. 98/-Per Bottle.**



## DOMICARE

### Composition :

Each 5ml contains :  
Domperidone IP 1 mg.  
Colour : Ponceau 4R

**Indication :** Domperidone is indicated for the relief of the symptoms of nausea and vomiting. Domperidone should be used at the lowest effective dose for the shortest duration necessary to control nausea and vomiting. It is recommended to take oral domperidone before meals.

**30ml. Suspension**  
**M.R.P. 41.60/-Per Bottle.**



## CETICARE-PLUS

### Composition :

Each ml contains :  
Paracetamol I.P. 125 mg.  
Cetirizine Hcl I.P. 2.5 mg.  
Phenylephrine Hcl I.P. 2.5 mg.  
Colour : Ponceau 4R  
In a flavoured Syrupy base

**Indication :** Cetirizine, Paracetamol, Phenylephrine is a combination of three medicines: Cetirizine, Paracetamol and Phenylephrine, which relieves common cold symptoms. Cetirizine is an antiallergic which blocks histamine (a chemical messenger) to relieve allergy symptoms like runny nose, watery eyes and sneezing.

**15ml. Suspension**  
**M.R.P. 38/-Per Bottle.**



## FERIMIN

### Nutritional Info:

Each 1ml. contains [Approx.]

Ingredients	Qty. per ml	% RDA
Energy	0.68kcal	**
Carbohydrate	0.17g	**
Sugar	0.10g	**
Protein	0.00 g	**
Fat	0.00 g	**
L-lysine Hydrochloride	3.33 mg	**
Ferric Ammonium Citrate	8.00 mg	34.00%
Folic Acid	20.00 mcg	80.00%
Vitamin B12 [as Cyanocobalamin]	0.30 mcg	30.00%

This combination product contains a mineral (iron) along with 3 vitamins (vitamin C, vitamin B12, and folic acid). It is used to treat or prevent a lack of these nutrients which may occur in certain health conditions (e.g., anemia, pregnancy, poor diet, surgery recovery).

**15ml. Suspension**  
**M.R.P. 62/-Per Bottle.**



## FOCEF-O

### Composition :

Each ml. of reconstituted suspension contains :  
Cefixime IP  
Eq. to Anhydrous Cefixime 25mg.  
Excipients q.s.  
Colour : Sunset Yellow FCF

**Indication :** Cefixime is used to treat bacterial infections in many different parts of the body. It belongs to the class of medicines known as cephalosporin antibiotics. It works by killing bacteria or preventing their growth. However, this medicine will not work for colds, flu, or other virus infections

**10ml. Suspension**  
**M.R.P. 64.50/-Per Bottle.**



## MONOPOD®

### Composition :

Each ml. of reconstituted suspension contains :  
Cefpodoxime Proxetil IP  
eq. to Anhydrous Cefpodoxime 25mg.  
Excipients q.s.  
Colour : Sunset Yellow

**Indication :** Cefpodoxime is used to treat bacterial infections in many different parts of the body. It belongs to the class of medicines known as cephalosporin antibiotics. It works by killing bacteria or preventing their growth. However, this medicine will not work for colds, flu, or other virus infections.

**10ml. Suspension**  
**M.R.P. 80/-Per Bottle.**

# DROPS

## MULTILITE DROP



**Composition :**  
Each ml. contains :  
(Approximately value)

Energy	0.56 Kcal.
Carbohydrate	0.14g.
Fat	0.06g.
Protein	0.001g.
Vitamin A	750 I.U.
Vitamin B1	0.5 mg.
Vitamin B2 5 sodium	
Phosphate	0.5 mg.
Vitamin D3	200 I.U.
Niacinamide	5.0 mg.
Zinc Gluconate	2.50 mg.

Flavoured syrupy base q.s.

**15ml. Suspension**  
**M.R.P. 66/-Per Bottle.**

## ONDINORM®



**Composition :**  
Each 5ml. contains :  
Ondansetron HCl IP  
Hydrochloride IP  
eq. to Ondansetron 2mg.  
Colour : Tartrazine & Carmoisine

**Indication :** Ondansetron is used to treat nausea and vomiting caused by chemotherapy. It is also used to prevent or treat nausea and vomiting after surgery.

**30ml. Suspension**  
**M.R.P. 42.30/-Per Bottle.**

## PAREST®-98



**Composition :**  
Each ml. contains :  
Paracetamol IP 100mg.  
Colour : Ponceau 4r  
in a flavoured syrupy base

**Indication :** It is used for mild to moderate pain including headache, migraine, nerve pain, toothache, sore throat, period pains and general aches and pains. It is also used to help reduce a fever (high temperature).

**15ml. Suspension**  
**M.R.P. 27/-Per Bottle.**

## ZYMCARE



**Composition :**  
Each ml contains :  
Fungal Diastase 33.33 mg.  
(1:1200) I.P.  
(Fungal diastase derived from Aspergillus oryzae digest not less than 40 gms of cooked starch)  
Pepsin (1:3000) I.P. 5 mg.  
(Digest not less than 15 gms of coagulated egg albumin)  
Colour : Caramel I.P.  
In a flavoured Syrupy base

**Indication :** This medication contains digestive enzymes, which are natural substances needed by the body to help break down and digest food. It is used when the pancreas cannot make or does not release enough digestive enzymes into the gut to digest the food.

**15ml. Suspension**  
**M.R.P. 39.60/-Per Bottle.**



# DRY SYRUP

## AUGOCARE®



**Composition :**  
Each 5ml of the Reconstituted contains:  
Amoxicillin Trihydrate IP 200 mg.  
eq. to Amoxicillin  
Potassium Clavunate Diluted IP 28.5 mg.  
eq. to Clavunic Acid  
Colour : Erythrosine

**Indication :** The combination of amoxicillin and clavulanic acid is used to treat certain infections caused by bacteria, including infections of the ears, lungs, sinus, skin, and urinary tract. Amoxicillin is in a class of medications called penicillin-like antibiotics. It works by stopping the growth of bacteria.

**30ml. Suspension**  
**M.R.P. 67.53/-Per Bottle.**

## AUGOCARE®-DDS



**Composition :**  
Each 5ml of the Reconstituted contains:  
Amoxicillin Trihydrate IP 400 mg.  
eq. to Amoxicillin  
Potassium Clavunate Diluted IP 57 mg.  
eq. to Clavunic Acid  
Excipients q.s.

**Indication :** The combination of amoxicillin and clavulanic acid is used to treat certain infections caused by bacteria, including infections of the ears, lungs, sinus, skin, and urinary tract. Amoxicillin is in a class of medications called penicillin-like antibiotics. It works by stopping the growth of bacteria.

**30ml. Suspension**  
**M.R.P. 169/-Per Bottle.**

## FOCEF-O



**Composition :**  
Each 5ml. (after reconstitution) suspension contains :  
Cefixime (Trihydrate) 50mg.  
eq. to Cefixime (Anhydrous) q.s.  
Excipients :  
Colour : Sunset Yellow FCF

**Indication :** Cefixime is a cephalosporin antibiotic. It is used to treat certain kinds of bacterial infections. It will not work for colds, flu, or other viral infections.

**30ml. Suspension**  
**M.R.P. 54.40/-Per Bottle.**

## FOCEF-OF



**Composition :**  
Each 5ml of the reconstituted suspension contains :  
Cefixime IP (as Trihydrate) 30 mg.  
Ofloxacin IP 50 mg.

**Indication :** Cefixime+Ofloxacin is used in the treatment of bacterial infections. Cefixime + Ofloxacin is a combination of two antibiotics: Cefixime and Ofloxacin. Cefixime works by preventing the formation of the bacterial protective covering which is essential for the survival of the bacteria in the human body.

**30ml. Suspension**  
**M.R.P. 140/-Per Bottle.**

## MONOPOD®



**Composition :**  
Each 5ml contains :  
Cefpodoxime Proxetil IP 50 mg.  
Cefpodoxime

**Composition :** Cefpodoxime is a cephalosporin antibiotic. It is used to treat certain kinds of bacterial infections. It will not work for colds, flu, or other viral infections.

**30ml. Suspension**  
**M.R.P. 125/-Per Bottle.**

## MONOPOD®-CV



**Composition :**  
Each 5ml contains :  
Cefpodoxime Proxetil 50 mg.  
Potassium Clavulanate Diluted IP  
eq. to Clavulanate 31.25 mg.

**Indication :** This medication is used to treat a wide variety of bacterial infections. This medication is known as a cephalosporin antibiotic. It works by stopping the growth of bacteria. This antibiotic treats only bacterial infections.

**30ml. Suspension**  
**M.R.P. 155/-Per Bottle.**

# SYRUP



# Syrup

## ALKARIN



### Composition :

Each 5ml. contains :  
Disodium Hydrogen Citrate BP 1.25mg  
In a flavoured syrupy base q.s.  
Colour : Tartrazine

**Indication :** Disodium Hydrogen Citrate is a urine alkaliizer. It works by increasing the pH of urine which makes it less acidic. This helps the kidneys get rid of excess uric acid, thereby preventing gout and certain types of kidney stones.

**100ml.**  
**M.R.P. 125/-Per Bottle.**

## AMBROCOF-LCZ



### Composition :

Each 5 ml contains :  
Ambroxol HCL IP 15 mg.  
Levocetirizine HCL IP 2.5 mg.  
Menthol IP 0.5 mg.  
Colour : Sunet Yellow FCF

**Indication :** Levocetirizine + Ambroxol is a combination of two medicines: Levocetirizine and ambroxol which relieve cough. Levocetirizine is an antiallergic that treats runny nose, watery eyes and sneezing. Ambroxol is a mucolytic which thins and loosens mucus (phlegm), making it easier to cough out.

**100ml.**  
**M.R.P. 110/-Per Bottle.**

## ANTORIZ®



### Composition :

Each 10ml. contains :  
Dried Aluminium Hydroxide IP 250mg.  
Magnesium Hydroxide IP 250mg.  
Simethicone IP 50mg.  
Flavoured : Sorbitol baseq.s.  
Colour : Erythrosine

**Indication :** Aluminum hydroxide, magnesium hydroxide, and simethicone is a combination medicine used to treat heartburn, acid indigestion, upset stomach, bloating caused by gas, or stomach discomfort caused by eating or drinking too much.

**170ml.**  
**M.R.P. 170/-Per Bottle.**

## AMBROCOF-LS



### Composition :

Each 5ml Contains:  
Levosulbutamol Sulphate IP 1 mg.  
Eq. to Levosulbutamol 1 mg.  
Ambroxol hydrochloride IP 30 mg.  
Guaifenesin IP 50 mg.  
Colour : Tartrazine  
In a flavoured Syrupy base

**Indication :** Ambroxol is a mucolytic which thins and loosens mucus (phlegm), making it easier to cough out. Levosulbutamol is a bronchodilator. It works by relaxing the muscles in the airways and widens airways. Guaifenesin is an expectorant which decreases the stickiness of mucus (phlegm) and helps in its removal from the airways.

**100ml.**  
**M.R.P. 115/-Per Bottle.**

## AMBROCOF-LS



**Junior**



### Composition :

Each 5ml. contains :  
Levosulbutamol 0.5mg.  
eq. to Levosulbutamol IP 15mg.  
Guaifenesin IP 50mg.  
Flavoured Base q.s.  
Colour : Tartrazine

**Indication :** Levosulbutamol is a bronchodilator. It works by relaxing the muscles in the airways and widens airways. Ambroxol is a mucolytic which thins and loosens mucus (phlegm), making it easier to cough out. Guaifenesin is an expectorant which decreases the stickiness of mucus (phlegm) and helps in its removal from the airways.

**60ml.**  
**M.R.P. 75/-Per Bottle.**



# SYRUP



## AUSMEZYME

Nutritional information (Approximate values)  
Per serving (15 ml) % RDA\*

Energy	6.66 kcal	
Protein	0.015 g	
Carbohydrate (Sugar)	2.25 g	
Fat	0.00 g	
<b>Essential Enzyme :</b>		
Papain	60 mg	**
<b>Essential Amino Acid :</b>		
L-Lysine HCl	15 mg	**
<b>Essential Vitamins :</b>		
Niacinamide	3 mg	16.6
Thiamine Mononitrate	1 mg	71.4
Pyridoxine HCl	0.75 mg	37.5

\*%RDA calculated basis ICMR Guidelines.  
\*\* No RDA established

**200ml.**  
**M.R.P. 180/-Per Bottle.**



## ALBISTI®

### Composition :

Each 5ml. contains :  
Albendazole IP 200mg.  
Colour : Sunset Yellow FCF

**Indication :** Albendazole is an anthelmintic or anti-worm medication. It prevents newly hatched insect larvae (worms) from growing or multiplying in your body. Albendazole is used to treat certain infections caused by worms such as pork tapeworm and dog tapeworm.

**10ml.**  
**M.R.P. 20.04/-Per Bottle.**



## ALBISTI®-PLUS

### Composition :

Each 5ml. contains :  
Albendazole IP 200mg.  
Ivermectin IP 3mg.  
Colour : Sunset Yellow FCF

**Indication :** Ivermectin + Albendazole is used in the treatment of worm infections and parasitic infections. Ivermectin + Albendazole is a combination of two antiparasitic medicines: Ivermectin and Albendazole. Ivermectin works by binding to muscle and nerve cells of worms causing their paralysis and death.

**10ml.**  
**M.R.P. 45/-Per Bottle.**



## AUSTUSS

### Composition :

Each 5ml. contains :  
Levodropropizine IP 30mg.  
Chlorpheniramine Maleate IP 2mg.  
In a flavoured syrupy base q.s.  
Colour : Quinoline Yellow WS

**Indication :** Levodropropizine+ chlorpheniramine Maleate belongs to a class of medication called 'cough and cold preparations' primarily used to treat dry cough. Coughing (dry or productive) is a body's way of clearing irritants (like allergens, mucus or smoke) from airways and preventing infection.

**100ml.**  
**M.R.P. 149/-Per Bottle.**



## BECOGEN-L

### Composition :

Each 5ml. contains :  
Pyridoxine HCl IP 0.75 mg.  
Nicotinamide IP 15 mg.  
Cynocobalamin IP 2 mcg.  
Lysine Hydrochloride U.S.P. 37.5 mg.  
Sorbitol Solution (70%) IP q.s.  
Non-Cyrstallising  
Colour : Tartrazine  
In a flavoured syrupy base

**Indication :** This product is a combination of B vitamins used to treat or prevent vitamin deficiency due to poor diet, certain illnesses, alcoholism, or during pregnancy. Vitamins are important building blocks of the body and help keep you in good health.

**100ml.**  
**M.R.P. 59/-Per Bottle.**



## BECOGEN-L

### Composition :

Each 5ml. contains :  
Pyridoxine HCl IP 0.75 mg.  
Nicotinamide IP 15 mg.  
Cynocobalamin IP 2 mcg.  
Lysine Hydrochloride U.S.P. 37.5 mg.  
Sorbitol Solution (70%) IP q.s.  
Non-Cyrstallising  
Colour : Tartrazine  
In a flavoured syrupy base

**Indication :** This product is a combination of B vitamins used to treat or prevent vitamin deficiency due to poor diet, certain illnesses, alcoholism, or during pregnancy. Vitamins are important building blocks of the body and help keep you in good health.

**200ml.**  
**M.R.P. 121/-Per Bottle.**

# SYRUP

## BROMEHEXINE




**Composition :**  
Each 5ml. Contains :  
Bromhexine Hydrochloride BP 4mg.  
Colour : Sunset Yellow FCF  
In a flavoured syrupy base

**Indication :** Bromhexine is used in a condition where there is a lot of thick phlegm in the airways. As a mucolytic, it helps to relieve productive cough by thinning the phlegm in the airways and facilitating the removal of the mucus.

**100ml.**  
**M.R.P. 95/-Per Bottle.**

## CALDICARE<sup>®</sup>-D3




**Composition :**  
Each 5 ml contain :  
Calcium Carbonate from  
an organic source (Oyster shell) 625 mg.  
Eq. to elemental Calcium 250 mg.  
Vitamin D3 I.P. 125 I.U.

**Indication :** It may be used to treat conditions caused by low calcium levels such as bone loss (osteoporosis), weak bones (osteomalacia/rickets), decreased activity of the parathyroid gland (hypoparathyroidism), and a certain muscle disease (latent tetany).

**200ml.**  
**M.R.P. 125/-Per Bottle.**

## CARE COFKOLD RELIEF



**Composition :**  
Dextromethorphan Hydrobromide IP 5mg.  
Phenylephrine Hydrochloride IP 5mg.  
Paracetamol IP 250mg.  
Colour : Sunset Yellow FCF  
In a flavoured syrupy base

**Composition :** Dextromethorphan, and phenylephrine is a combination medicine used to treat headache, fever, body aches, cough, stuffy nose, and sinus congestion caused by allergies, the common cold, or the flu.

**60ml.**  
**M.R.P. 65/-Per Bottle.**

## CARE COLD PLUS DS



**Composition :**  
Each 5ml. contains :  
Paracetamol IP 250mg.  
Chlorpheniramine Maleate IP 2mg.  
Phenylephrine Hydrochloride IP 5mg.  
Colour : Sunset Yellow FCF  
In a flavoured syrupy base

**Indication :** chlorpheniramine, and phenylephrine is a combination medicine used to treat headache, fever, body aches, runny or stuffy nose, sneezing, itching, watery eyes, and sinus congestion caused by allergies, the common cold, or the flu.

**60ml.**  
**M.R.P. 85/-Per Bottle.**

## CAREDOX<sup>®</sup>-MINT



**Also Available**  
**Caredox-Mint 60ml.**  
**M.R.P. : 85/-per Bottle**

**Composition :**  
Each 5ml contains:  
Dextromethorphan Hydrobromide IP 5 mg  
Phenylephrine HCl IP 2.5 mg  
Cetirizine Hydrochloride IP 2.5 mg  
Flavoured syrup base q.s.  
Colours : Brilliant Blue FCF & Tartrazine

**Indication :** Guaiphenesin+Bromhexine + Diphenhydramine+Ammonium Chloride+Menthol is used in the treatment of cough. ... Bromhexine is a mucolytic which thins and loosens mucus (phlegm), making it easier to cough out.

**100ml.**  
**M.R.P. 130/-Per Bottle.**

## CAREDOX<sup>®</sup>-MINT



**Composition :**  
Each 5ml contains:  
Dextromethorphan Hydrobromide IP 5 mg  
Phenylephrine HCl IP 2.5 mg  
Cetirizine Hydrochloride IP 2.5 mg  
Flavoured syrup base q.s.  
Colours : Brilliant Blue FCF & Tartrazine

**Indication :** Guaiphenesin+Bromhexine + Diphenhydramine+Ammonium Chloride+Menthol is used in the treatment of cough. ... Bromhexine is a mucolytic which thins and loosens mucus (phlegm), making it easier to cough out.

**100ml.**  
**M.R.P. 130/-Per Bottle.**

# SYRUP



## CAREDEX-BR

### Composition :

Each 5 ml contains :  
 Terbutaline Sulphate IP 1.25mg.  
 Bromhexine HCL IP 2 mg.  
 Guaiphenesin IP 50mg.  
 Menthol IP 0.5mg.  
 Colour : Sunset Yellow FCF Carmoisine  
 In a flavoured syrupy base

**Indication :** Bromhexine+Guaifenesin +Menthol+Terbutaline is used in the treatment of cough. Bromhexine + Guaifenesin + Menthol + Terbutaline is a combination of four medicines: Bromhexine , Guaifenesin , Menthol and Terbutaline. Bromhexine is a mucolytic which thins and loosens mucus (phlegm), making it easier to cough out.

**100ml.**  
**M.R.P. 105/-Per Bottle.**



## CAREDEX-BR

### Composition :

Each 5 ml contains :  
 Terbutaline Sulphate IP 1.25mg.  
 Bromhexine HCL IP 2 mg.  
 Guaiphenesin IP 50mg.  
 Menthol IP 0.5mg.  
 Colour : Sunset Yellow FCF Carmoisine  
 In a flavoured syrupy base

**Indication :** Bromhexine+Guaifenesin+ Menthol+Terbutaline is used in the treatment of cough. Bromhexine + Guaifenesin + Menthol + Terbutaline is a combination of four medicines: Bromhexine , Guaifenesin , Menthol and Terbutaline. Bromhexine is a mucolytic which thins and loosens mucus (phlegm), making it easier to cough out.

**60ml.**  
**M.R.P. 55/-Per Bottle.**



## CAREDEX-DX

### Composition :

Each 5 ml Contains:  
 Dextromethorphan  
 Hydrobromide IP 10 mg.  
 Chlorpheniramine maleate IP 4 mg.  
 In a Flavoured Syrup Base  
 Colour : Brilliant Blue FCF

**Indication :** Chlorpheniramine Maleate+Dextromethorphan Hydrobromide is used in the treatment of dry cough. It is used for the temporary relief of cough due to throat irritation, sneezing, and running nose.

**100ml.**  
**M.R.P. 125/-Per Bottle.**



## CAREDEX-DX 15

### Composition :

Each 5 ml Contains:  
 Dextromethorphan  
 Hydrobromide IP 15 mg.  
 Phenylephrine  
 Hydrochloride IP 5mg.  
 Chlorpheniramine  
 maleate IP 2mg.  
 In a Flavoured Syrup Base  
 Colour : Brilliant Blue FCF

**Indication :** Chlorpheniramine Maleate+Dextromethorphan Hydrobromide is used in the treatment of dry cough. It is used for the temporary relief of cough due to throat irritation, sneezing, and running nose.

**100ml.**  
**M.R.P. 148/-Per Bottle.**



## CAREDEX-SF

### Composition :

Each 5ml. contains :  
 Dextromethorphan  
 Hydrobromide IP 10mg.  
 Phenylephrine  
 Hydrochloride IP 5mg.  
 Chlorpheniramine  
 Maleate IP 2mg  
 Colour : Ponceau 4R  
 In a palatable flavoured base

**Indication :** Chlorpheniramine Maleate+Dextromethorphan Hydrobromide is used in the treatment of dry cough. It is used for the temporary relief of cough due to throat irritation, sneezing, and running nose.

**100ml.**  
**M.R.P. 105/-Per Bottle.**



## CAREDEX-JUNIOR

### Composition :

Each 5ml. contains :  
 (one teaspoonful) contains :  
 Dextromethorphan  
 Hydrobromide IP 5mg.  
 Chlorpheniramine  
 Maleate IP 2mg.  
 Phenylephrine HCl IP 2.5mg.  
 Colour : Ponceau 4r

**Indication :** chlorpheniramine, and phenylephrine is a combination medicine used to treat headache, fever, body aches, runny or stuffy nose, sneezing, itching, watery eyes, and sinus congestion caused by allergies, the common cold, or the flu.

**60ml.**  
**M.R.P. 80/-Per Bottle.**



# SYRUP



## CAREDEX-AM

### Composition :

Each 5ml. contains :  
 Ambroxol  
 Hydrochloride IP 10mg.  
 Terbutaline Sulphate IP 1.25mg.  
 Guaiphenesin IP 50mg.  
 Menthol IP 0.5mg.

Flavoured Syrupy base  
 Colour : Sunset Yellow FCF

**Indication :** Ambroxol + Guaifenesin + Menthol + Terbutaline relieves cough associated with bronchitis, bronchial asthma, emphysema and other broncho-pulmonary disorders. It may cause dizziness and sleepiness. Do not drive or do anything that requires mental focus until you know how it affects you.

**100ml.**  
**M.R.P. 120/-Per Bottle.**



## CARELACT

### Composition :

Each 15ml. contains :  
 Lactulose Concentrate  
 Solution USP  
 Eq. to Lactulose (66% w/v) 10 gm.  
 Aqueous base q.s.

**Indication :** Lactulose is a laxative taken to treat constipation (difficulty pooing). It is also taken to help a severe liver disease called hepatic encephalopathy. Lactulose comes as a sweet syrup that you swallow. It's available on prescription and to buy from pharmacies.

**100ml.**  
**M.R.P. 129.15/-Per Bottle.**



## CARELACT

### Composition :

Each 15ml. contains :  
 Lactulose Concentrate  
 Solution USP  
 Eq. to Lactulose (66% w/v) 10 gm.  
 Aqueous base q.s.

**Indication :** Lactulose is a laxative taken to treat constipation (difficulty pooing). It is also taken to help a severe liver disease called hepatic encephalopathy. Lactulose comes as a sweet syrup that you swallow. It's available on prescription and to buy from pharmacies.

**200ml.**  
**M.R.P. 258.30/-Per Bottle.**



## CETICARE®

### Composition :

Each 5 ml contains :  
 Cetirizine HCL IP 5 mg.  
 Colour : Sunset Yellow FCF  
 In a flavoured Syrupy base

**Indication :** Cetirizine is an antihistamine used to relieve allergy symptoms such as watery eyes, runny nose, itching eyes/nose, sneezing, hives, and itching. It works by blocking a certain natural substance (histamine) that your body makes during an allergic reaction.

**60ml.**  
**M.R.P. 39.64/-Per Bottle.**



## CETICARE®-PLUS

### Composition :

Each 5ml. contains :  
 Paracetamol IP 125mg.  
 Cetirizine HCl IP 2.5mg.  
 Phenylephrine HCl IP 2.5mg.

Colour : Ponceau 4r  
 In a flavoured syrupy base

**Indication :** Cetirizine + Paracetamol + Phenylephrine is a combination of three medicines: Cetirizine, Paracetamol and Phenylephrine, which relieves common cold symptoms. Cetirizine is an antiallergic which blocks histamine (a chemical messenger) to relieve allergy symptoms like runny nose, watery eyes and sneezing.

**60ml.**  
**M.R.P. 65/-Per Bottle.**



## CETICARE®-PLUS DS

### Composition :

Paracetamol I.P. 250 mg  
 Cetirizine Hcl I.P. 2.5 mg.  
 Phenylephrine Hcl I.P. 2.5 mg.  
 Excipients q.s.


**Indication :** Cetirizine + Paracetamol + Phenylephrine is a combination of three medicines: Cetirizine, Paracetamol and Phenylephrine, which relieves common cold symptoms. Cetirizine is an antiallergic which blocks histamine (a chemical messenger) to relieve allergy symptoms like runny nose, watery eyes and sneezing.

**60ml.**  
**M.R.P. 70/-Per Bottle.**



# SYRUP

## CARESPAS®



**Composition :**  
 Each ml contains  
 Dicyclomine HCl IP 5 mg.  
 Paracetamol IP 125 mg.  
 Flavoured syrupy base q.s.  
 Colour : Sunset yellow

**Indication :** Dicyclomine+Paracetamol is used in the treatment of abdominal pain. It relieves abdominal pain that is associated with biliary colic, intestinal colic, renal colic and dysmenorrhea.

**60ml.**  
**M.R.P. 72/-Per Bottle.**

## CARESPAS-PLUS DS



**Composition :**  
 Each ml contains  
 Mefenamic Acid IP 100mg.  
 Paracetamol IP 250mg  
 Flavoured syrupy base q.s.  
 Colour : Sunset yellow FCF

**Indication :** Mefenamic Acid+ paracetamol is used to treat pain, inflammation, migraine headache, period pain, heavy bleeding during periods, muscle pain, tooth pain, joint pain, pain after surgery, ear pain, fever, flu, osteoarthritis, and rheumatoid arthritis.

**60ml.**  
**M.R.P. 80/-Per Bottle.**

## CARELAX-PLUS



**Composition :**  
 Each 5ml. contains :  
 Sodium Picosulfate B.P. 3.33mg  
 Liquid Paraffin IP 1.25 ml  
 Milk of Magnesia IP 3.75ml  
 Colour : Brilliant Blue & Tartrazine

**Indication :** This medication is used for a short time to treat occasional constipation. This medication is also used to treat symptoms caused by too much stomach acid such as heartburn, upset stomach, or indigestion. It is an antacid that works by lowering the amount of acid in the stomach.

**170ml.**  
**M.R.P. 145/-Per Bottle.**

## CYPCARE




**Composition :**  
 Each 5 ml Contains:  
 Cyproheptadine Hydrochloride IP  
 eq. to Anhydrous Cyproheptadine  
 Hydrochloride 2mg.  
 Tricholine Citrate (65%) 275mg.  
 Sorbitol Solution 70% (Non-  
 Crystallising IP q.s.  
 Colour : Caramel USP-NF

**Indication :** Cyproheptadine is an appetite-stimulant. It works by reducing the effect of a chemical messenger (serotonin) in the hypothalamus, a part of the brain which regulates appetite. Tricholine citrate is a bile acid binding agent which removes bile acids from the body.

**200ml.**  
**M.R.P. 145/-Per Bottle.**

## CARE HUNGRY



**Composition :**  
 Each 5 ml Contains:  
 Cyproheptadine Hydrochloride IP  
 eq. to Anhydrous Cyproheptadine  
 Hydrochloride 2mg.  
 Tricholine Citrate (65%) 275mg.  
 Sorbitol Solution 70% (Non-  
 Crystallising IP q.s.  
 Colour : Caramel USP-NF

**Indication :** Cyproheptadine is an appetite-stimulant. It works by reducing the effect of a chemical messenger (serotonin) in the hypothalamus, a part of the brain which regulates appetite. Tricholine citrate is a bile acid binding agent which removes bile acids from the body.

**200ml.**  
**M.R.P. 155/-Per Bottle.**

## CARE ZINC



**Composition :**  
 Each 5ml contains :  
 Zinc Gluconate USP (as dihydrate)  
 eq. to elemental Zinc 20mg  
 In a flavoured syrupy base

**Indication :** It is used to help the immune system. It is used to ease cold and flu signs. It is used to help growth and good health.

**60ml.**  
**M.R.P. 80/-Per Bottle.**



# SYRUP

## DEFNEED®



**Composition :**  
Each 5ml contains :  
Deflazacort 6 mg.  
Flavoured Syrupy base  
Colour : Quinoline Yellow FCF

**Indication :** Deflazacort is a medicine used to treat Duchenne muscular dystrophy in adults and kids who are at least 2 years old. It's a steroid that works by reducing inflammation and altering the way a person's immune system works.

**30ml.**  
**M.R.P. 109/-Per Bottle.**

## EASYLACT®



**Composition :**  
Echa 15ml contains :  
Lactulose Solution USP 10gm  
eqv. to Lactulose 10gm  
Aqueous base q.s.

**Indication :** Lactulose is a laxative taken to treat constipation (difficulty pooing). It is also taken to help a severe liver disease called hepatic encephalopathy. Lactulose comes as a sweet syrup that you swallow. It's available on prescription and to buy from pharmacies.

**100ml.**  
**M.R.P. 128/-Per Bottle.**

## EASYLACT®



**Composition :**  
Each 15ml contains :  
Lactulose Solution USP 10gm  
eqv. to Lactulose 10gm  
Aqueous base q.s.

**Indication :** Lactulose is a laxative taken to treat constipation (difficulty pooing). It is also taken to help a severe liver disease called hepatic encephalopathy. Lactulose comes as a sweet syrup that you swallow. It's available on prescription and to buy from pharmacies.

**200ml.**  
**M.R.P. 256.20/-Per Bottle.**

## FERIMIN



**Composition :**  
Each 5ml contains :  
Ferric Ammonium Citrate I.P. 110 mg.  
Cyanocobalamin I.P. 15 mcg.  
Folic Acid I.P. 1.5 mg.  
Colour : Caramel I.P  
In a Flavoured syrupy base

**Indication :** Oral syrup is an iron formulation containing ferric ammonium citrate, folic acid, cyanocobalamin that is indicated for use in children, adolescents, and pregnant women for the treatment of iron deficiency anaemia.

**200ml.**  
**M.R.P. 135/-Per Bottle.**

## FREECOLD-PLUS



**Composition :**  
Each 5ml contains :  
Paracetamol IP 125mg.  
Phenylephrine HCl IP 5mg.  
Levocetirizine Dihydrochloride IP 2mg.  
Colour : Ponceau 4r  
In a Flavoured Base

**Indication :** Freecold plus is indicated for the relief of symptoms associated with seasonal allergic rhinitis due to allergens such as ragweed, grass and tree pollens in adults and children 2 years of age and older. Symptoms treated effectively include sneezing, rhinorrhea, nasal pruritus, ocular pruritus, tearing, and redness of the eyes.

**60ml.**  
**M.R.P. 70/-Per Bottle.**

## CARE MULTIVITAMIN




**Nutritional Info:**  
Each 15ml contains [Approx.]

Ingredients	Qty. per 15ml	% RDA
Energy	10.40kcal	**
Carbohydrate	2.60g	**
Sugar	1.50g	**
Protein	0.00g	**
Fat	0.00g	**
Lycopene	2000.00mcg	**
L-Lysine Hydrochloride	15.00mg	**
Vitamin A [as Retinyl Palmitate]	461.5mcg	76.92
Vitamin B1 [as Thiamine Hydrochloride]	1.12mg	80.00
Vitamin B2 Riboflavin 5'- phosphate, sodium]	1.28mg	80.00
D-Panthenol	5.00mg	**
Vitamin B6 [as Pyridoxime Hydrochloride]	1.00mg	50.00
Vitamin B12 [as Cyanocobalamin]	0.5mg	50.00
Vitamin C [as L-Ascorbic Acid]	10.00mg	25.00
Vitamin D3 [as Cholecalciferol]	2.5mcg	25.00
Vitamin E Acetate	5.00mg	50.00
Copper Sulphate	1.00mg	19.91
Potassium Iodide	50.00mcg	25.48
Sodium Selenate	86.15mcg	90.00
Zinc Sulphate	4.00mg	12.14

**100ml.**  
**M.R.P. 65/-Per Bottle.**

# SYRUP



**Anti-oxidant and L-Lysine with Multivitamin, Multiminerals and Cyanocobalamin Syrup**

**CARE MULTIVITAMIN**

Nutraceuticals


Net Qty. 200 ml.

### CARE MULTIVITAMIN

**Nutritional Info:**  
Each 15ml contains [Approx.]

Ingredients	Qty. per 15ml	% RDA
Energy	10.40kcal	**
Carbohydrate	2.60g	**
Sugar	1.50g	**
Protein	0.00g	**
Fat	0.00g	**
Lycopene	2000.00mcg	**
L-Lysine Hydrochloride	15.00mg	**
Vitamin A (as Retinyl Palmitate)	461.5mcg	76.92
Vitamin B1 (as Thiamine Hydrochloride)	1.12mg	80.00
Vitamin B2 (as Riboflavin 5'-phosphate, sodium)	1.28mg	80.00
D-Panthenol	5.00mg	**
Vitamin B6 (as Pyridoxime Hydrochloride)	1.00mg	50.00
Vitamin B12 (as Cyanocobalamin)	0.5mcg	50.00
Vitamin C (as L-Ascorbic Acid)	10.00mg	25.00
Vitamin D3 (as Cholecalciferol)	2.5mcg	25.00
Vitamin E Acetate	5.00mg	50.00
Copper Sulphate	1.00mg	19.91
Potassium Iodide	50.00mcg	25.48
Sodium Selenate	86.15mcg	90.00
Zinc Sulphate	4.00mg	12.14

**200ml.**  
**M.R.P. 175/-Per Bottle.**



**Anti-oxidant and L-Lysine with Multivitamin, Multiminerals and Cyanocobalamin Syrup**

**CARE MULTIVITAMIN**

Nutraceuticals


Net Qty. 300 ml.

### CARE MULTIVITAMIN

**Nutritional Info:**  
Each 15ml contains [Approx.]

Ingredients	Qty. per 15ml	% RDA
Energy	10.40kcal	**
Carbohydrate	2.60g	**
Sugar	1.50g	**
Protein	0.00g	**
Fat	0.00g	**
Lycopene	2000.00mcg	**
L-Lysine Hydrochloride	15.00mg	**
Vitamin A (as Retinyl Palmitate)	461.5mcg	76.92
Vitamin B1 (as Thiamine Hydrochloride)	1.12mg	80.00
Vitamin B2 (as Riboflavin 5'-phosphate, sodium)	1.28mg	80.00
D-Panthenol	5.00mg	**
Vitamin B6 (as Pyridoxime Hydrochloride)	1.00mg	50.00
Vitamin B12 (as Cyanocobalamin)	0.5mcg	50.00
Vitamin C (as L-Ascorbic Acid)	10.00mg	25.00
Vitamin D3 (as Cholecalciferol)	2.5mcg	25.00
Vitamin E Acetate	5.00mg	50.00
Copper Sulphate	1.00mg	19.91
Potassium Iodide	50.00mcg	25.48
Sodium Selenate	86.15mcg	90.00
Zinc Sulphate	4.00mg	12.14

**300ml.**  
**M.R.P. 275/-Per Bottle.**



**IRON (III) Hydroxide Polymaltose Complex and Folic Acid Syrup**

**Happiron SYRUP**

हृषीरेन

Blood Loss  
Chronic or Acute  
General Weakness  
Pregnancy & Lactation  
Iron Deficiency, Anaemia


### HAPIRON

**Composition :**  
Each 15ml. contains :

Iron (III) Hydroxide Polymaltose complex equivalent to elemental Iron 50mg.  
Folic Acid IP 1mg.  
Colour : Caramel IP  
In a flavoured syrupy base q.s.

**Indication :** Iron Hydroxide Polymaltose is used in the treatment of iron deficiency anemia and anemia due to chronic kidney disease. Iron Hydroxide Polymaltose is an anti-anemic medication. It replenishes the iron stores in your body.

**300ml.**  
**M.R.P. 185/-Per Bottle.**



**60 ml Ibuprofen & Paracetamol Oral Suspension**

**IPS KID**

### IPS-KID

**Composition :**  
Each 15ml contains :

Ibuprofen I.P. 100mg.  
Paracetamol I.P. 162.5mg.  
Colour : Sunset Yellow FCF

**Indication :** Ibuprofen is used to relieve pain from various conditions such as headache, dental pain, menstrual cramps, muscle aches, or arthritis. It is also used to reduce fever and to relieve minor aches and pain due to the common cold or flu. Ibuprofen is a nonsteroidal anti-inflammatory drug (NSAID)

**60ml.**  
**M.R.P. 80/-Per Bottle.**



**Diphenhydramine Hydrochloride, Ammonium Chloride, Sodium Citrate & Menthol Syrup**

**Kasyrup**

कासिर SYRUP

100 ml.

### KASYRUP<sup>®</sup>


**Composition :**  
Each 5 ml contains :

Diphenhydramine Hydrochloride IP 14.08 mg.  
Ammonium Chloride IP 138 mg.  
Sodium Citrate IP 57.03 mg.  
Menthol IP 1.14 mg.

Colour : Carmoisine, Caramel IP & Sunset Yellow FCF.  
In a flavoured syrupy base

**Indication :** Diphenhydramine + Ammonium Chloride + Sodium Citrate is a combination of three medicines: Diphenhydramine, Ammonium chloride and Sodium citrate, which relieves cough. Diphenhydramine is an antiallergic which relieves allergy symptoms like runny nose, watery eyes and sneezing.

**100ml.**  
**M.R.P. 91/-Per Bottle.**



**Lycopene, Multivitamin, Multiminerals and Anti-oxidant Syrup**

**LYCOACH SYRUP**

Nutraceuticals

### LYCOACH<sup>®</sup>

**Each 15ml contains [Approx.]**

Ingredients	Qty. per 15ml	% RDA
Energy	9.36kcal	**
Carbohydrate	2.34g	**
Sugar	1.50g	**
Protein	0.00g	**
Fat	0.00g	**
Lycopene	1000.00mcg	**
Vitamin E	9.00mg	90.0
Vitamin B2	1.28mg	80.0
Vitamin B1	1.12mg	80.0
Vitamin B6	1.20mg	60.0
Vitamin C	25.00mg	62.5
Biotin	30.00mcg	**
Zinc Gluconate	3.00mg	3.6
Copper Sulphate	500.00mcg	10.0
Manganese Sulphate	100.00mcg	0.7
Potassium Iodide	100.00mcg	51.0
Sodium Selenite	35.00mcg	40.0

**200ml.**  
**M.R.P. 185/-Per Bottle.**

# SYRUP

## MONOCARE<sup>®</sup>-LC



**Composition :**  
Each 5 ml contains :  
Montelukast Sodium I.P. 4 mg.  
Montelukast  
Levocetirizine  
Dihydrochloride I.P. 2.5 mg.  
Colour : Sunset Yellow FCF

**Indication :** Levocetirizine+Montelukast is used for sneezing and runny nose due to allergies, Hay fever and Allergic skin conditions. Levocetirizine + Montelukast is a combination of two medicines: Levocetirizine and Montelukast, which relieves sneezing and runny nose due to allergies.

**60ml.**  
**M.R.P. 115/-Per Bottle.**

## ONFAUX<sup>®</sup>



**Composition :**  
Each 5ml contains :  
Ofloxacin I.P. 50 mg.  
Colour : Sunset Yellow FCF  
In a flavoured Syrupy base

**Indication :** Ofloxacin is a fluoroquinolone (flor-o-KWIN-o-lone) antibiotic that fights bacteria in the body. Ofloxacin is used to treat bacterial infections of the skin, lungs, prostate, or urinary tract (bladder and kidneys). Ofloxacin is also used to treat pelvic inflammatory disease and Chlamydia and/or gonorrhea.

**60ml.**  
**M.R.P. 70/-Per Bottle.**

## ONFAUX<sup>®</sup>-M



**Composition :**  
Each 5ml. contains :  
Ofloxacin IP 50mg.  
Metronidazole  
Benzoate IP 120mg.  
Simethicone IP 10mg.  
Excipients q.s.  
In a flavoured syrupy base

**Indication :** Ofloxacin+Metronidazole +Simethicone is used in the treatment of diarrhea. Ofloxacin + Metronidazole + Simethicone is a combination of three antibiotics: Ofloxacin , Metronidazole and Simethicone which treat diarrhoea. Ofloxacin kills bacteria by preventing them from reproducing and repairing themselves.

**30ml.**  
**M.R.P. 60/-Per Bottle.**

## ONFAUX<sup>®</sup>-OR



**Composition :**  
Each 5 ml contains :  
Ofloxacin IP 50mcg.  
Ornidazole IP 125mg.  
Racecadotril IP 15mg.  
Flavoured Syrupy base q.s.

**Indication :** Racecadotril+Ofloxacin+Metronidazole is used in the treatment of diarrhea and dysentery.

**30ml.**  
**M.R.P. 95/-Per Bottle.**

## PAREST<sup>®</sup>-98 DS



**Composition :**  
Each 5 ml contains :  
Paracetamol IP 250mg.  
Colour : Ponceau 4r  
In a flavoured syrupy base

**Indication :** Parest is a widely prescribed medicine that helps to ease pain and bring down high body temperature (fever). In children, it treats conditions like headache, toothache, body ache, fever, and common cold.

**60ml.**  
**M.R.P. 40.32/-Per Bottle.**

## PAREST<sup>®</sup>-98



**Composition :**  
Each 5 ml contains :  
Paracetamol IP 125mg.  
Colour : Ponceau 4r  
In a flavoured syrupy base

**Indication :** Parest is a widely prescribed medicine that helps to ease pain and bring down high body temperature (fever). In children, it treats conditions like headache, toothache, body ache, fever, and common cold.

**60ml.**  
**M.R.P. 22.17/-Per Bottle.**

# SYRUP

## PICOREST®



**Composition :**  
Each 5ml. contains :  
Sodium Picosulphate  
Monohydrate B.P. 5mg.  
eq.to Anhydrous Sodium  
Picosulphate  
Colour : Brillinat blue & Tartrazine

**Indication :** Sodium picosulfate/  
magnesium oxide/citric acid solution is used to  
clean out the intestines before surgery or  
certain procedures (such as colonoscopy, X-  
rays). It is a laxative that works by drawing  
large amounts of water into your intestines and  
stimulating the colon. This causes watery  
bowel movements (diarrhea).

**100ml.**  
**M.R.P. 96/-Per Bottle.**

## SUCRARUS®



**Composition :**  
Each 10ml. contains  
Sucralfate IP ..... 1000 mg.  
Colour : Tartrazine  
In a flavoured Palatable base

**Indication :** This medication is used to  
treat ulcers in the intestines. Sucralfate  
forms a coating over ulcers, protecting the  
area from further injury. This helps  
ulcers heal more quickly.

**200ml.**  
**M.R.P. 150/-Per Bottle.**

## SUCRARUS-O®



**Composition :**  
Each 10ml. contains :  
Sucralfate IP 1000mg  
Oxetacaine BP 20mg.  
Colour : Tartrazine  
In a flavoured syrupy base

**Indication :** Sucralfate+Oxetacaine Oral  
Suspension is a combination medicine used in  
the treatment of acidity, stomach ulcer, and  
heartburn. It helps in relieving the symptoms of  
acidity and ulcers such as stomach pain or  
irritation. It also neutralizes excessive acid in  
the stomach and helps in the easy passage of  
gas

**200ml.**  
**M.R.P. 260/-Per Bottle.**

## SUPERCET®



**Composition :**  
Each 5ml. contains  
Levocetirizine IP 2.5mg  
Colour: Tartrazine

**Indication :** Levocetirizine is an over-  
the-counter antihistamine used to  
relieve allergy symptoms such as watery  
eyes, runny nose, itching eyes/nose,  
sneezing, hives, and itching. It works by  
blocking a certain natural substance  
(histamine) that your body makes  
during an allergic reaction.

**30ml.**  
**M.R.P. 75/-Per Bottle.**

## ZYMRUS®




**Composition :**  
Each 10ml. contains :  
Fungal Diatase I.P (1:1200) 50mg.  
(Fungal Diastase derived from  
Aspergillus oryzae digests not less  
than 60gm of cooked starch)  
Pepsin IP (1:3000) 10mg.  
(Digests not less than 30g.  
of coagulated egg albumen  
Flavoured syrup base q.s.  
Colour : Caramel

**Indication :** This medication contains digestive  
enzymes, which are natural substances needed by  
the body to help break down and digest food. It is  
used when the pancreas cannot make or does not  
release enough digestive enzymes into the gut to  
digest the food.

**200ml.**  
**M.R.P. 145/-Per Bottle.**

## ZYMRUS®



**Composition :**  
Each 10ml. contains :  
Fungal Diatase I.P (1:1200) 50mg.  
(Fungal Diastase derived from  
Aspergillus oryzae digests not less  
than 60gm of cooked starch)  
Pepsin IP (1:3000) 10mg.  
(Digests not less than 30g.  
of coagulated egg albumen  
Flavoured syrup base q.s.  
Colour : Caramel

**Indication :** This medication contains digestive  
enzymes, which are natural substances needed by  
the body to help break down and digest food. It is  
used when the pancreas cannot make or does not  
release enough digestive enzymes into the gut to  
digest the food.

**100ml.**  
**M.R.P. 65/-Per Bottle.**



# The Aid to Superior Digestion

Zymcare : In Ayurvedic



Ausmezyme : In Food

- ☀ Dyspeptic Symptoms
- ☀ Indigestion
- ☀ Pancreatic Insufficiency
- ☀ Flatulence
- ☀ Belching
- ☀ Gastric Irritation
- ☀ Medical Treatment Conditions
- ☀ Minor G.I. Malfunction
- ☀ Surgical Procedures
- ☀ Alcohol Abuse



Zymrus : In Drug

## AD-CORRECT



**Composition :**  
Each 25g contains :  
Quath Processed oil Derived from Pitadaru, kampillaka, pashanabheda, manjhitha, payasvini Sarjarasa  
Gharita, Sasyaka 35.4% w/w  
Vrikshamla 3.6% w/w  
Base to make 100.0% w/w

**Indication :** Relieving pain and itching caused by minor cuts, scrapes, and burns. It may also be used as first aid treatment to help prevent rough skin.

**25gm.**  
**M.R.P. 95/-Per Tube**

## BLOOD-CARE



Anant mool	750 mg
Bhui mla	150 mg
Afsanteen	100 mg
Neem Chhal	100 mg
Giloy	100 mg
Manjistha	125 mg
Kachnar	50 mg
Revandchini	100 mg
Neem Beej	100 mg
Gorakh mundi	50 mg
Chop Chini	50 mg
Harar	100 mg
Bahera	100 mg
Amla	100 mg
Daruhaldi	50 mg
Kutki	100 mg
Khadir	50 mg
Bakuchi	50 mg
Gulab Phool	50 mg
Chirayta	50 mg

**200ml.**  
**M.R.P. 160/-Per Bottle**

## BODY-ZOX



**COMPOSITION :**  
Each 5ml contains aqueous extract derived from:

Ingredients	Latin Name	Part Used	Qty.
Ajwain	Trachyspermum amni	Seed	2.90%
Karpoor	Cinnamomum camphora	Leaves	0.50%
Mircha	Capsicum annum	Whole	0.10%
Guggal	Commiphora mukul	Stem Exudate	0.27%
Maha Narayan Tail	Ayurved Saar sangrah	Ayurvedic Classic Formulation	27%
Gandhapura ka Tail	Gaultheria Fragrantissima	Oil	14%
Nilgiri oil	Eucalyptus globulus	Oil	12%
Turpentine oil	Pinus longifolia	Oil	12%

Used in osteoarthritis, Spondylitis, Low back Pain, muscular pain.

**50ml.**  
**M.R.P. 102/-Per Bottle**

## BODY-ZOX ROLL ON



**COMPOSITION :**  
Each 10 ml contains aqueous extract derived from:

Ingredients	Latin/Botanical	Part Used	Each 10 ml
Nirgundi	Vitax Negundo	Oil	1450mg
Siris	Albizia Lebbeck	Oil	1450mg
South	Zingiber Officinale	Root	1250mg
Dhatura	Datura Stramonium	Whole	1250mg
Ajwain	Carum Copticum	Seed	1250mg
Ashwagandha	Withania Somnifera	Seed	1200mg
Kakjanga Tail		Oil	1150mg
Kaner	Nerium Indicum	Oil	1.0gm
Sendha Namak	Rock Salt	Powder	450mg
Ratanjot	Jatropha Curcas	Root	450mg
Aak	Calotropis Procera	Leaves	350mg
Vacha	Acorus Calamus	Root	300mg
Bachnaag	Aconitum Ferox Root	Bark	250mg
Kuchla	Nux Vomica	Seed	150mg
Kapur	Cinnamomum Camphora	Whole	5ml
Gandhapura Oil	Gaultheria Fragrantissima	Oil	5ml
Mustard Oil			5ml
Castor Oil			5ml
Turpentine Oil			5ml
Sesame Oil			5ml
Linseed Oil			1ml

**50ml.**  
**M.R.P. 105/-Per Bottle**

## FINISTONE®



Each 5 ml contains :

Shudh shilajeet	200 mg.
Swait Parpati	150 mg.
Moolishar	150 mg.
Sheetal Chini	100 mg.
Saindha namak	50 mg.
Sajjiker	50 mg.
Punarnava	500 mg.
Panchtrin Mool	500 mg.
Ikshu Mool	450 mg.
Gokhru	450 mg.
Varun Twak	400 mg.
Kulatha	400 mg.
Pashan Bhed	100 mg.
Palashpushp	100 mg.
Makoi	100 mg.
kakri beej	100 mg.
Daruharidra	60 mg.

**200ml.**  
**M.R.P. 185/-Per Bottle**


## FINISTONE®-DS



**COMPOSITION :**  
Each 5ml contains aqueous extract derived from:

Ingredients	Latin Name	Part Used	Qty.
Punarnava	Boerhavia diffusa	Root	500 mg.
Panchtrin Mool	Bhava prakash nighantu	K wath	500 mg.
Ikshu	Saccharum officinarum	Stem Extract	450 mg.
Gokhru	Tribulus terrestris	Fruit	450 mg.
Varun	Crataeva nurvela	Stem	400 mg.
Kulatha	Dolichos biflorus	Seed	400 mg.
Shudh Shilajeet	Bhava prakash nighantu	Ayurvedic Classical Formulation	200 mg.
Parpat	Fumaria indica	Panchang	150 mg.
Moolishar	Ayurvedic Pharmacopoeia of India	Ayurvedic Classical Formulation	150 mg.
Sheetal Chini	Piper cubeba	Furit	100 mg.
Pashan Bhed	Saxifraga ligulata	Root	100 mg.
Palash	Butea frondosa	Flower	100 mg.
Makoi	Solanum nigrum	Fruit	100 mg.
Kakri Beej	Cucumis utillissimus	Seed	100 mg.
Sendha Namak	Sodium Chloride	Ayurvedic Classical Formulation	50 mg.
Sajjiker	Bhava prakasha nighantu	Ayurvedic Classical Formulation	50 mg.
Daru haridra	Berberis aristata	Stem	50 mg.
Pineapple	Ananas comosus.	Juice	50 mg.

**200ml.**  
**M.R.P. 210/-Per Bottle**



## FINISTONE®

**Composition :**  
Each sugar coated tablet contains:  
Pashambheda 60mg.  
Palas 50mg.  
Apamarg 20mg.  
Varuna 20mg.  
Punarnava 50mg.  
Sahdevi 20mg.  
Gokshura 20mg.  
Lajjalu 15mg.  
Swetparpati 25mg.  
Shilajit 15mg.  
Hajrul Yahood Bh. 45mg.  
Yavakshar 10mg.

Colour : Sunset Yellow  
Useful in Mutrakracha  
Rog. Easily remove stone from body.  
**5x30 Blister**  
**M.R.P. 83/-Per Strip**

## RATNARI®



**COMBIPACK**  
225 ml. Syrup  
with 30 Tablets  
**225ml.**  
**M.R.P. 182/-Per Bottle**

Each 10 ml contains extracts of :

Ashoka	500 mg.
Dasmool	200 mg.
Lal Chandan	100 mg.
Trikatu	100 mg.
Lodhra	200 mg.
Manjith	100 mg.
Ulat Kambal	100 mg.
Nagkeshar	100 mg.
Phoolghava	150 mg.
Ashwangandha	200 mg.
Triphala	100 mg.
Soya	100 mg.
Sonth	100 mg.
Devdaru	100 mg.
Ajwain	100 mg.
Ajmodha	100 mg.
Giloy	100 mg.
Lauh Bhasam	50 mg.
Gokhru	100 mg.
Makoy	100 mg.
Sugar	q.s.



**100ml.**  
**M.R.P. 138/-Per Bottle**

## RIG-VAIDH

Each 5 ml contains.  
extracts of.

Vasaka	500 mg.
Tulsi	100 mg.
kantakari	100 mg.
Mulethi	a150 mg.
Behada	100 mg.
Kulanjan	50 mg.
Vekhand	30 mg.
Dalchini	20 mg.
Pippali	20 mg.
Sonth	20 mg.
kali mirch	20 mg.
Sunthi	20 mg.




**1x30 Capsules**  
**M.R.P. 750/-Per Bottle**

## SWARN MUSLI®

Each serving per capsule contains :

Safed Musli	340 mg
Ashwagandha	30 mg
Gokshuru	15 mg
Shuda Shilajit	10 mg
Kewanch	20 mg
Akarakara	4 mg
Jaiphal	15 mg
Lavanga	5 mg
Keshar	2 mg
Sahjan	5 mg
Dalchini	10 mg
Varahi	7 mg
Vidari	7 mg
Satawar	15 mg
Swarn Bhasma	0.2 mg

**Indication :** Extra power for men



**10x10 Capsules**  
**M.R.P. 415/-Per Strip**

## SWARN MUSLI®

Each serving per capsule contains :

Safed Musli	340 mg
Ashwagandha	30 mg
Gokshuru	15 mg
Shuda Shilajit	10 mg
Kewanch	20 mg
Akarakara	4 mg
Jaiphal	15 mg
Lavanga	5 mg
Keshar	2 mg
Sahjan	5 mg
Dalchini	10 mg
Varahi	7 mg
Vidari	7 mg
Satawar	15 mg
Swarn Bhasma	0.2 mg

**Indication :** Extra power for men



## CARE DENGUE

**Nutritional Info :**  
Serving Size : 15ml  
Amount of Serving : 13

Ingredients	Each 15ml. contains	%RDA
Energy	0.68 kcal	0.03%*
Total Carbohydrate	0.11 g	**
Total Sugar	0.10 g	**
Added Sugar	0.10 g	0.20%*
Protein	0.06 g	0.11%*
Total Fat	0 g	0%*
Cholesterol	0 mg	**
Sodium	0.50 mg	0.03%*
<hr/>		
Tinospora cardifolia Extract	500 mg	**
Caricus papaya Extract	375 mg	**
Amla	25 mg	**
Black Pepper	5 mg	**

**200ml. Syrup**  
**M.R.P. 255/-Per Bottle**



**55gm**  
**M.R.P. 240/-Per Bottle**

## RHUMAZOX®

**Composition :**

Diclofenac		
Diethylamine	IP	1.16% w/w
Eq. to Diclofenac		
Sodium		1.00% w/w
Methyl		
Salicylate	IP	10.00% w/w
Linseed Oil	BP	3.00% w/w
Menthol	IP	5.00% w/w
Excipients & Propellent	q.s.	100% w/w

**Indication :** The spray provides quick relief from sports injuries, joint, back pain, musculoskeletal tissues and sprains. It is best applied 3 to 4 times in a day for instant relief from strong pains. Dosage: External application only. Do Not use on burned/ cut skin / open wound.

## RHUMAZOX®



**Composition :**  
Each 27ml contains :

Siris tree	1350 mg.
Datura	1450 mg.
Nirgundi	1350 mg.
kaner	1.0 gm.
Kakjanga Tailia	1250 mg.
Ashwangandha	1400 mg.
Aak	450 mg.
Sounth	1350 mg.
Ajwain	1450 mg.
Sendha namak	350 mg.
Vacha	400 mg.
Bachnaag	150 mg.
kuchla	250 mg.
Ratanjot	475 mg.
Kapur	100 mg.
<b>And oils</b>	
Mustard oil	5 ml.
Castor oil	5 ml.
Turpentine oil	5 ml.
Gandhapura oil	5 ml.
Sesame oil	5 ml.

**100ml.**  
**M.R.P. 155/-Per Bottle**



**100ml.**  
**M.R.P. 65/-Per Bottle**

## ZYMCARE

**COMPOSITION :**  
Each 10 ml contains aqueous extract derived from:

Ingredients	Latin/Botanical	Part Used	Each 10 ml
Elaichi	Elettaria cardamomum	Fruit	200 mg
Saunf	Foeniculum vulgare	Fruit	200 mg
Jeera	Cuminum cyminum	Fruit	200 mg
Hing	Ferula foetida	Whole part	20 mg
Ajwain	Carum Copticum	Seed	300 mg
Amla	Emblca officinalis	Fruit	350 mg
Dalchini	Cinnamomum zeylanicum	Bark	200 mg
Pippli	Piper longum	Fruit	200 mg
Kali Mirch	Piper nigrum	Fruit	75 mg
Nagarmotha	Cyperus Rautundas	Root Tuber	350 mg
Chitrak Mool	Plumbago zeylanica	Root	300 mg
Giloy	Tinospora cordifolia	Stem	200 mg
Saunth	Zingiber officinale	Rhizome	100 mg
Dara harida	Berberis aristata	Stem	100mg
Loung	Caryophyllus Aromaticus	Buds	20 mg
Tejpatra	Cinnamomum tamala	Leaves	300 mg
Jaiphal	Myristica fragrans	Seed	100 mg
Soya	Anethum Sowa	Fruit	100 mg
Padina	Mentha arvensis	Satva	100 mg
Methi Beej	Trigonella Foenumgracuum	Seed	100mg

**Indication :** Aids in digestion & reduces intestinal gas. Improves appetite & reduces flatulence.



**200ml.**  
**M.R.P. 145/-Per Bottle**

## ZYMCARE

**COMPOSITION :**  
Each 10 ml contains aqueous extract derived from:

Ingredients	Latin/Botanical	Part Used	Each 10 ml
Elaichi	Elettaria cardamomum	Fruit	200 mg
Saunf	Foeniculum vulgare	Fruit	200 mg
Jeera	Cuminum cyminum	Fruit	200 mg
Hing	Ferula foetida	Whole part	20 mg
Ajwain	Carum Copticum	Seed	300 mg
Amla	Emblca officinalis	Fruit	350 mg
Dalchini	Cinnamomum zeylanicum	Bark	200 mg
Pippli	Piper longum	Fruit	200 mg
Kali Mirch	Piper nigrum	Fruit	75 mg
Nagarmotha	Cyperus Rautundas	Root Tuber	350 mg
Chitrak Mool	Plumbago zeylanica	Root	300 mg
Giloy	Tinospora cordifolia	Stem	200 mg
Saunth	Zingiber officinale	Rhizome	100 mg
Dara harida	Berberis aristata	Stem	100mg
Loung	Caryophyllus Aromaticus	Buds	20 mg
Tejpatra	Cinnamomum tamala	Leaves	300 mg
Jaiphal	Myristica fragrans	Seed	100 mg
Soya	Anethum Sowa	Fruit	100 mg
Padina	Mentha arvensis	Satva	100 mg
Methi Beej	Trigonella Foenumgracuum	Seed	100mg

**Indication :** Aids in digestion & reduces intestinal gas. Improves appetite & reduces flatulence.



**200ml.**  
**M.R.P. 155/-Per Bottle**

## ZYMCARE-FORTE

**Nutritional information**  
(Approximate value)  
Each 15ml. contains of :

Energy	6.6kcal
Protein	0.00g
Carbohydrate	1.65g
Sugar	1.65g
Fat	0.00g
Papain	60mg
L-Lysin	15mg
Niacinamide	2.25
Thiamine Mononitrate	2.25mg
Pyridoxine Hcl	0.75mg.



## CARE SHILAJEET

Each 5ml contains :

Shilajeet	250mg
Soyabean	100mg
Ashwangandha	100mg
Shatavari	100mg
Vidhara	100mg
Bidarikand	100mg
Safed Musii	50mg
Amla	100mg
Sounth	50mg
Mulethi	100mg
Shank Pushpi	50mg
Kharak	50mg
Gangeran	100mg
Gokhru	100mg
Amrutha	20mg
Malt ext	50mg
Base liquid glucose & malt ext.	Q.S.
	Q.S.


**400gm.**  
**M.R.P. 360/-Per Jar**

संकेत : यकृत वृद्धि Jaundise में उपयोगी,  
अपच, भूख न लगना, फैटी लीवर और पाचन शक्ति को बढ़ाने में मदद करता है।




# LIVDOSE

With Benefits of Enzymes



200ml.  
M.R.P. 210/-Per Bottle



1x60 Tablets  
M.R.P. 135/-Per Bottle



Care Formulation Labs


60




# COLLECTION OF LIVER TONIC



200ml.  
M.R.P. 225/-Per Bottle



30ml.  
M.R.P. 49/-Per Bottle




200ml.  
M.R.P. 275/-Per Bottle



# EYE & EAR DROP



## Eye & Ear Drop



**20x10ml.**  
**M.R.P. 30/-Per Bottle**




### AUSCIP

**Composition :**  
Ciprofloxacin Hydrochloride IP equivalent to Ciprofloxacin 0.3% w/v.  
Hydroxy Propyl Methyl Cellulose IP 0.25% w/v.  
Benzalkonium Chloride Solution IP 0.02% v/v.  
Sterile Aqueous Base q.s.

**Indication :** Ciprofloxacin ophthalmic solution is used to treat bacterial infections of the eye including conjunctivitis (pink eye); infection of the membrane that covers the outside of the eyeball and the inside of the eyelid) and corneal ulcers (infection and loss of tissue in the clear front part of the

**Also Available In 5ml.**



**20x10ml.**  
**M.R.P. 39.50/-Per Bottle**




### AUSCIP-D

**Composition :**  
Ciprofloxacin hydrochloride IP equivalent to Ciprofloxacin 0.3% w/v.  
Dexamethasone Sodium Phosphate IP 0.01% w/v.  
Benzalkonium Chloride Solution IP 0.02% v/v.  
(As Preservative)  
Sterile Aq. Base q.s.

**Indication :** Ciprofloxacin ophthalmic solution is used to treat bacterial infections of the eye including conjunctivitis (pink eye); infection of the membrane that covers the outside of the eyeball and the inside of the eyelid) and corneal ulcers (infection and loss of tissue in the clear front part of the eye)

**Also Available In 5ml.**



**5ml.**  
**M.R.P. 60/-Per Bottle**



### EARDOSE

**Composition :**  
Gentamicin Sulphate IP 0.3%w/v  
Eqv. to Gentamicin  
Beclomethasone Dipropionate IP 0.025%w/v  
Dipropionate IP 1%w/v  
Lignocaine HCl IP 2%w/v  
In a non-aqueous base q.s.

**Indication :** This combination medication is used to treat bacterial infections of the eye or outer ear that include swelling (inflammation). Gentamicin is an antibiotic that works by stopping the growth of bacteria. Betamethasone is a steroid that helps to decrease the swelling, redness, and



**15ml.**  
**M.R.P. 80/-Per Bottle**



### NASORITE

**Composition :**  
Sodium Chloride IP 0.65% w/v  
(In Purified Water Made Isotonic and buffered) q.s.  
Added Benzalkonium Chloride Solution eq. to Benzalkonium chloride IP 0.01%w/v  
(as preservative)

**Indication :** This product is used to treat dryness inside the nose (nasal passages). It helps add moisture inside the nose to dissolve and soften thick or crusty mucus. In babies and young children with stuffy noses who cannot blow their noses, using this product helps to make the mucus easier to remove with a nasal bulb syringe.

# EYE & EAR DROP

## ONFAUX<sup>®</sup>



**Composition :**  
 Ofloxacin I.P. 0.3% w/v  
 Benzalkonium Chloride Solution I.P. 0.02% w/v (as preservative)  
 Sterile Aqueous Base q.s.

**Indication :** Ophthalmic ofloxacin ophthalmic is used to treat bacterial infections of the eye, including conjunctivitis (pink eye) and ulcers of the cornea. Ofloxacin is in a class of medications called quinolone antibiotics. It works by killing bacterial cells that cause infection.

20x10ml.  
 M.R.P. 30/-Per Bottle

Also Available In 5ml.

## ONFAUX-D<sup>®</sup>



**Composition :**  
 Ofloxacin IP 0.3% w/v  
 Dexamethasone Sodium Phosphate IP 0.05% w/v  
 Benzalkonium Chloride Solution IP 0.02% w/v (as preservative)  
 Sterile Aqueous Base q.s.

**Indication :** Ophthalmic ofloxacin ophthalmic is used to treat bacterial infections of the eye, including conjunctivitis (pink eye) and ulcers of the cornea. Ofloxacin is in a class of medications called quinolone antibiotics. It works by killing bacterial cells that cause

20x10ml.  
 M.R.P. 39.50/-Per Bottle

Also Available In 5ml.

## TEAROUTE<sup>®</sup>



**Composition :**  
 Sodium Carboxymethyl-Cellulose IP 0.5% w/v  
 Stabilized oxychloro Complex 0.005% w/v (as preservative)  
 Sterile Aqueous base q.s.

**Indication :** This medication is used to relieve dry, irritated eyes. Common causes for dry eyes include wind, sun, heating/air conditioning, computer use/reading, and certain medications.

10ml.  
 M.R.P. 137.60/-Per Bottle

Also Available In 5ml.

## TEAROUT-DS<sup>®</sup>



**Composition :**  
 Sodium Carboxymethyl-Cellulose IP 0.1% w/v  
 Stabilized oxychloro Complex 0.005% w/v (as preservative)  
 Sterile Aqueous base q.s.

**Indication :** This medication is used to relieve dry, irritated eyes. Common causes for dry eyes include wind, sun, heating/air conditioning, computer use/reading, and certain medications.

10ml.  
 M.R.P. 175/-Per Bottle

## NASORUB-OXY<sup>®</sup>



**Composition :**  
 Oxymetazolin Hydrochloride IP 0.05% w/v  
 Benzalkonium Chloride Solution IP 0.02% w/v  
 In a aqueous Isotonic Solution Using Distilled Water IP

**Indication :** Oxymetazoline nasal spray is used to relieve nasal discomfort caused by colds, allergies, and hay fever. It is also used to relieve sinus congestion and pressure. Oxymetazoline nasal spray should not be used to treat children younger than 6 years of age unless it is recommended by a doctor.

10ml.  
 M.R.P. 92/-Per Bottle

## WAX EARDOSE




**Composition :**  
 Paradichlorobenzene 2% w/v  
 Benzocaine IP 2.7% w/v  
 Chlorbutol IP 5.0% w/v  
 Turpentine Oil IP 15% w/v  
 Oily base q.s.


**Indication :** Benzocaine+chlorobutanol+paradichlorobenzene+turpentine Oil contains Paradichlorobenzene, Benzocaine, Chlorobutanol, and Turpentine oil. These medicines help to soften the wax and help in the movement of earwax outside the ear canal. This effect also helps to reduce ear pain caused by impacted earwax.

10ml.  
 M.R.P. 75/-Per Bottle


# EYE & EAR DROP




**Comfort  
For *Eye*  
*Infection***



25x1x5ml.  
M.R.P. 60/-Per Bottle



25x1x5ml.  
M.R.P. 130.87/-Per Bottle




25x1x5ml.  
M.R.P. 180/-Per Bottle



25x1x2.5ml.  
M.R.P. 394/-Per Bottle



25x1x5ml.  
M.R.P. 210/-Per Bottle



25x1x5ml.  
M.R.P. 152.93/-Per Bottle



25x1x5ml.  
M.R.P. 167/-Per Bottle

# SHAMPOO, LOTION, SOAP, JAR, SPRAY, SACHET, PROTEIN POWDER, DUSTING POWDER, FACE WASH, LIP BALM & HAIR REMOVAL CREAM




**BURNHIT<sup>®</sup>**

**Composition :**  
 Silver sulphadiazine IP 1.0%w/w  
 Chlorhexidine Gluconate Solution IP  
 Diluted to chlorhexidine Gluconate 0.20%w/w  
 In a cream base q.s.

**Indication :** Silver sulfadiazine cream is used to prevent and treat wound infections in patients with second- and third-degree burns. Patients with severe burns or burns over a large area of the body must be treated in a hospital. Silver sulfadiazine is an antibiotic. It works by killing the bacteria or preventing its growth.

**250gm**  
**M.R.P. 400/-Per Jar**



**BURNHIT<sup>®</sup>**

**Composition :**  
 Silver sulphadiazine IP 1.0%w/w  
 Chlorhexidine Gluconate Solution IP  
 Diluted to chlorhexidine Gluconate 0.20%w/w  
 In a cream base q.s.

**Indication :** Silver sulfadiazine cream is used to prevent and treat wound infections in patients with second- and third-degree burns. Patients with severe burns or burns over a large area of the body must be treated in a hospital. Silver sulfadiazine is an antibiotic. It works by killing the bacteria or preventing its growth.

**500gm**  
**M.R.P. 750/-Per Jar**



**CARESCAB<sup>®</sup>-NF**

**Composition**  
 Gamma Benzene Hexachloride IP 0.1% w/v  
 Cetrimide IP 0.1% w/v  
 Lotion base q.s.

**Indication :** Gamma Benzene Hexachloride & Cetrimide is used for Treatment of scabies in patients who cannot tolerate or have failed first line therapies, Wounds, Contagious and itchy human head infection, Infection of cuts, Grazes, Insect bites, Minor burns and other conditions.

**100ml.**  
**M.R.P. 110/-Per Bottle**



**MYSELIC<sup>®</sup>**

**Composition :**  
 Clobetasol Propionate U.S.P. 0.05% w/w  
 Salicylic Acid I.P. 6.0% w/w

**Indication :** Clobetasol is used in adults to treat moderate to severe scalp psoriasis. Clobetasol reduces the swelling, itching and redness that can occur with this condition. This medication is a very strong (super-high-potency) corticosteroid

**50ml.**  
**M.R.P. 155/-Per Lotion**



## CARE VAGINAL

**Composition :**  
 Tea tree oil 1.2% w/v  
 Lactic Acid 0.50% w/v  
 Aloe vera, Deionozed Water & Fragrance

**Indication :** Intimate wash is used for the treatment of dryness, itching and irritation of intimate areas. They also help in maintaining normal PH of the vagina which is important in preventing bacterial infection," said Dr Megha Ranjan, assistant professor, Department of Obs & Gynae, Sharda Hospital.

**100ml.**  
**M.R.P. 220/-Per Bottle**



## KETOCLEAN®

**Composition :**  
 Ketoconazole I.P. 2.00% w/w  
 With ZPTO

**Indication :** It contains a medically proven ingredient Ketoclean that treat the root cause of dandruff and provides long lasting relief without irritating the scalp. ketoclean is a proven medicinal agent povale, the root cause of dandruff. controls Flaking, Scaling & Itching.

**75ml. Shampoo**  
**M.R.P. 176/-Per Bottle**



## KETOCLEAN®

**Composition :**  
 Ketoconazole IP 1.0% w/w  
 Zinc Pyrithoone (ZPTO)IP 0% w/w  
 Soap base noodles q.s.  
 Ketoclean Soap provides relief from vicious itch scarch cycle & irritation involved withdandruff & topical fungal infection. Ketoclean Soap is recommended for all age.groups including children. etoclean SOAPgives soothing & hydrating feeling to the skin  
 TFM : 76% Grade 1 soap Likely to loose weight due to moisture loss

**Indication :** for best result wet the affected pars thoroughly, massage ketoclean soap liberally to make a rich lather leave lather for several minutes, rinse with water & repeat

**75gm. Soap**  
**M.R.P. 140/-Per Soap**



## KETOCLEAN®

**Composition :**  
 Ketoconazole I.P. 2.00% w/w  
 With ZPTO

**Indication :** It contains a medically proven ingredient Ketoclean that treat the root cause of dandruff and provides long lasting relief without irritating the scalp. ketoclean is a proven medicinal agent povale, the root cause of dandruff. controls Flaking, Scaling & Itching.

**100ml. Shampoo**  
**M.R.P. 185/-Per Bottle**



## NARICA® KESH OIL

**COMPOSITION :**  
 Each 10ml contains aqueous extracts derived from

Ingredients	Latin Name	Part Used	Qty.
Bhringaraj	Eclipta alba	Wh. Plant	1500mg
Brahmi	Bacopa monnerei	Lf.	500mg
Jatamansi	Nardostachys jatamansi	Wh. Pl	500mg
Rasant	Berberis aristata	Leaves	100mg
Henna Leaf	Lawsonia Alba	Leaves	500mg
Yashti Madhu	Glycyrrhiza glabra	Stem	200mg
Tulsi	Ocimum sanctum	Leaves	500mg
Jaiphal and Sesamum Oil	Myristica fragrans	Seed	0.002 Gm
	Sesamum indicum	Oil	05 ML

**120ml.**  
**M.R.P. 161/-Per Bottle**



## LOCOSMIK®

**Composition**  
 Calamine I.P. 8% w/w  
 Hydrochloride I.P. 1% w/w  
 Camphor B.P. 0.1 % w/w

**Indication :** Lacto calamine consists of zinc oxide & zinc carbonate which in combination is known as Calamine. ... The zinc oxide used in this lotion helps in dealing with skin problems like damage from the sun & promotes skin healing.

**100ml.**  
**M.R.P. 120/-Per Bottle**



## POVIRUB<sup>®</sup>-PLUS

### Composition :

Golden brown aqueous solution containing :

Povidone-Iodine	IP	10% w/v
(Available Iodine 0.5% w/v)		
Purified water	IP	q.s.

**Indication :** Povidone-iodine is a broad spectrum antiseptic for topical application in the treatment and prevention of wound infection. It may be used in first aid for minor cuts, grazes, burns, abrasions and blisters.

**100ml.**  
**M.R.P.107.50/-Per Bottle**



## POVIRUB<sup>®</sup>-PLUS

### Composition :

Golden brown aqueous solution containing :

Povidone-Iodine	IP	10% w/v
(Available Iodine 0.5% w/v)		
Purified water	IP	q.s.

**Indication :** Povidone-iodine is a broad spectrum antiseptic for topical application in the treatment and prevention of wound infection. It may be used in first aid for minor cuts, grazes, burns, abrasions and blisters.

**500ml.**  
**M.R.P.537.60/-Per Bottle**



## POVIRUB<sup>®</sup>

Golden brown aqueous solution

containing :

Povidone-Iodine	IP	5% w/v
(Available Iodine 0.5% w/v)		
Purified water	IP	q.s.

Povidone-iodine is a broad spectrum antiseptic for topical application in the treatment and prevention of wound infection. It may be used in first aid for minor cuts, grazes, burns, abrasions and blisters.

**100ml.**  
**M.R.P.48.16/-Per Bottle**



## POVIRUB<sup>®</sup>

### Composition :

Golden brown aqueous solution containing :

Povidone-Iodine	IP	5% w/v
(Available Iodine 0.5% w/v)		
Purified water	IP	q.s.

**Indication :** Povidone-iodine is a broad spectrum antiseptic for topical application in the treatment and prevention of wound infection. It may be used in first aid for minor cuts, grazes, burns, abrasions and blisters.

**500ml.**  
**M.R.P. 218.40/-Per Bottle**



## POVIRUB<sup>®</sup>-SCRUB

### Composition :

Povidone Iodine	IP	7.5% w/v
(Available Iodine 0.75% w/v)		
Sucralfate active agent		q.s.

**Indication :** Povidone Iodine Solution is an antiseptic and disinfectant agent. It is used for the treatment and prevention of infections in wounds and cuts. It kills the harmful microbes and controls their growth, thereby preventing infections in the affected area.

**500ml.**  
**M.R.P. 996.80/-Per Bottle**



## POVIRUB<sup>®</sup>-G

### Composition :

Povidone Iodine	IP	2% w/w
(Available Iodine 0.20% w/w)		
Excipients		q.s.

**Indication :** Povidone-iodine eradicated general bacteria and MRSA colonies in the pharynx before intubation and at the tip of the tube after extubation. Conclusion: Gargling with povidone-iodine before oral intubation reduces the transport of bacteria into the trachea.

**100ml.**  
**M.R.P. 130/-Per Bottle**





## POVIRUB®

**Composition :**  
 Povidone-Iodine IP 5% w/w  
 (Available Iodine 0.5% w/w  
 water for soluble ointment base q.s.

**Indication :** Povidone-iodine is a broad spectrum antiseptic for topical application in the treatment and prevention of wound infection. It may be used in first aid for minor cuts, grazes, burns, abrasions and blisters.

**250gm**  
**M.R.P. 299.50/-Per Jar**



## SALVOR

**Composition :**  
 Chlorhexidine Gluconate  
 Solution IP 0.3% v/v  
 Cetrimide IP 0.6% w/v  
 Purified Water IP q.s.  
 Colour : Sunset Yellow FCF

**Indication :** Apply undiluted to the affected area. Minor burns and scalds, and small areas of sunburn: Apply undiluted to the affected area.

**1000ml.**  
**M.R.P. 385/-Per Bottle**



## ENTERACE

**Composition :**  
 Each 5ml. oral suspension mini bottle contains :  
 Bacillus Clausii 2 Billion Spores  
 Purified Water IP q.s.

**Indication :** Bacillus clausii is a probiotic that has been used for the treatment of acute diarrhea among adults and pediatric patients, as well as an adjunctive therapy for the treatment for Helicobacter pylori infection.

**12X5ml.**  
**M.R.P. 70/-Per Respules**



## ALOE VERA

A Specially formulated Aloe vera Lotion Face & Body provide you skin 24 hrs moisturizing. Enriched with vitamin E, Dead sea Minerals & Squalene effectively nourishes and safe guard your kin from dryness crackness, make complexion soft & radiant.

**Ingredients :** Aqua water, Light Liquid Paraffin, Glycerine, Glyceryl Monostearate, Caprylic Capric Triglyceride, Theobroma Cacao (Cocoa Butter), Propylene Glycol, Aloe Barbadensis (Aloe vera Extract), Emulsifying Wax, Phenoxyethanol, Cetyl Alcohol, Cera Alba, Dimethicone, DL-Alpha Tocopheryl Acetate, Triethanolamine, Carbomer, Methyl Paraben, Propylparaben, Ethylenediaminetetraacetic Acid and Fragrance

**100ml.**  
**M.R.P. 225/-Per Bottle**



## BREASTAR

**Safe Ayurvedic Proprietary Medicine**  
**Composition :-** Upakunchika Extract, Fenugreek Extract, Satava Extract, Sarja Extract, Vidari Kand, Almond Oil, Gehu Ka Tail, Aloe vera Extract, Sun Flavour Oil & Cream base.

**Usage :-** Massage Cream on the breasts in circular motion from lower to upper side. Apply the cream once a day. Preferably after taking shower.  
 Helps in sagging breasts and toning up the body  
 Store in a cool, dark & dry place.  
 Keep away from the reach of children.

**Caution :** To be taken under medical supervision only.

**100gm**  
**M.R.P. /-Per Jar**



## BREASTAR

**Composition :-** Almond Oil, Clove Oil, Coconut Oil, Emu Oil, Fenugreek Oil, Lavender Oil, Olive Oil, Primrose Oil, Wheat Germ Oil base.

**Usage :-** Massage oil on the breasts in circular motion from lower to upper side. Apply the oil once a day. Preferably after taking shower. Helps in sagging breasts and toning up the body

**100ml.**  
**M.R.P. 350/-Per Bottle**



## CARE GLYCERIN

**Composition :**  
Moisturizes and softens all skin types

**Indication** This medication is used as a moisturizer to treat or prevent dry, rough, scaly, itchy skin and minor skin irritations (such as diaper rash, skin burns from radiation therapy). Emollients are substances that soften and moisturize the skin and decrease itching and flaking.

**500ml.**  
**M.R.P. 550/-Per Bottle**



## CARE GLYCERIN

**Composition :**  
Moisturizes and softens all skin types

**Indication** This medication is used as a moisturizer to treat or prevent dry, rough, scaly, itchy skin and minor skin irritations (such as diaper rash, skin burns from radiation therapy). Emollients are substances that soften and moisturize the skin and decrease itching and flaking.

**100ml.**  
**M.R.P. 145/-Per Bottle**



## DESONICE

**Composition**  
Each ml. contains :  
Desonice 0.05% w/w  
Methylparaben IP (as preservative) 0.08% w/w  
Propylparaben IP (As Preservative) 0.04% w/w  
In a lotion base q.s.

**Indication** This medication is used as a moisturizer to treat or prevent dry, rough, scaly, itchy skin and minor skin irritations (such as diaper rash, skin burns from radiation therapy). Emollients are substances that soften and moisturize the skin and decrease itching and flaking.

**1X30ml.**  
**M.R.P. 187/-Per Bottle**



## NARICA<sup>®</sup> PAPAYA

### Ingredients :

Aqua (Water), Sodium Lauryl Ether Sulphate, Fragaria Chiloensis (Papaya Extract), Aloe Barbadensis (Aloevera Extract), Carbopol, Cocamidopropyl betaine, Glycerine, Phenoxyethanol, Allantoin, Lactic Acid, Triethanolamine & Fragrance.

### PAPAYA FACE WASH :

- Reduces the numbers of superficial wrinkles
- Improves skin texture and tone.
- Unblocks and cleanses the pores.

**100ml.**  
**M.R.P. 199/-Per Tube**



## NARICA<sup>®</sup> ACTIVATED CHARCOAL

### Ingredients :

Aqua (water), sodium lauryl ether sulphate, cocamidopropyl betaine, glycerine, propylene glycol, hydroxyethyl cellulose, aloe barbadensis extract (aloevera extract), hydroxyethyl urea, dl-alpha tocopheryl acetate, phenoxyethanol, methylchloroisothiazolinone, ethylene diamine tetra acetate, activated charcoal & fragrance.

### Activated Charcoal Face Wash :

The activated charcoal powder in the face wash pullout impurities- dirt, Oil & pollution - from your skin and deep cleanses your pores. The charcoal and natural ingredients work together to control acne, pimples and dark spots to give you a spotless texture that is desired by all.

**100ml.**  
**M.R.P. 199/-Per Tube**



## NARICA<sup>®</sup> SUN SCREEN

### Ingredients:

Aqua (water), octyl methoxycinnamate, butyl methoxydibenzoylmethane (avobenzene), oxybenzone (benzophenone-3), stearic acid, glyceryl monostearate, propylene glycol, isopropyl myristate, caprylic capric triglyceride, zinc oxide (micronized), cetyl alcohol, aloe barbadensis (aloevera extract), emulsifying wax, dimethicone, triethanolamine, phenoxyethanol, potassium sorbate, laureth- 23, carbomer, ethylenediaminetetra acetate & fragrance.

### Sun Screen Lotion:

SPF 30 is quick drying, non oily, non greasy, sweat-proof Sunscreen Lotion with a maximum UV Protection factor to protect you from damage caused by exposure to UV rays. Enriched with dermatologist approved activities. Sun Screen Lotion SPF 30 is a unique water - soluble UV-B Sun cream with high UV absorbing properties. It will not sweat into your eyes as it's a clear lotion , So it won't leave a white residue on the skin.

**60ml.**  
**M.R.P. 240/-Per Tube**

## NARICA® SUN SCREEN




**Ingredients:**  
Aqua (water), octyl methoxycinnamate, butyl methoxydibenzoylmethane(avobenzone), oxybenzone (benzophenone-3), stearic acid, glyceryl monostearate, propylene glycol, isopropyl myristate, caprylic capric triglyceride, zinc oxide (micronized), cetyl alcohol, aloe barbadensis (aloe vera extract), emulsifying wax, dimethicone, triethanolamine, phenoxethanol, potassium sorbate, laurth- 23, carbomer, ethylenediaminetetra acetate & fragrance.

**Sun Screen Lotion:**  
SPF 30 is quick drying, non oily, non greasy, sweat-proof Sunscreen Lotion with a maximum UV Protection factor to protect you from damage caused by exposure to UV rays. Sun Screen Lotion SPF 30 is a unique water - soluble UV-B Sun cream with high UV absorbing properties. It will not sweat into your eyes as it's a clear lotion, So it won't leave a white residue on the skin.

**60ml.**  
**M.R.P. 299/-Per Tube**

## KIWI FACE WASH




**Ingredients :** Aqua (Water), Sodium Lauryl Ether Sulphate, Actinidia Deliciosa (Kiwi Extract), Aloe Barbadensis (Aloe vera Extract), Xanthan Gum, Cocamidopropyl betaine, Glycerine, Phenoxethanol, Allantoin, Lactic Acid, Jojoba Extract, Triethanolamine & Fragrance.


**NARICA KIWI FACE WASH :**

- Reduces the numbers of superficial wrinkles.
- Improves skin texture and tone.
- Unblocks and cleanses the pores.

**Direction for Use :** Take out a small quantity of face wash from tube on wet palms. Rub palms against each other to work up the lather and gently massage on face for 2-3 minutes. Rinse with Fresh water & dry.

**100ml.**  
**M.R.P. 252/-Per Tube**

## HALDI CHANDAN FACE WASH




**Ingredients :** Aqua (Water), Sodium Lauryl Ether Sulphate, Fragaria Chiloensis, Curcumin (Haldi Extract) , Santalum album (Chandan Extract), Aloe Barbadensis (Aloe vera Extract), Carbopol, Cocamidopropyl betaine, Glycerine, Phenoxethanol, Allantoin, Lactic Acid, Triethanolamine & Fragrance.

**NARICA HALDI CHANDAN FACE WASH :**

- Reduces the numbers of superficial wrinkles
- Improves skin texture and tone.
- Unblocks and cleanses the pores.

**Direction for Use :** Take out a small quantity of face wash from tube on wet palms. Rub palms against each other to work up the lather and gently massage on face for 2-3 minutes. Rinse with water & dry.

**100ml.**  
**M.R.P. 252/-Per Tube**

## TEA TREE FACE WASH





**Ingredients :** Aqua (Water), Sodium Lauroyl Sarcosinate, Acrylate Copolymer, Sodium Hydroxide, Cocamidopropyl Betaine, Sodium Cocoyl Apple Amino Acid (Coconut and Apple Extract), Phenoxethanol & Ethylhexylglycerin, Green Tea Extract, Xylitylglucoside (and) Anhydroxylitol (and) Cinnamomum Zeylanicum), Caffeine, Disodium Dihydrogen Ethylenediaminetetraacetate, Hyaluronic Acid, Vitamin C, Perfume, Color.

**Narica Tea Tree Face Wash :** The activated charcoal powder in the face wash pullout impurities- dirt, Oil & pollution - from your skin and deep cleanses your pores. The charcoal and natural ingredients work together to control acne, pimples and dark spots to give you a spotless texture that is desired by all.

**100ml.**  
**M.R.P. 252/-Per Tube**

## COFFEE FACE WASH




**Ingredients:** Aqua Water, Capryloyl/Caproyl Methyl Glucamide Cocoamidopropyl Betaine, Glycerine, Sodium Lauryl Ether Sulphate, Aqua-sf 1, Polysorbate 60, Caprylhydroxamic Acid (and) Caprylyl Glycol (and) Glycerin, Carbomer, Coffee Extract, Sodium Palmitoyl Proline (and) Nymphaea Alba Flower (White Water Lily) Extract, , Fragrance, Aloe Barbadensis (AloeVera), Caffeine, Sodium Gluconate, Seaweed Extract, Triethanolamine. Contains Natural Ingredients. Products with natural ingredients may change colour but this does not change their effectiveness.

**Coffee Face Wash :**  
The Coffee powder in the face wash pullout impurities- dirt, Oil & pollution - from your skin and deep cleanses your pores. The coffee and natural ingredients work together to control acne, pimples and dark spots to give you a spotless texture that is desired by all.

**100ml.**  
**M.R.P. 252/-Per Tube**

## NARIC® HAIR REMOVAL




**TAKES FROM 4-10 MINUTES FOR EXTERNAL USE ONLY**

**PRECAUTIONS:**

- Read carefully & directions before use.....
- Do not exceed 10 minutes total application time.
- Suitable for use on the legs, arms, underarms & bikini line.
- **DO NOT USE** on head, face, eyes, nose, ears, around the anus, genitals and nipples or any other body parts.
- Do not use on varicose veins, scars, moles, spotty, broken, irritated, sunburnt skin or on skin that has had an adverse reaction to hair removal creams in the past.....
- Check with your doctor before using if you are on any medication which can affect the skin, if you suffer from any skin related disorder. **Before every use, Test Your Skin Reaction**, by applying and removing the product to a small part of the area you wish to treat, following the directions for use. If after 24 hours there is no adverse reaction, continue to use. **if you experience any smarting/tingling during use, remove the product immediately and rinse thoroughly with cold water.** If a burning sensation persists, seek medical advice. Skin may be more sensitive for a short time after use, so avoid scratching.

**50gm**  
**M.R.P. 199/-Per Tube**



**30ml.**  
**M.R.P. 990/-Per Bottle**

## NARICA<sup>®</sup> FACIAL SERUM

**Ingredients :** Aqua water, Ethyl Ascorbic Acid, Propylene glycol, Aloe vera Barbardensis, Polysorbate-20, L-Glutathione, Sodium Benzoate, Sodium Hyaluronate, Xanthan gum, DL Alpha Tocopheryl Acetate & Fragrance.

**Direction for use:**

- Clean up your face at first & then spread few drops of the serum over your face.
- Massage it for 2-3 minutes and let soak properly for 10 minutes and wash the face after.
- In case of any itching or burning issue, mix the serum with any moisturizers.
- Then moisturize your skin with a good moisturizer.

**Benefits :**

- This rare formula diminishes sun sport and blemishes.
- Plumps the skin while minimizing wrinkles.
- One of the most powerful antioxidants that assists in Reduced sunburn cells.
- Guaranteed to leave skin moisturized with A youthful glow.



## NARICA<sup>®</sup> LIP BALM

**Narica lip balm** is a deeply moisturizing lip treatment crafted with protective waxes & enhanced with nutritive features of the Aloe vera & Vitamin-E.

**Narica lip balm** is complete care for your lips against Dryness, Chapping & Cracking. It enriched with Aloe vera for excellent moisturizing. Vitamin-E is a rich source of nourishes tones & soften your lips making them beautiful & smooth.

**INGREDIENTS:**

Petroleum Jelly, IPM, Heavy liquid paraffin, Refind Castrol Oil, Jojoba Oil, Refind Coconut oil, Glycerin, Flavor, Vitamin-E, Grape seed oil & Aloe vera extract.

**10gm.**  
**M.R.P. 59/-Per Tube**



## NARICA<sup>®</sup> COLD CREAM

**Ingredients :** Aqua (water), light liquid paraffin, cera alba (white bee wax), emulsifying wax, stearic acid, cucumis sativus (cucumber extract), rosa centifolia (rose) extract, aloebardadensis (aloe vera) extract, glyceryl monostearate, propylene glycol, dimethicone, dl-alpha tocopheryl acetate (vitamin E), isopropyl myristate, phenoxyethanol, triethanolamine, Cetostearyl alcohol, borex, allantoin, ethylenediaminetetra acetate, methyl paraben, propylparaben & fragrance.

**Direction of Use :** Apply pea-sized amounts on your forehead, cheeks and chin. Spread and massage gently over your face and neck twice daily.

**75gm**  
**M.R.P. 225/- Jar**



## NARICA<sup>®</sup> APPLE CIDER VINEGAR FACE WASH

Go a step ahead of regular facial skin cleansing with Narica Apple Cider Vinegar Foaming Face Wash. It comes with a built-in face brush with gentle silicone bristles to give your face deep cleansing on surface and within enlarged pores to reduce blackheads and acne. It has been enriched with pure Apple Cider Vinegar, Aloe Vera Extract and vitamin B5 & E for cleansing, hydrating and rejuvenating care. When massaged onto damp skin, its rich foam dissolves and washes away dead skin cells, dirt and pollutants from skin's surface and open pores.

**100ml.**  
**M.R.P. 410/-Per Bottle**



## NARICA BODY WASH

**Composition :** Aqua decyl glucoside, Cocamidopropyl Betaine, Sodium Laureth Sulfate, Sodium cocoyl isethionate Glycerine, Cocodeithonalomide, PEG-150 Disearate, Aloe Barbardensis (Aloe vera Extract) Citric Acid, Phenoxythanol Saponaria officinalis (Soapwort extract), oryza Sativa (Rice extract), coco mycitera (coconut oil), Ethylenediaminetetraacetate, Methylchlorosothiazolinone & fragrance.

**200ml.**  
**M.R.P. 299/-Per Bottle**



## NARICA MOISTURISING LOTION

**Composition :** A Specially formulated Moist Ease Lotion Face & Body provide your skin 24hrs moisturizing. Enriched with vitamin E, Dead sea Minerals & Squalene effectively nourishes and safe guard your skin from dryness, crackness, make complexion soft & radiant.

**200ml.**  
**M.R.P. 345/-Per Bottle**

## NARICA® VITAMIN-C



**Ingredients:** Purified water, Sodium Lauryl Ether Sulphate, Propylene Glycol, Natrio-250, Glycerine, Aloe Barbadensis Aloeveia Extract, Triethanolamine, Lactic Acid, Vitamin E Orange Red Extract (D-Alpha Tocopheryl Acetate) Vitamin C (Ascorbic - Acid), Rose Extract Phenylethanol, Orange peel Extract & Fragrance.

**These ingredients are show to:**

- Reduces the number of superficial wrinkles.
- Improves skin texture and tone.
- Unblocks and cleanses the pores

**Direction For use:**

- Pump out required quantity of Vitamin C on palm and massage gently on your wet face and neck with an upward circular motion.
- Rinse off with clear water and pat your face dry.
- Apply appropriate moisturizer in case of dry skin.

Not to be used on children below 3 years  
For gentle cleansing keep maximum up to 30 seconds on face

**100ml.**  
**M.R.P. 260/-Per Bottle**

## NARICA® VITAMIN-C SERUM



**Ingredients:** Purified water, Glycerin, Hyaluronic acid, Tocopherol Acetate, Aloe Barbadensis Leaf Extract, Octylmethoxy Cinnamate, L-Glutathione, Caprylic Capric Triglycerides, Allantoin, Triethanolamine, Sodium Ascorbyl Phosphate, Lecithin, Phospholipids, Hydrogenated Palm Triglycerides, Xanthan Gum, Carbomer, Disodium EDTA, Methyl Paraben, Propyl Paraben, Butyl-Paraben, Sodium Benzoate, & Fragrance.

**30ml.**  
**M.R.P. 1150/-Per Bottle**

## CARE-D3



**Composition :**  
Each 5ml. contains :  
Cholecalciferol concentrate IP (as stabilized) 60000 IU  
eq. to Cholecalciferol 60000 IU  
(In Nano Droplet from) q.s.  
In a flavoured syrupy base q.s.  
Colour : Tartrazine

**Indication :** For treatment and prevention of vitamin D and calcium deficiency. As an adjuvant for the treatment and prevention of osteoporosis and bone disorders. As a supplement when vitamin D requirements of the body are high such as in elderly, after surgery and in growing children.

**4x5ml. Nano Shot**  
**M.R.P. 66.86/-Per Bottle**

## CARE-D3 PLUS®



**Composition :**  
Each 1 gm Sachet contains :  
Cholecalciferol IP 60000 IU  
Excipients q.s.  
(Overages of Vitamins Added)

**Indication :** Vitamin D with calcium is used to treat or prevent bone loss (osteoporosis). Vitamin D is also used with other medications to treat low levels of calcium or phosphate caused by certain disorders (such as hypoparathyroidism, pseudohypoparathyroidism, familial hypophosphatemia).

**1gm Sachet**  
**M.R.P. 38.05/-Per Bottle**

## POVIRUB®



**Composition :**  
Povidone Iodine IP 5% w/w  
(Available Iodine 0.50% w/w)  
Excipients q.s.

**Indication :** Povidone-iodine is a broad spectrum antiseptic for topical application in the treatment and prevention of wound infection. It may be used in first aid for minor cuts, grazes, burns, abrasions and blisters.

**10x10gm**  
**M.R.P. 55/-Per Bottle**


## CLIMAZOLE®



**Composition :**  
Clotrimazole IP 1% w/w  
Excipients q.s.

**Indication :** Clotrimazole is used to treat skin infections such as athlete's foot, jock itch, ringworm, and other fungal skin infections (candidiasis).

**100gm**  
**M.R.P. 125/-Per Bottle**




## CLIMAZOLE®

**Composition :**

Clotrimazole IP	1%w/w
Excipients	q.s.

**Indication :** Clotrimazole is used to treat skin infections such as athlete's foot, jock itch, ringworm, and other fungal skin infections (candidiasis).

**75gm**  
**M.R.P. 85/-Per Bottle**



## PROBICARE®

**Nutritional Information :**  
Each serving of 1.5 g. contains (Approx.) :

Ingredients	Qty. per 1.5 g	% RDA
Energy	3.60 kcal	**
Carbohydrate	0.90 g	**
Protein	0.00 g	**
Fat	0.00 g	**
Lactobacillus Acidophilus	0.35 Billion	**
Lactobacillus Rhamnosus	0.35 Billion	**
Bifidobacterium Longum	0.35 Billion	**
Saccharomyces Boulardii	0.20 Billion	**
Fructo-oligosaccharides	1500 mcg.	**
Zinc Sulphate	10 mg	30.4%

**Indication :** Probiotics have been used to treat bowel problems (such as diarrhea, irritable bowel), eczema, vaginal yeast infections, lactose intolerance, and urinary tract infections. Probiotics are available in foods (such as yogurt, milk, juices, soy beverages) and as dietary supplements (capsules, tablets, powders).

**1.5gm Sachet**  
**M.R.P. 39/-Per Sachet**



## CARE ISABGOL

**Nutritional Info :**  
Each [3.5g] contains [Approx.]

Ingredients	Qty. per 5g.	% RDA
Energy	16.00kcal	**
Carbohydrate	4.00g	**
Sugar	1.25g	**
Dietary Fibre	2.63g	**
Protein	0.00g	**
Fat	0.00g	**
Psyllium [Isapgahula] - seed husk	3.50g	**

**Indication :** Isabgol also known as psyllium husk is a dietary fiber that helps to increase stool and promote laxation. It is one of the most commonly used home remedies for constipation. Isabgol is good for weight loss as it gives a feeling of fullness and helps prevent overeating.

**3.5gm**  
**M.R.P. 12/-Per Sachet**



## PROTIGO®

### Vanilla Flavour

**Indication:**  
Keep you feeling full and energized. Packed with Vitamins, Minerals and digestive enzymes for enzymes for nutritional and digestive support. Designed to optimize overall health healthy for the whole family, perfect for vegans and vegetarian.

**Weight 200gm**  
**M.R.P. 490/-Per Jar**



## PROTIGO®

### Kesar Badam Flavour

**Indication:**  
Keep you feeling full and energized. Packed with Vitamins, Minerals and digestive enzymes for enzymes for nutritional and digestive support. Designed to optimize overall health healthy for the whole family, perfect for vegans and vegetarian.

**Weight 200gm**  
**M.R.P. 435/-Per Jar**



## PROTIGO®

### Chocolate Flavour

**Indication:**  
Keep you feeling full and energized. Packed with Vitamins, Minerals and digestive enzymes for enzymes for nutritional and digestive support. Designed to optimize overall health healthy for the whole family, perfect for vegans and vegetarian.

**Weight 200gm**  
**M.R.P. 435/-Per Jar**

**FOR MAINTENANCE OF FLUID BALANCE**



# ORS

Restores Body Fluids & Electrolytes  
Lost Due to Dehydration




WHO

**Recommended Formula**



**Refreshing  
Orange Flavour**

**Care Ors Is Fluid Replacement Strategy  
Used To Prevent Or Treat Dehydration**



## INDICATION

- Low Energy
- Fluid Replacement
- Electrolyte Imbalance
- Severe Thirst
- Diarrhoea
- Low BP
- Dehydration

**50x21.8gm  
M.R.P.22.65/-Per Sachet**



Care Formulation Labs

# Oncology Products




# Oncology Products



# Dermi-Zio<sup>®</sup> 5

Cream

## डरमीजीओ<sup>®</sup>-5



## दाद, खाज, खुजली का रामबाण इलाज



Eczema



Dermatitis



Ringworm-Itch



Skin Inflammation



OCT-2024

 **Care Formulation Labs**

Marketed By :  
**Care Formulation Labs Pvt. Ltd**  
(AN ISO 9001 : 2015 CERTIFIED CO.)  
673, Block-E, DSIIDC, Ind, Area Narela  
Delhi- 110040 INDIA  
Customer Care No.: 011-47878729  
Customer Care E-Mail.: cfllabs@gmail.com

 **Ausmed**<sup>®</sup>  
Life Sciences  
A division of  
**Care Formulation Labs Pvt. Ltd.**

 **Nulrigrow**<sup>®</sup>  
A division of  
**Care formulation Labs Pvt. Ltd.**